

{{ image_main_1 }}

{{ image_main_2 }}

{{ image_map }}

Today's date {{ date }}

1. Building Information

Address	{{ address_line_1 }}, {{ city }} {{ post_code }}
Use Class	{{ use_class }}
Area (GIA)	{{ gia }} sq ft
Area (NIA)	{{ nia }} sq ft
Construction Date	{{ const_date }}
Refurb date	{{ refurb_date }}
Tenure	{{ tenure }}

2. Building Description and Location

{{ long_bldg_descr }}	
Building type	{{ building_type_osm }}
Height	{{ building_height_m }} metres
Number of floors	{{ building_floors_above }} floors
Transport walking time	{{ transport_walk_time }} minutes
Nearest station	{{ transport_nearest_station }}
Nearest rail	{{ transport_nearest_rail }}
Nearest tube	{{ transport_nearest_tube }}
Analysis	{{ transport_commentary }}

3. Systems Summary

{{ long_bldg_system_summary }}	
Heating type	{{ heating_generation_type }}
EPC stated heating fuel	{{ epc_main_heating_fuel }}
Hot water strategy	{{ dhw_generation_type }}

4. User Question Responses

#	Question	Response
1	{{ user_question_01_text }}	{{ user_answer_01 }}
2	{{ user_question_02_text }}	{{ user_answer_02 }}
3	{{ user_question_03_text }}	{{ user_answer_03 }}
4	{{ user_question_04_text }}	{{ user_answer_04 }}
5	{{ user_question_05_text }}	{{ user_answer_05 }}
6	{{ user_question_06_text }}	{{ user_answer_06 }}
7	{{ user_question_07_text }}	{{ user_answer_07 }}
8	{{ user_question_08_text }}	{{ user_answer_08 }}
9	{{ user_question_09_text }}	{{ user_answer_09 }}
10	{{ user_question_10_text }}	{{ user_answer_10 }}
11	{{ user_question_11_text }}	{{ user_answer_11 }}
12	{{ user_question_12_text }}	{{ user_answer_12 }}

13	{{ user_question_13_text }}	{{ user_answer_13 }}
14	{{ user_question_14_text }}	{{ user_answer_14 }}
15	{{ user_question_15_text }}	{{ user_answer_15 }}
16	{{ user_question_16_text }}	{{ user_answer_16 }}
17	{{ user_question_17_text }}	{{ user_answer_17 }}
18	{{ user_question_18_text }}	{{ user_answer_18 }}
19	{{ user_question_19_text }}	{{ user_answer_19 }}
20	{{ user_question_20_text }}	{{ user_answer_20 }}
21	{{ user_question_21_text }}	{{ user_answer_21 }}
22	{{ user_question_22_text }}	{{ user_answer_22 }}
23	{{ user_question_23_text }}	{{ user_answer_23 }}
24	{{ user_question_24_text }}	{{ user_answer_24 }}
25	{{ user_question_25_text }}	{{ user_answer_25 }}

26	{{ user_question_26_text }}	{{ user_answer_26 }}
27	{{ user_question_27_text }}	{{ user_answer_27 }}
28	{{ user_question_28_text }}	{{ user_answer_28 }}
29	{{ user_question_29_text }}	{{ user_answer_29 }}
30	{{ user_question_30_text }}	{{ user_answer_30 }}
31	{{ user_question_31_text }}	{{ user_answer_31 }}
32	{{ user_question_32_text }}	{{ user_answer_32 }}
33	{{ user_question_33_text }}	{{ user_answer_33 }}
34	{{ user_question_34_text }}	{{ user_answer_34 }}
35	{{ user_question_35_text }}	{{ user_answer_35 }}
36	{{ user_question_36_text }}	{{ user_answer_36 }}
37	{{ user_question_37_text }}	{{ user_answer_37 }}
38	{{ user_question_38_text }}	{{ user_answer_38 }}

39	{{ user_question_39_text }}	{{ user_answer_39 }}
40	{{ user_question_40_text }}	{{ user_answer_40 }}

5. Current EPC & Energy Performance

Latest EPC Rating	{{ epc_letter }} {{ epc_number }}
Date of last EPC	{{ epc_date }}
EPC Annual CO₂ Emissions (kg/m²) and EUI (kWh/m²)	{{ epc_co2_emissions }}
EPC Benchmark	{{ epc_benchmark }}
EPC Commentary	{{ epc_commentary }}
EPC URL	{{ epc_url }}
AC Report URL	{{ ac_report_url }}
Display energy certificate	A Display Energy Certificate (DEC) shows the actual energy performance of a public building based on metered usage, rated from A (most efficient) to G (least efficient). Mandatory for buildings at least partially occupied by a public authority (for example, a council, leisure centre, college or NHS trust) over 250m ² frequently visited by the public. Unlike an EPC, which measures theoretical efficiency, a DEC measures actual, operational energy consumption.
Date of DEC (if available)	{{ dec_date }}
DEC operating rating	{{ dec_operational_rating }}
DEC rating band	{{ dec_rating_band }}
Measured energy consumption	{{ dec_annual_electricity_kwh }} kWh per year (electricity only) per DEC
<i>(typical)</i>	{{ dec_typical_electricity_kwh }} kWh per year
Measured thermal fuel	{{ dec_annual_thermal_kwh }} kWh per year (gas, oil, district heat) per DEC
<i>(typical)</i>	{{ dec_typical_thermal_kwh }} kWh per year
DEC-based commentary	{{ dec_commentary }}

6. CRREM Assessment and Estimated Energy Use

Stranding Year	{{ crrem_strand_year_1_5 }}	Carbon Value at Risk	{{ crrem_var }}
CRREM Delta to 2030	{{ crrem_delta }}	Stranding Severity	{{ crrem_strand_severity_1_5 }}
Narrative: {{ crrem_comments }}			
Detailed analysis:			

{{ crrem_adv_comments }}

{{ crrem_chart }}

Estimated Energy Usage and Scope Comparison							
Metric	This Bldg.	Target	Units	Framework	Scope	Basis	Area
{%tr for row in scope_comparison_rows %}							
{{ row.metric }}	{{ row.value if row.value is not none else "—" }}	{{ row.target if row.target is not none else "—" }}	{{ row.units }}	{{ row.framework }}	{{ row.scope }}	{{ row.basis }}	{{ row.area if row.area is not none else "—" }}
{%tr endfor %}							
Notes:							
Scope							
"Base" = regulated building energy only (landlord-controlled plant: heating, cooling, ventilation, lighting).							
"Whole" = base building plus unregulated tenant loads (IT, equipment, small power).							
"Tenant" = unregulated component only.							
Basis							
"Measured" = from EPC register (MHCLG). "Estimated" = PIPE model: EPC primary energy × reality factor + unregulated addition (CIBSE Guide F Table 20.9).							
"Delivered" = metered operational data via Display Energy Certificate (DEC). "Target" = framework threshold only, no building value captured.							
Targets							
UKGBC operational and Paris Proof targets from UKGBC Net Zero Carbon Buildings Standard (2019 framework, updated 2023). CRREM 1.5°C pathway from CRREM V2.07 (January 2023), UK Office sector, kgCO ₂ /m ² /yr converted to kWh/m ² at prevailing grid emission factor. NABERS UK target from NABERS UK Design for Performance scheme. DEC threshold per UKGBC guidance.							
EUI estimation methodology							
Where metered data is unavailable, operational EUI is estimated from EPC primary energy using a calibrated reality factor (base 1.30x for AC offices, adjusted for build date, system age, and BMS). Unregulated addition per CIBSE Guide F. PIPE's model accuracy estimated at ±15–20%; confidence degrades when scale factor outside 0.8-1.2x.							
If table is blank or contains — marks, data is not yet available for this session; re-run CRREM after EPC/DEC lookup to populate.							
For full methodology, data sources, and calibration log, see <i>PIPE Technical Reference Guide</i> .							

7. Climate Risk

Flood risk:	Overheating risk:
-------------	-------------------

Flood zone	{{ flood_zone }}	Hot days (baseline) <i>Days/year max temp > 30°C</i>	{{ hot_days_baseline_median }} days <i>historic baseline 1981-2000</i>
Flood source	{{ flood_source_primary }}	Hot days (recent) <i>Days/year max temp > 30°C</i>	{{ hot_days_recent_median }} days <i>recent observed 2001-2020</i>
Residual risk from river/sea	{{ flood_risk_rivers_sea }}	Hot Days at 2°C Warming ⁽¹⁾	{{ hot_days_2c_median }} days <i>range: {{ hot_days_2c_lower }} to {{ hot_days_2c_upper }}</i>
Surface water risk	{{ flood_risk_surface_water }}	Hot Days at 3°C Warming ⁽²⁾	{{ hot_days_3c_median }} days <i>range: {{ hot_days_3c_lower }} to {{ hot_days_3c_upper }}</i>
Source	Environmental agency data	Hot Days at 4°C Warming ⁽³⁾	{{ hot_days_4c_median }} days <i>range: {{ hot_days_4c_lower }} to {{ hot_days_4c_upper }}</i>

European Climate Risk Typology		
ECRT class	{{ ecrt_class }}	European Climate Risk Typology class (RESIN typology)
Class description	{{ ecrt_class_description }}	
Analysis: {{ climate_risk_commentary }}		

(1) Days / year > 30°C at 2°C global warming level (IPCC AR6 framework). Approx. 2050 under high-emissions pathway. Median estimate. Range: 10th/90th percentile

(2) Days / year > 30°C at 3°C global warming level. Approximately 2070-2080 under high-emissions. Median estimate. Range is 10th/90th percentile.

(3) Days / year > 30°C at 4°C global warming level. Late-century / high-emissions anchor. Median estimate. Range is 10th/90th percentile.

8. Ownership & Transaction Insight

Named owner	{{ ownership_name }} (source: HMLR)	Since (date)	{{ ownership_date }}
Company	{{ ownership_company_name }} (source: Companies House)	Since (date)	{{ ownership_date_of_creation }}
Price paid	{{ price_paid }}	Tenure	{{ tenure }}
Charges	{{ ownership_charges_summary }}		
Status	{{ ownership_company_status }} (source: Companies House)		
Officers	{{ ownership_officers_summary }}		
Registered office	{{ ownership_registered_address }}		
Compliance	{{ ownership_filing_health }}		
Analysis:			
{{ ownership_insights }}			
{{ ownership_commentary }}			

9. Planning, Heritage & Development History

Listed status	{{ listed_building_grade }}	Conservation area	{{ conservation_area }}
Planning History {{ planning_history }} Latest Application			

Ref: {{ planning_latest_app_ref }}, {{ planning_latest_app_date }}. Status: {{ planning_status }}. {{ planning_latest_app_description }}
Heritage Analysis {{ heritage_commentary }}
Refurbishment History {{ refurb_history }}

10. Occupier Mix & Leasing

Analysis: {{ occupier_mix }}
--

11. Social Impact of Local Area (Indices of Multiple Deprivation “IMD”)

	Result	
LSOA	{{ lsoa_code }} ({{ lsoa_name }})	
LSOA Pupulation	{{ imd_population_total }}	Analysis: {{ imd_analysis }}
IMD Rank	{{ imd_rank }}	
IMD Score	{{ imd_score }}	
IMD Decile	{{ imd_decile }}	
Income Decile	{{ imd_income_decile }}	
Employment Decile	{{ imd_employment_decile }}	
Crime Decile	{{ imd_crime_decile }}	
Child Poverty Decile	{{ imd_idaci_decile }}	
Education Decile	{{ imd_education_decile }}	
Housing Barriers	{{ imd_barriers_decile }}	
Living Environment	{{ imd_living_env_decile }}	
Education Decile	{{ imd_education_decile }}	
Health Decile	{{ imd_health_decile }}	
Older People Decile	{{ imd_idaopi_decile }}	

12. Certifications

Current:		
BREEAM Rating	{{ breem_rating }}	
Analysis: {{ breem_commentary }}		
	Target	Comments
BREEAM	{{ cert_target_breem }}	{{ cert_target_breem_comments }}
NABERS UK	{{ cert_target_nabers }}	{{ cert_target_nabers_comments }}
WELL V2	{{ cert_target_well }}	{{ cert_target_well_comments }}
EPC	{{ cert_target_epc }}	{{ cert_target_epc_comments }}

13. Suitability for Renewables

Roof Area (total) (sq m)	{{ renew_roof_area_total }}
Roof Area (available) (sq m)	{{ renew_roof_area_solar }}
Shading	{{ renew_shading }}
Structural Load	{{ renew_struct }}
Analysis: {{ renew_conclusions }}	

14. Decarbonisation Commentary and Optimised Retrofit Strategy

Analysis: {{ strategic_decarb_comments }}			
{{forecast_end_eui_label}}	{{ postrefurb_eui }}	NIA post refurb (sq ft)	{{ postrefurb_nia }}
Added Embodied (kwh/m²)	{{ postrefurb_embodied }}	NIA post refurb % uplift	{{ postrefurb_nia_pc }}
Return on Invested Carbon*	{{ postrefurb_roic }}	EUI cost efficiency**	£ {{ postrefurb_euice }}
* Operational carbon saved per year in kg CO2e/m²/yr divided by embodied carbon spent in kg/m²		** £ cost per kWh/m²/yr saved	

15. Estimated cost of Retrofit Strategy

{{ cost_comments }}			
	Total cost (£)	Rate (£ / sq ft)	Source
Main plant	{{ cost_tot_plant }}	{{ cost_rate_plant }}	{{ cost_source_plant }}
On floor MEP systems	{{ cost_tot_floor }}	{{ cost_rate_floor }}	{{ cost_source_floor }}
Lighting	{{ cost_tot_light }}	{{ cost_rate_light }}	{{ cost_source_light }}
Windows	{{ cost_tot_win }}	{{ cost_rate_win }}	{{ cost_source_win }}
Insulation	{{ cost_tot_ins }}	{{ cost_rate_ins }}	{{ cost_source_ins }}
Refurb to CAT A	{{ cost_tot_cata }}	{{ cost_rate_cata }}	{{ cost_source_cata }}
Renewables / solar	{{ cost_tot_pv }}	{{ cost_rate_pv }}	{{ cost_source_pv }}
Water systems	{{ cost_tot_water }}	{{ cost_rate_water }}	{{ cost_source_water }}
Additional NIA	{{ cost_tot_nia }}	{{ cost_rate_nia }}	{{ cost_source_nia }}
Reception	{{ cost_tot_recept }}	{{ cost_rate_recept }}	{{ cost_source_recept }}

End of trip	{{ cost_tot_eot }}	{{ cost_rate_eot }}	{{ cost_source_eot }}
Other	{{ cost_tot_other }}	{{ cost_rate_other }}	{{ cost_source_other }}
Professional fees (at 15%)	{{ cost_tot_fees }}	{{ cost_rate_fees }}	{{ cost_source_fees }}
TOTAL COSTS	{{ cost_tot_total }}	{{ cost_rate_total }}	NA

16. Log

Session ID	{{ session_id }}	Property UPRN	{{ uprn }}
Prepared by	{{ user_name }}	Property LSOA	{{ lsoa_name }}
Email address	{{ user_email }}	Field guide version	{{ field_guide_version }}
Session created	{{ created_at }}	Fields total	{{ fields_total }}
Report generated	{{ report_generated_at }}	Fields completed	{{ fields_completed }}
		% complete	{{ completion_percent }}%
Data sources	{{ data_sources_list }}		