Contents

1	Introduction	2
2	xTab	3
	2.1 with com	3
	2.2 without com	3
3		4
	3.1 with com	4
	3.2 without com	6
4	sTab with com	7
	4.1 with com	7
	4.2 without com	9
5	figure	10
	5.1 with com	10
	5.2 without com	10

Introduction

This file documents the knitLatex package. The purpose of this package is to provide LATEX helpers designed to work with the knitr package. The package provides functions. Three of which, xTab, sTab, and lTab create table, longtable, and supertabular environments in LaTeX respectively. The fourth function knitr_sethooks serves two purposes. First, it fixes a well-known bug in knitr which occurs when using custom hooks in a results='asis' environment. Secondly, knitr_sethooks provides a custom command called 'com'. When "com=TRUE" is set in a chunk, the resulting chunk is turned into a LATEX command which can be referenced by the chuck label. For example, the chunk "\(\lambda\) mychuck\(\rangle\)" can be referenced with \mychuck anywhere is the documentand the resultant LATEX will be the same as what normally would have appeared in the spot of the chunk.

xTab

2.1 with com

2.2 without com

Because we set the label option as 'tab:mytable' we can type the following: observe table \ref{tab:mytable} on page \pageref{tab:mytable}. and produce this:

observe table 2.1 on page 3.

xTab(cars, label='tab:mytable', caption.bottom='My Table')

mpg	cyl	disp	hp	drat
21	6	160	110	3.9
21	6	160	110	3.9
22.8	4	108	93	3.85
21.4	6	258	110	3.08
18.7	8	360	175	3.15
18.1	6	225	105	2.76
14.3	8	360	245	3.21
24.4	4	146.7	62	3.69
22.8	4	140.8	95	3.92
19.2	6	167.6	123	3.92

Table 2.1: My Table

lTab with com

3.1 with com

This chapter demonstrates a longtable environment create with lTab. In this example, we created a latex command called $\mbox{\sc mylongtable}$ in the preample of the document by setting 'com = TRUE' on the chunk.

Table 3.1: My Long Table

	-	1.	-	1 .						
mpg	cyl	disp	hp	drat	wt	qsec	$_{ m VS}$	am	gear	carb
21	6	160	110	3.9	2.62	16.46	0	1	4	4
21	6	160	110	3.9	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18.1	6	225	105	2.76	3.46	20.22	1	0	3	1
14.3	8	360	245	3.21	3.57	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.19	20	1	0	4	2
22.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
17.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
16.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
17.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
15.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10.4	8	460	215	3	5.424	17.82	0	0	3	4
14.7	8	440	230	3.23	5.345	17.42	0	0	3	4
32.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
21.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1

Table 3.1: My Long Table

mpg	cyl	disp	hp	drat	wt	qsec	VS	am	gear	carb
$\frac{11198}{15.5}$	8	318	150	2.76	3.52	16.87	0	0	3	2
15.2	8	304	150	3.15	3.435	17.3	0	0	3	$\frac{2}{2}$
13.3	8	350	245	3.73	3.84	15.41	0	0	3	$\frac{2}{4}$
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	$\frac{2}{4}$
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2
21	6	160	110	3.9	2.62	16.46	0	1	4	4
21	6	160	110	3.9	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18.1	6	225	105	2.76	3.46	20.22	1	0	3	1
14.3	8	360	245	3.21	3.57	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.19	20	1	0	4	2
22.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
17.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
16.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
17.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
15.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10.4	8	460	215	3	5.424	17.82	0	0	3	4
14.7	8	440	230	3.23	5.345	17.42	0	0	3	4
32.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
21.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1
15.5	8	318	150	2.76	3.52	16.87	0	0	3	2
15.2	8	304	150	3.15	3.435	17.3	0	0	3	2
13.3	8	350	245	3.73	3.84	15.41	0	0	3	4
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	4
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2

Table 3.1: My Long Table

mpg	cyl	disp	$^{\mathrm{hp}}$	drat	wt	qsec	vs	am	gear	carb
21	6	160	110	3.9	2.62	16.46	0	1	4	4
21	6	160	110	3.9	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18.1	6	225	105	2.76	3.46	20.22	1	0	3	1
14.3	8	360	245	3.21	3.57	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.19	20	1	0	4	2
22.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
17.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
16.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
17.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
15.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10.4	8	460	215	3	5.424	17.82	0	0	3	4
14.7	8	440	230	3.23	5.345	17.42	0	0	3	4
32.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
21.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1
15.5	8	318	150	2.76	3.52	16.87	0	0	3	2
15.2	8	304	150	3.15	3.435	17.3	0	0	3	2
13.3	8	350	245	3.73	3.84	15.41	0	0	3	4
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	4
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2

3.2 without com

sTab with com

4.1 with com

Table 4.1: My Supertabular

****	*0 m	or.1	diam	lan	dno+	4	8388	***	0.800		
	pg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
	21	6	160	110	3.9	2.62	16.46	0	1	4	4
	21	6	160	110	3.9	2.875	17.02	0	1	4	4
2	2.8	4	108	93	3.85	2.32	18.61	1	1	4	1
2	1.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18	8.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18	8.1	6	225	105	2.76	3.46	20.22	1	0	3	1
1	4.3	8	360	245	3.21	3.57	15.84	0	0	3	4
2^{2}	4.4	4	146.7	62	3.69	3.19	20	1	0	4	2
2	2.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19	9.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
1'	7.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
10	6.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
1'	7.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
18	5.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10	0.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10	0.4	8	460	215	3	5.424	17.82	0	0	3	4
1	4.7	8	440	230	3.23	5.345	17.42	0	0	3	4
33	2.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30	0.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33	3.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
2	1.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1
1	5.5	8	318	150	2.76	3.52	16.87	0	0	3	2
1	5.2	8	304	150	3.15	3.435	17.3	0	0	3	2
1	3.3	8	350	245	3.73	3.84	15.41	0	0	3	4

$\overline{\mathrm{mpg}}$	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	4
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2
21	6	160	110	3.9	2.62	16.46	0	1	4	4
21	6	160	110	3.9	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18.1	6	225	105	2.76	3.46	20.22	1	0	3	1
14.3	8	360	245	3.21	3.57	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.19	20	1	0	4	2
22.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
17.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
16.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
17.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
15.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10.4	8	460	215	3	5.424	17.82	0	0	3	4
14.7	8	440	230	3.23	5.345	17.42	0	0	3	4
32.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
21.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1
15.5	8	318	150	2.76	3.52	16.87	0	0	3	2
15.2	8	304	150	3.15	3.435	17.3	0	0	3	2
13.3	8	350	245	3.73	3.84	15.41	0	0	3	4
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	4
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2
21	6	160	110	3.9	2.62	16.46	0	1	4	4

mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
21	6	160	110	3.9	2.875	17.02	0	1	4	4
22.8	4	108	93	3.85	2.32	18.61	1	1	4	1
21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
18.7	8	360	175	3.15	3.44	17.02	0	0	3	2
18.1	6	225	105	2.76	3.46	20.22	1	0	3	1
14.3	8	360	245	3.21	3.57	15.84	0	0	3	4
24.4	4	146.7	62	3.69	3.19	20	1	0	4	2
22.8	4	140.8	95	3.92	3.15	22.9	1	0	4	2
19.2	6	167.6	123	3.92	3.44	18.3	1	0	4	4
17.8	6	167.6	123	3.92	3.44	18.9	1	0	4	4
16.4	8	275.8	180	3.07	4.07	17.4	0	0	3	3
17.3	8	275.8	180	3.07	3.73	17.6	0	0	3	3
15.2	8	275.8	180	3.07	3.78	18	0	0	3	3
10.4	8	472	205	2.93	5.25	17.98	0	0	3	4
10.4	8	460	215	3	5.424	17.82	0	0	3	4
14.7	8	440	230	3.23	5.345	17.42	0	0	3	4
32.4	4	78.7	66	4.08	2.2	19.47	1	1	4	1
30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
33.9	4	71.1	65	4.22	1.835	19.9	1	1	4	1
21.5	4	120.1	97	3.7	2.465	20.01	1	0	3	1
15.5	8	318	150	2.76	3.52	16.87	0	0	3	2
15.2	8	304	150	3.15	3.435	17.3	0	0	3	2
13.3	8	350	245	3.73	3.84	15.41	0	0	3	4
19.2	8	400	175	3.08	3.845	17.05	0	0	3	2
27.3	4	79	66	4.08	1.935	18.9	1	1	4	1
26	4	120.3	91	4.43	2.14	16.7	0	1	5	2
30.4	4	95.1	113	3.77	1.513	16.9	1	1	5	2
15.8	8	351	264	4.22	3.17	14.5	0	1	5	4
19.7	6	145	175	3.62	2.77	15.5	0	1	5	6
15	8	301	335	3.54	3.57	14.6	0	1	5	8
21.4	4	121	109	4.11	2.78	18.6	1	1	4	2

4.2 without com

figure

- 5.1 with com
- 5.2 without com

plot(mtcars\$mpg)




Figure 5.1: myfigure




Figure 5.2: myotherfig