Basil Schneider

contact

Rheinstrasse 63 4410 Liestal Switzerland

+41 (0) 78 710 37 55 +1-630-827-2826

basil.schneider@cern.ch

languages

German (native) English (fluent) French (moderate)

computing

C++, Python Root, RooFit, RooStats bash, sed, awk git, svn HTML, CSS ATEX

besides physics

Cycling Hiking Music

education & employment

Nov '15 - now Research Associate at the CMS experiment FNAL

Nov '14 - Oct '15 Postdoctoral Fellow at the ATLAS experiment

TRIUMF

Jan '11 - Jul '14 **Ph.D.** at the **ATLAS experiment**

University of Bern

Ph.D. Thesis: A general approach to search for supersymmetry at the LHC by combining signal enhanced kinematic regions using the ATLAS detec-

tor (Supervisor: Prof. A. Ereditato)

Sep '08 - Mar '10 Master of Science in Theoretical Physics

ETH Zurich Master Thesis: The partition function of meromorphic conformal field the-

ories at higher genus (Supervisor: Prof. M. Gaberdiel)

Oct '04 - Sep '08 Bachelor of Science in Experimental Physics

ETH Zurich

Bachelor Thesis: Untersuchung der Cluster-Struktur von Elastomerpartikeln durch Simulation des Aggregationsvorganges und Partikelgrössen mittels dynamic light scattering (Supervisor: Dr. Cornelius Gauer)

Comprehensive entrance exam

ETH Zurich

Exam at the level of a Matura

conferences

Sep '04

Oct '17	IEEE Nuclear Science Symposium and Medical Imaging Conference Poster: "A new DAQ solution: OTSDAQ"
Aug '17	Meeting of the Division of Particles and Fields of the American Physical Society Speaker: "Searches for electroweakly produced supersymmetry with CMS"
May '17	Phenomenology 2017 Symposium Speaker: "Searches for supersymmetry in single or opposite-charged dilepton final states with CMS"
Jun '16	49th Annual Fermilab Users Meeting Poster: "Characterization of the pixel ASIC with a laser beam in the Outer Tracker upgrade of the CMS detector"
Jun '15	USATLAS Workshop at University of Illinois at Urbana-Champaign Invited speaker for plenary session: "Supersymmetry in Run-2"
May '15	Mitchell Workshop on Collider and Dark Matter Physics Speaker: "Supersymmetry searches in ATLAS"
May '13	1 st LHC Physics Conference, Barcelona, Spain Poster: "Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in 21 fb ⁻¹ of pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector"
Jun '12	Swiss Physical Society Speaker: "New Optical receiver modules for the insertable B-Layer at the ATLAS project"
Jun '11	Physics at LHC, Perugia, Italy Poster: "SUSY Searches at ATLAS in Multilepton Final States with Jets and Missing Transverse Energy"
Jun '11	Swiss Physical Society Speaker: "Insertable b-Layer: A new layer for the ATLAS detector at CERN"

organization

Sep '11

Co-organizer of outreach event: Nacht der ForschungPerforming experiments in public and discussing results

papers

	I am co-author of 475 ATLAS publications and 99 CMS publications; for a full list, see	
	http://inspirehep.net/author/profile/B.Schneider.1 Publications where my contributions are substantial:	
Sep '15	Search for the electroweak production of supersymmetric particles in \sqrt{s} = 8 TeV pp collisions with the ATLAS detector arXiv:1509.07152 [hep-ex]	
May '14	Search for supersymmetry in events with four or more leptons in \sqrt{s} = 8 TeV pp collisions with the ATLAS detector Phys. Rev. D. 90, 052001 (2014)	
Feb '14	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in \sqrt{s} = 8 TeV pp collisions with the ATLAS detector	
Aug '12	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in \sqrt{s} = 7 TeV pp collisions with the ATLAS detector Phys.Lett. B718 (2013) 841-859	

public notes

Jul '15	First look at proton proton collision data at \sqrt{s} = 13 TeV in preparation for a search for squarks and gluinos in events with missing transverse energy, jets, and an isolated electron or muon ATL-PHYS-PUB-2015-029	
Mar '15	Expected sensitivity studies for gluino and squark searches using the early LHC 13 TeV Run-2 dataset with the ATLAS experiment	
	ATL-PHYS-PUB-2015-005	
Jun '14	A general approach to search for supersymmetry at the LHC by combining signal enhanced kinematic regions using the ATLAS detector (PhD thesis) CERN-THESIS-2014-056	
Mar '13	Search for supersymmetry in events with four or more leptons in 21 fb ⁻¹ of pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATLAS-CONF-2013-036	
Mar '13	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in 21 fb ⁻¹ of pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATLAS-CONF-2013-035	
Nov '12	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in 13.0 fb ⁻¹ of pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATLAS-CONF-2012-154	
Nov '12	Search for Supersymmetry in events with four or more leptons in 13 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATLAS-CONF-2012-153	

proceedings

Jun 13	Search for direct production of charginos and neutralinos in events		
	three leptons and missing transverse momentur	m in 21 fb ⁻¹ of pp colli-	
	sions at \sqrt{s} = 8 TeV with the ATLAS detector	ATL-PHYS-PROC-2013-145	
Nov '11	The ATLAS IBL BOC Demonstrator	ATL-INDET-PROC-2011-038	
Oct '11	SUSY Searches at ATLAS in Multilepton Final States with Jets and Missi		
	Transverse Energy	ATL-PHYS-PROC-2011-201	

internal notes

Jul '15	First look at proton proton collision data at \sqrt{s} = 13 TeV in preparation for a search for squarks and gluinos in events with missing transverse energy, jets, and an isolated electron or muon ATL-COM-PHYS-2015-718
May '15	ATLAS Large eta task force report ATL-COM-UPGRADE-2015-013
Feb '15	Expected sensitivity of search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at \sqrt{s} = 13 TeV with the ATLAS detector ATL-COM-PHYS-2015-133
Jan '15	Re-interpretations and combinations of electroweak limits in 20.3 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATL-COM-PHYS-2015-011
Dec '13	Search for supersymmetry in events with four or more leptons in \sqrt{s} = 8 TeV pp collisions with the ATLAS detector ATL-COM-PHYS-2013-1621
Oct '13	Search for supersymmetry in events with three leptons and missing transverse momentum in 21 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATL-PHYS-INT-2013-021
Jul '13	Search for supersymmetry in events with three leptons and missing transverse momentum in 20.3 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATL-COM-PHYS-2013-888
Dec '12	Search for Supersymmetry in events with four or more leptons in 20.7 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detectorATL-COM-PHYS-2012-1819
Dec '12	Search for Supersymmetry in events with four or more leptons in 13 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATL-PHYS-INT-2012-096
Dec '12	Search for supersymmetry in events with three leptons and missing transverse momentum in 13 fb ⁻¹ pp collisions at \sqrt{s} = 8 TeV with the ATLAS detector ATL-PHYS-INT-2012-095
Sep '12	SUSY Searches in the Final States with Three Leptons and Missing Transverse Momentum at ATLAS ATL-PHYS-INT-2012-059

supervision

Dec '12 - Mar' 14 Benjamin Gerber

MSc student, University of Bern

Nov '14 - now Matthew Gignac

PhD student, University of British Columbia

Dec '14 - now **Felix Cormier**

MSc student, University of British Columbia

teaching

Jan '11 - now	Lab Course Supervising and assisting Physics undergradu fundamental experiments in mechanics and ele	
Jan '11 - now	Physics for Biologists Assisting 1 st year Physics course	University of Bern
Jul '11 - now	Private lessons for high-school graduates Private lessons in Mathematics, Statistics and	Interlink Schulberatung GmbH Physics
2007/2008	Teaching assistant Teaching assistant for environmental science s	ETH Zurich students in Calculus

outreach

Nov '13 - now Official ATLAS underground guide

Mar '12 - Mar '13 Masterclasses

Helping high school students performing measurements on real data

from LHC

Sep '11 Nacht der Forschung

Presenting LHC physics on a poster and answering questions of the public

in a research outreach event at the University of Bern

awards

Mar '15 Faculty award winner of the University of Bern

Award for the best PhD thesis in physics at the University of Bern in the

year 2014

references

Prof. Antonio Ereditato

PhD supervisor

Laboratory for High Energy Physics, University of Bern

+41 31 631 8566, antonio.ereditato@cern.ch

Prof. Michele Weber PhD supervisor

Laboratory for High Energy Physics, University of Bern

+41 31 631 5146, weber@lhep.unibe.ch

Dr. Jamie Boyd

SUSY convenor, external referee PhD thesis

CERN

+41 76 473 08 77, jamie.boyd@cern.ch

Dr. Anadi Canepa

SUSY Electroweak convenor

TRIUMF, Canada's National Laboratory for Particle and Nuclear Physics

+1 604-222-7330, canepa@triumf.ca

Dr. Christina Potter

SUSY Electroweak convenor

Department of Physics and Astronomy, University of Sussex

+44 1273 873523, christina.potter@sussex.ac.uk

Dr. Tobias Flick

IBL Off-Detector Coordinator

Detector Laboratory, Bergische Universität Wuppertal

+49 202 439-2811, flick@physik.uni-wuppertal.de

research statement: physics program

Despite its success, the Standard Model of Particle Physics is known to be only an effective theory. The most well known extension to the Standard Model is Supersymmetry (SUSY). It could solve several short comings of the Standard Model, most notably the hierarchy problem and the missing dark matter candidate. The understanding of the nature of dark matter is one of the biggest goals of physics right now. Since we discovered the Higgs Boson, SUSY searches will become the driving force for finding thitherto unknown particles. It is of outmost importance to carry on these efforts, even when first searches didn't show any hint of SUSY particles. The unknown SUSY breaking mechanism could drive the particles to higher masses without interfering with naturalness arguments.

Strongly charged SUSY particles have the highest production cross-section for a given mass at the LHC. However, no signs of these particles have been found so far and it might be that electroweak SUSY particles have a considerable lower mass and become the dominant SUSY production process at the LHC. During my term as a PhD student at the University of Bern I mainly worked on an electroweak SUSY search in a final state with three leptons. I developed a method to optimize and bin a signal region. By applying my method, I successfully pushed existing exclusion limits on SUSY particle masses by about 100 GeV in a specific model, without the use of additional data. I was the leading analyst in this search and also carried out the statistical interpretation of the search results. The published paper (JHEP04(2014)169) was also presented in the CERN courier journal. In total I worked on three papers and four ATLAS-CONF notes, all with a final state of either three or four leptons. For two publications, I represented the analysis group on a SUSY approval. I'm still working in close collaboration with the SUSY electroweak group to help finalizing the Run-1 legacy paper that summarises all searches for electroweakinos with the 8 TeV dataset.

When the LHC underwent a technical overhaul, the center of mass energy was raised from 8 TeV to 13 TeV. With the new dataset, I contributed to searches for strongly produced SUSY, since it has the highest discovery potential with small amount of data. It was shown (ATL-PHYS-PUB-2015-005) that for a final state with one lepton, even a few inverse femtobarn are enough, to have better sensitivity as the full 8 TeV dataset. As example in a given model, a gluino with mass 1.4 TeV could already show a 3 σ excess with 5 fb⁻¹, where the existing 95 % confidence level exclusion limit is between 1.2 and 1.3 TeV.

For the upcoming searches, naturalness arguments can lead the way. Hence a search for light stop's or gluino's should be carried out at high priority. Searches for light electroweakinos will become relevant, once we have accumulated a sufficiently large amount of data.

detector

As a PhD student I worked on the readout electronics of the insertable b-layer (IBL). The IBL is a fourth layer which was inserted as innermost layer into the existing three layer pixel detector. It was the main upgrade activity during the first long shutdown in 2014 and 2015.

I tested optical receivers to be used for the readout for reliability, frequency and input sensitivity. I defined the tests and performed them, using amongst other tools FPGA's, which I programmed with VHDL. The University of Bern joined the IBL effort and the contribution to the optical receivers testing made Bern a key collaborator within the IBL readout community.

For my postdoctoral fellow position at TRIUMF, I joined the Inner Tracker (ITk) effort, a new tracker to be implemented during the phase 2 upgrade for the High Luminosity LHC around 2025. I started by using the validation software used for the present Inner Detector and applying it to ITk geometries and contributed to the studies to make a physics case for a large eta extension (up to $\eta = 4$) of the ITk. The aforementioned software package is still in development and I represent the ITk responsible.

I further studied the effects of a new algorithm called TIDE (Tracking in dense environments), which was developed for Run-2. In using this new algorithm for ITk geometries, I help making decisions on the not yet fully defined detector layout. I supervise a PhD student in studying efficiencies as a function of the number of pixel and strip layers. All these studies are an important input to the ITk community in defining the best layout of the inner tracker.