Status



Reload this page automatically every 5 seconds

Hosts (14)

Host ▼	Version •	System uptime v	Service uptime v	Load 5min ▼	PHYs *	APs ▼	STAs •	Rx rate	Tx rate
access- fat-01	0.20.6	01h 47m 00s	01h 46m 42s	0.03	1	2	5	6.7 kbit/s	12.7 kbit/s
access- fat-02	0.20.6	06h 21m 55s	06h 21m 37s	0.05	1	2	2	3.7 kbit/s	20.2 kbit/s
access- fat-07	0.20.6	06h 21m 55s	06h 21m 36s	0.06	1	2	0	0.0 kbit/s	12.6 kbit/s
access- fat-08	0.20.6	06h 21m 56s	06h 21m 39s	0.01	1	2	2	0.1 kbit/s	12.8 kbit/s
access- fat-10	0.20.6	06h 21m 56s	06h 21m 34s	0.65	1	2	13	367.2 kbit/s	19.6 Mbit/s
access- fat-11	0.20.6	01h 31m 46s	01h 31m 32s	0.01	1	2	0	0.0 kbit/s	12.4 kbit/s
access- fat-13 ■	0.20.6	06h 21m 55s	06h 21m 36s	0.03	1	2	2	0.8 kbit/s	13.7 kbit/s
access- fat-14	0.20.6	06h 21m 55s	06h 21m 38s	0.01	1	2	1	0.4 kbit/s	13.1 kbit/s
access- fat-16 ■	0.20.6	06h 21m 55s	06h 21m 36s	0.01	1	2	0	0.0 kbit/s	12.6 kbit/s
access- fat-17 ■	0.20.6	06h 21m 55s	06h 21m 34s	0.44	1	2	0	0.0 kbit/s	12.5 kbit/s
access- fat-18 ■	0.20.6	06h 21m 55s	06h 21m 39s	0.05	1	2	3	0.2 kbit/s	8.1 kbit/s
access- fat-19 ■	0.20.6	06h 21m 54s	06h 21m 45s	0.01	1	2	2	0.5 kbit/s	11.7 kbit/s
dorf- fat-013	0.20.6	30d 46m 49s	30d 46m 38s	0.06	1	2	2	0.1 kbit/s	10.4 kbit/s
dorf- fat-016	0.20.6	23d 16h 05m 24s	23d 16h 05m 13s	0.02	1	2	3	1.8 kbit/s	16.3 kbit/s
	Totals					28	35	381.6 kbit/s	19.8 Mbit/s

Radios (14)

Host ▼	MAC ▼	Driver •	Vendor ▼	Channel *	Tx power	APs •	STAs *	Rx rate ▼	Tx rate •
access-	6c:19:8f:89:7f:40	rt2800usb	D-Link	11	20	2	5	6.7	12.7

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs	STAs	Rx rate ▼	Tx rate ▼
fat-01			International		dBm			kbit/s	kbit/s
access- fat-02	c4:a8:1d:f3:51:e4	rt2800usb	D-Link International	1	20 dBm	2	2	3.7 kbit/s	20.2 kbit/s
access- fat-07	c0:a0:bb:a8:f8:90	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	12.6 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	2	0.1 kbit/s	12.8 kbit/s
access- fat-10	6c:19:8f:89:80:82	rt2800usb	D-Link International	6	20 dBm	2	13	367.2 kbit/s	19.6 Mbit/s
access- fat-11	f8:e9:03:87:c0:f2	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	12.4 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	11	20 dBm	2	2	0.8 kbit/s	13.7 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	1	20 dBm	2	1	0.4 kbit/s	13.1 kbit/s
access- fat-16	6c:19:8f:89:7f:3c	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	12.6 kbit/s
access- fat-17	c4:12:f5:0d:0d:63	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	12.5 kbit/s
access- fat-18	6c:19:8f:89:7f:3b	rt2800usb	D-Link International	1	20 dBm	2	3	0.2 kbit/s	8.1 kbit/s
access- fat-19	6c:19:8f:89:7f:42	rt2800usb	D-Link International	1	20 dBm	2	2	0.5 kbit/s	11.7 kbit/s
dorf- fat-013	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	6	20 dBm	2	2	0.1 kbit/s	10.4 kbit/s
dorf- fat-016	6c:19:8f:89:7f:39	rt2800usb	D-Link International	6	20 dBm	2	3	1.8 kbit/s	16.3 kbit/s
	Totals							381.6 kbit/s	19.8 Mbit/s

Access points (28)

Host ▼	BSSID ▼	Radio MAC ▼	SSID •	Uptime ▼	STAs *	Rx rate •	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	01h 46m 37s	0	0.0 kbit/s	6.0 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	01h 46m 37s	5	6.7 kbit/s	6.7 kbit/s
	Totals						19.8 Mbit/s

Host ▼	BSSID ▼	Radio MAC ▼	SSID *	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-02	c4:a8:1d:f3:51:e4	c4:a8:1d:f3:51:e4	Schule	06h 21m 31s	0	0.0 kbit/s	6.3 kbit/s
access- fat-02	c4:a8:1d:f3:51:e5	c4:a8:1d:f3:51:e4	puavo	06h 21m 30s	2	3.7 kbit/s	13.9 kbit/s
access- fat-07	c0:a0:bb:a8:f8:90	c0:a0:bb:a8:f8:90	Schule	06h 21m 33s	0	0.0 kbit/s	6.3 kbit/s
access- fat-07	c0:a0:bb:a8:f8:91	c0:a0:bb:a8:f8:90	puavo	06h 21m 33s	0	0.0 kbit/s	6.3 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	06h 21m 34s	0	0.0 kbit/s	6.4 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	06h 21m 34s	2	0.1 kbit/s	6.5 kbit/s
access- fat-10	6c:19:8f:89:80:82	6c:19:8f:89:80:82	Schule	06h 21m 28s	0	0.0 kbit/s	6.2 kbit/s
access- fat-10	6c:19:8f:89:80:83	6c:19:8f:89:80:82	puavo	06h 21m 28s	13	367.2 kbit/s	19.6 Mbit/s
access- fat-11	f8:e9:03:87:c0:f2	f8:e9:03:87:c0:f2	Schule	01h 31m 45s	0	0.0 kbit/s	6.2 kbit/s
access- fat-11	f8:e9:03:87:c0:f3	f8:e9:03:87:c0:f2	puavo	01h 31m 45s	0	0.0 kbit/s	6.2 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	06h 21m 30s	0	0.0 kbit/s	6.2 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	06h 21m 30s	2	0.8 kbit/s	7.5 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	06h 21m 32s	0	0.0 kbit/s	6.3 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	06h 21m 31s	1	0.4 kbit/s	6.8 kbit/s
access- fat-16	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3c	Schule	06h 21m 30s	0	0.0 kbit/s	6.3 kbit/s
access- fat-16	6c:19:8f:89:7f:3d	6c:19:8f:89:7f:3c	puavo	06h 21m 29s	0	0.0 kbit/s	6.3 kbit/s
access- fat-17	c4:12:f5:0d:0d:63	c4:12:f5:0d:0d:63	Schule	06h 21m 31s	0	0.0 kbit/s	6.2 kbit/s
access- fat-17	c4:12:f5:0d:0d:64	c4:12:f5:0d:0d:63	puavo	06h 21m 31s	0	0.0 kbit/s	6.2 kbit/s
access- fat-18	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	06h 21m 32s	0	0.0 kbit/s	3.9 kbit/s
access- fat-18	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	06h 21m 32s	3	0.2 kbit/s	4.2 kbit/s
		35	381.6 kbit/s	19.8 Mbit/s			

Host ▼	BSSID ▼	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-19	6c:19:8f:89:7f:42	6c:19:8f:89:7f:42	Schule	06h 21m 40s	0	0.0 kbit/s	5.7 kbit/s
access- fat-19	6c:19:8f:89:7f:43	6c:19:8f:89:7f:42	puavo	06h 21m 40s	2	0.5 kbit/s	6.1 kbit/s
dorf- fat-013	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	30d 46m 32s	0	0.0 kbit/s	5.1 kbit/s
dorf- fat-013	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	30d 46m 32s	2	0.1 kbit/s	5.2 kbit/s
dorf- fat-016	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	23d 16h 05m 08s	0	0.0 kbit/s	6.2 kbit/s
dorf- fat-016	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	23d 16h 05m 08s	3	1.8 kbit/s	10.1 kbit/s
	Totals						19.8 Mbit/s

Stations (35)

MAC ₹	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate •	Tx rate
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-01	6c:19:8f:89:7f:41	-72	24s	0.1 kbit/s	0.2 kbit/s
08:11:96:dd:66:74	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-80	04m 15s	0.5 kbit/s	6.9 kbit/s
20:d3:90:d0:72:0d	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-40	09m 32s	0.0 kbit/s	0.0 kbit/s
10:bf:48:c1:45:f7	ASUSTek COMPUTER INC.	access- fat-01	6c:19:8f:89:7f:41	-84	28m 58s	0.0 kbit/s	0.0 kbit/s
e4:f8:ef:01:fe:cd	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-42	01h 14m 52s	0.1 kbit/s	0.1 kbit/s
20:d3:90:dc:77:c1	Samsung Electronics Co.,Ltd	access- fat-02	c4:a8:1d:f3:51:e5	-70	37m 43s	0.0 kbit/s	0.0 kbit/s
alle-lap-005	Intel Corporate	access- fat-02	c4:a8:1d:f3:51:e5	-44	01h 04m 31s	7.6 kbit/s	4.9 kbit/s
84:c7:ea:41:34:69	Sony Mobile Communications AB	access- fat-08	08:60:6e:ca:34:07	-63	01h 45m 31s	0.0 kbit/s	0.0 kbit/s
ec:1f:72:a6:03:66	SAMSUNG ELECTRO- MECHANICS(THAILAND)	access- fat-08	08:60:6e:ca:34:07	-63	02h 02m 48s	0.1 kbit/s	0.2 kbit/s
	19.6 Mbit/s	496.7 kbit/s					

MAC ▼	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate ▼	Tx rate ▼	
bub-laptop-020	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-44	14m 13s	1.5 Mbit/s	45.2 kbit/s	
d0:c5:f3:9a:3c:94	Apple, Inc.	access- fat-10	6c:19:8f:89:80:83	-70	16m 18s	0.0 kbit/s	0.0 kbit/s	
bub-laptop-023	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-42	33m 55s	4.4 Mbit/s	20.8 kbit/s	
bub-laptop-021	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-36	40m 25s	1.5 Mbit/s	45.2 kbit/s	
bub-laptop-006	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-44	42m 20s	1.5 Mbit/s	45.0 kbit/s	
bub-laptop-018	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-44	43m 58s	1.5 Mbit/s	46.3 kbit/s	
bub-laptop-005	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-46	44m 14s	1.5 Mbit/s	45.9 kbit/s	
bub-laptop-012	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-42	45m 01s	1.5 Mbit/s	45.4 kbit/s	
bub-laptop-001	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-50	45m 03s	1.5 Mbit/s	45.1 kbit/s	
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-46	45m 05s	1.5 Mbit/s	45.5 kbit/s	
bub-laptop-004	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-48	45m 19s	1.5 Mbit/s	45.3 kbit/s	
bub-laptop-024	Hon Hai Precision Ind. Co.,Ltd.	access- fat-10	6c:19:8f:89:80:83	-38	45m 27s	1.5 Mbit/s	45.7 kbit/s	
bub-laptop-101	Intel Corporate	access- fat-10	6c:19:8f:89:80:83	-44	49m 05s	5.8 kbit/s	2.7 kbit/s	
1c:23:2c:78:65:7b	Samsung Electronics Co.,Ltd	access- fat-13	6c:19:8f:89:7f:31	-58	52s	2.6 kbit/s	3.6 kbit/s	
48:5a:3f:7c:7f:2d	WISOL	access- fat-13	6c:19:8f:89:7f:31	-40	01m 39s	0.2 kbit/s	0.3 kbit/s	
d0:87:e2:d7:6f:18	Samsung Electronics Co.,Ltd	access- fat-14	6c:19:8f:89:7f:3b	-74	06m 33s	0.5 kbit/s	0.5 kbit/s	
10:41:7f:47:f5:fe	Apple, Inc.	access- fat-18	6c:19:8f:89:7f:3c	-60	12m 22s	0.0 kbit/s	0.0 kbit/s	
20:d3:90:dc:70:63	Samsung Electronics Co.,Ltd	access- fat-18	6c:19:8f:89:7f:3c	-44	21m 36s	0.1 kbit/s	0.1 kbit/s	
58:94:6b:b8:e3:e0	Intel Corporate	access- fat-18	6c:19:8f:89:7f:3c	-44	02h 21m 42s	0.2 kbit/s	0.3 kbit/s	
	Totals							

MAC ▼	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate •	Tx rate ▼	
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-19	6c:19:8f:89:7f:43	-54	02h 43m 22s	0.0 kbit/s	0.0 kbit/s	
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-19	6c:19:8f:89:7f:43	-38	05h 51m 14s	0.4 kbit/s	0.6 kbit/s	
c0:f2:fb:30:2f:d0	Apple, Inc.	dorf- fat-013	6c:19:8f:89:7f:38	-66	34s	0.0 kbit/s	-0.0 kbit/s	
80:ea:96:1b:3a:d8	Apple, Inc.	dorf- fat-013	6c:19:8f:89:7f:38	-66	48s	0.2 kbit/s	0.6 kbit/s	
3c:05:18:59:d8:b3	?	dorf- fat-016	6c:19:8f:89:7f:3a	-78	02m 42s	0.1 kbit/s	0.3 kbit/s	
dc:d9:16:45:cc:91	HUAWEI TECHNOLOGIES CO.,LTD	dorf- fat-016	6c:19:8f:89:7f:3a	-62	01h 50m 05s	0.0 kbit/s	0.1 kbit/s	
20:d3:90:dc:77:35	Samsung Electronics Co.,Ltd	dorf- fat-016	6c:19:8f:89:7f:3a	-40	17h 05m 58s	0.0 kbit/s	0.0 kbit/s	
	Totals							

2017-09-14 09:22:21 +0200