Status



Reload this page automatically every 5 seconds

Hosts (13)

Host ▼	Version ▼	System uptime •	Service uptime v	Load 5min ▼	PHYs •	APs	STAs •	Rx rate	Tx rate
access- fat-01 ■	0.20.6	04h 03m 31s	04h 03m 10s	0.01	1	2	1	0.9 kbit/s	12.1 kbit/s
access- fat-02	0.20.6	08h 09m 49s	08h 09m 24s	0.02	1	2	0	0.0 kbit/s	10.6 kbit/s
access- fat-05	0.20.6	08h 09m 49s	08h 09m 28s	0.01	1	2	0	0.0 kbit/s	3.4 kbit/s
access- fat-06 ■	0.20.6	08h 09m 48s	08h 09m 27s	0.01	1	2	1	0.0 kbit/s	3.3 kbit/s
access- fat-07 ■	0.20.6	08h 09m 49s	08h 09m 27s	0.01	1	2	0	0.0 kbit/s	10.6 kbit/s
access- fat-08 ■	0.20.6	08h 09m 49s	08h 09m 30s	0.17	1	2	6	35.0 kbit/s	564.2 kbit/s
access- fat-09 ■	0.20.6	08h 09m 48s	08h 09m 24s	0.19	1	2	4	39.0 kbit/s	6.4 Mbit/s
access- fat-11 ■	0.20.6	08h 09m 48s	08h 09m 30s	0.04	1	2	2	0.1 kbit/s	3.3 kbit/s
access- fat-12 ■	0.20.6	08h 09m 48s	08h 09m 10s	0.01	1	2	2	0.0 kbit/s	11.0 kbit/s
access- fat-13 ■	0.20.6	08h 09m 48s	08h 09m 31s	0.01	1	2	0	0.0 kbit/s	3.1 kbit/s
access- fat-14	0.20.6	08h 09m 48s	08h 09m 27s	0.06	1	2	2	0.0 kbit/s	3.4 kbit/s
access- fat-15	0.20.6	08h 09m 49s	08h 09m 30s	0.01	1	2	0	0.0 kbit/s	3.2 kbit/s
access- fat-17	0.20.6	08h 09m 48s	08h 09m 25s	0.01	1	2	0	0.0 kbit/s	10.5 kbit/s
Totals					13	26	18	75.0 kbit/s	7.1 Mbit/s

Radios (13)

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel •	Tx power	APs *	STAs •	Rx rate ▼	Tx rate ▼
Totals						26	18	75.0 kbit/s	7.1 Mbit/s

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs	STAs •	Rx rate •	Tx rate •
access- fat-01	6c:19:8f:89:7f:40	rt2800usb	D-Link International	6	20 dBm	2	1	0.9 kbit/s	12.1 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	10.6 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	3.4 kbit/s
access- fat-06	f8:e9:03:ab:89:26	rt2800usb	D-Link International	6	20 dBm	2	1	0.0 kbit/s	3.3 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	10.6 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	6	35.0 kbit/s	564.2 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	rt2800usb	D-Link International	6	20 dBm	2	4	39.0 kbit/s	6.4 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	rt2800usb	D-Link International	1	20 dBm	2	2	0.1 kbit/s	3.3 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	11.0 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	3.1 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	3.4 kbit/s
access- fat-15	6c:19:8f:89:7f:41	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	3.2 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	10.5 kbit/s
	Totals							75.0 kbit/s	7.1 Mbit/s

Access points (26)

Host ▼	BSSID ₹	Radio MAC ▼	SSID •	Uptime ▼	STAs *	Rx rate ▼	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	04h 03m 04s	0	0.0 kbit/s	5.3 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	04h 03m 04s	1	0.9 kbit/s	6.9 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	c4:12:f5:0d:0d:6c	Schule	08h 09m 20s	0	0.0 kbit/s	5.3 kbit/s
	Totals						7.1 Mbit/s

Host ▼	BSSID ▼	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-02	c4:12:f5:0d:0d:6d	c4:12:f5:0d:0d:6c	puavo	08h 09m 20s	0	0.0 kbit/s	5.3 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	08h 09m 23s	0	0.0 kbit/s	1.7 kbit/s
access- fat-05	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	08h 09m 22s	0	0.0 kbit/s	1.7 kbit/s
access- fat-06	f8:e9:03:ab:89:26	f8:e9:03:ab:89:26	Schule	08h 09m 20s	0	0.0 kbit/s	1.6 kbit/s
access- fat-06	f8:e9:03:ab:89:27	f8:e9:03:ab:89:26	puavo	08h 09m 20s	1	0.0 kbit/s	1.6 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	c0:a0:bb:a8:f9:48	Schule	08h 09m 24s	0	0.0 kbit/s	5.3 kbit/s
access- fat-07	c0:a0:bb:a8:f9:49	c0:a0:bb:a8:f9:48	puavo	08h 09m 23s	0	0.0 kbit/s	5.3 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	08h 09m 25s	0	0.0 kbit/s	1.5 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	08h 09m 25s	6	35.0 kbit/s	562.6 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	c4:12:f5:0d:0d:63	Schule	08h 09m 21s	0	0.0 kbit/s	1.6 kbit/s
access- fat-09	c4:12:f5:0d:0d:64	c4:12:f5:0d:0d:63	puavo	08h 09m 21s	4	39.0 kbit/s	6.4 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	08h 09m 25s	0	0.0 kbit/s	1.6 kbit/s
access- fat-11	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	08h 09m 24s	2	0.1 kbit/s	1.7 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	f8:e9:03:87:c0:f2	Schule	08h 09m 07s	0	0.0 kbit/s	5.3 kbit/s
access- fat-12	f8:e9:03:87:c0:f3	f8:e9:03:87:c0:f2	puavo	08h 09m 07s	2	0.0 kbit/s	5.6 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	08h 09m 25s	0	0.0 kbit/s	1.5 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	08h 09m 25s	0	0.0 kbit/s	1.5 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	08h 09m 21s	0	0.0 kbit/s	1.7 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	08h 09m 21s	2	0.0 kbit/s	1.7 kbit/s
access- fat-15	6c:19:8f:89:7f:41	6c:19:8f:89:7f:41	Schule	08h 09m 24s	0	0.0 kbit/s	1.6 kbit/s
		Totals			18	75.0 kbit/s	7.1 Mbit/s

Host ▼	BSSID ▼	Radio MAC 🔻	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-15	6c:19:8f:89:7f:42	6c:19:8f:89:7f:41	puavo	08h 09m 24s	0	0.0 kbit/s	1.6 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	08h 09m 19s	0	0.0 kbit/s	5.3 kbit/s
access- fat-17	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	08h 09m 19s	0	0.0 kbit/s	5.3 kbit/s
	Totals						7.1 Mbit/s

Stations (18)

MAC ▼	Vendor v	AP host •	BSSID ▼	RSSI *	Uptime ▼	Rx rate •	Tx rate
e4:f8:ef:01:fe:cd	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-52	27m 02s	1.8 kbit/s	1.1 kbit/s
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-40	01h 32m 40s	0.0 kbit/s	0.0 kbit/s
bub-laptop-014	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-81	14s	0.0 kbit/s	0.0 kbit/s
bub-laptop-010	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-55	03m 18s	484.3 kbit/s	30.4 kbit/s
bub-laptop-023	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-41	06m 45s	8.2 kbit/s	4.0 kbit/s
b4:6d:83:2c:d5:d5	Intel Corporate	access- fat-08	08:60:6e:ca:34:07	-71	17m 15s	1.4 kbit/s	2.1 kbit/s
bub-laptop-021	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-55	20m 15s	43.8 kbit/s	5.3 kbit/s
20:d3:90:dc:77:8f	Samsung Electronics Co.,Ltd	access- fat-08	08:60:6e:ca:34:07	-75	08h 09m 17s	0.0 kbit/s	0.3 kbit/s
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-51	14m 04s	5.9 kbit/s	2.8 kbit/s
bub-laptop-012	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-43	14m 45s	4.4 Mbit/s	30.0 kbit/s
bub-laptop-020	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-49	15m 39s	5.8 kbit/s	2.9 kbit/s
e8:50:8b:b4:4c:47	SAMSUNG ELECTRO- MECHANICS(THAILAND)	access- fat-09	c4:12:f5:0d:0d:64	-65	02h 21m 52s	0.0 kbit/s	0.0 kbit/s
	5.0 Mbit/s	79.2 kbit/s					

MAC ▼	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate •	Tx rate ▼
54:4e:90:9f:d9:17	Apple, Inc.	access- fat-11	6c:19:8f:89:7f:3a	-46	02h 12m 33s	0.0 kbit/s	0.0 kbit/s
20:d3:90:dc:77:35	Samsung Electronics Co.,Ltd	access- fat-11	6c:19:8f:89:7f:3a	-36	08h 01m 40s	0.1 kbit/s	0.1 kbit/s
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-12	f8:e9:03:87:c0:f3	-77	03h 53m 18s	0.3 kbit/s	0.1 kbit/s
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-12	f8:e9:03:87:c0:f3	-53	07h 48m 06s	0.0 kbit/s	0.0 kbit/s
3c:a9:f4:54:f8:d4	Intel Corporate	access- fat-14	6c:19:8f:89:7f:3b	-54	19m 32s	0.0 kbit/s	0.0 kbit/s
48:5a:3f:7c:7f:2d	WISOL	access- fat-14	6c:19:8f:89:7f:3b	-64	05h 07m 16s	0.0 kbit/s	0.0 kbit/s
	5.0 Mbit/s	79.2 kbit/s					

2017-06-09 11:10:15 +0200