Status



Reload this page automatically every 5 seconds

Hosts (13)

Host ▼	Version ▼	System uptime ▼	Service uptime •	Load 5min v	PHYs •	APs •	STAs •	Rx rate ▼	Tx rate
access- fat-01	0.20.6	03h 52m 40s	03h 52m 19s	0.01	1	2	1	0.0 kbit/s	8.7 kbit/s
access- fat-02	0.20.6	07h 58m 57s	07h 58m 33s	0.03	1	2	0	0.0 kbit/s	8.9 kbit/s
access- fat-05	0.20.6	07h 58m 58s	07h 58m 37s	0.01	1	2	0	0.0 kbit/s	7.4 kbit/s
access- fat-06	0.20.6	07h 58m 57s	07h 58m 36s	0.02	1	2	1	0.0 kbit/s	7.8 kbit/s
access- fat-07	0.20.6	07h 58m 57s	07h 58m 36s	0.01	1	2	0	0.0 kbit/s	7.9 kbit/s
access- fat-08 ■	0.20.6	07h 58m 58s	07h 58m 39s	0.09	1	2	3	63.4 kbit/s	1.6 Mbit/s
access- fat-09	0.20.6	07h 58m 57s	07h 58m 33s	0.17	1	2	5	80.8 kbit/s	9.8 Mbit/s
access- fat-11 ■	0.20.6	07h 58m 57s	07h 58m 39s	0.07	1	2	2	0.0 kbit/s	8.1 kbit/s
access- fat-12 ■	0.20.6	07h 58m 57s	07h 58m 19s	0.04	1	2	2	0.0 kbit/s	9.1 kbit/s
access- fat-13	0.20.6	07h 58m 58s	07h 58m 40s	0.03	1	2	0	0.0 kbit/s	8.1 kbit/s
access- fat-14 ■	0.20.6	07h 58m 57s	07h 58m 36s	0.01	1	2	2	0.0 kbit/s	6.6 kbit/s
access- fat-15	0.20.6	07h 58m 57s	07h 58m 39s	0.02	1	2	0	0.0 kbit/s	7.5 kbit/s
access- fat-17	0.20.6	07h 58m 57s	07h 58m 34s	0.03	1	2	0	0.0 kbit/s	8.9 kbit/s
Totals					13	26	16	144.2 kbit/s	11.5 Mbit/s

Radios (13)

Host ▼	MAC ₹	Driver ▼	Vendor ▼	Channel *	Tx power	APs •	STAs *	Rx rate ▼	Tx rate ▼
Totals							16	144.2 kbit/s	11.5 Mbit/s

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs	STAs •	Rx rate •	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	rt2800usb	D-Link International	6	20 dBm	2	1	0.0 kbit/s	8.7 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	8.9 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	7.4 kbit/s
access- fat-06	f8:e9:03:ab:89:26	rt2800usb	D-Link International	6	20 dBm	2	1	0.0 kbit/s	7.8 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	7.9 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	3	63.4 kbit/s	1.6 Mbit/s
access- fat-09	c4:12:f5:0d:0d:63	rt2800usb	D-Link International	6	20 dBm	2	5	80.8 kbit/s	9.8 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	rt2800usb	D-Link International	1	20 dBm	2	2	0.0 kbit/s	8.1 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	9.1 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	8.1 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	6.6 kbit/s
access- fat-15	6c:19:8f:89:7f:41	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	7.5 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	8.9 kbit/s
	Totals							144.2 kbit/s	11.5 Mbit/s

Access points (26)

Host ▼	BSSID ₹	Radio MAC ▼	SSID •	Uptime ▼	STAs ▼	Rx rate ▼	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	03h 52m 13s	0	0.0 kbit/s	4.3 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	03h 52m 13s	1	0.0 kbit/s	4.3 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	c4:12:f5:0d:0d:6c	Schule	07h 58m 29s	0	0.0 kbit/s	4.4 kbit/s
	Totals						11.5 Mbit/s

Host ▼	BSSID ₹	BSSID ▼ Radio MAC ▼		Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-02	c4:12:f5:0d:0d:6d	c4:12:f5:0d:0d:6c	puavo	07h 58m 29s	0	0.0 kbit/s	4.4 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	07h 58m 32s	0	0.0 kbit/s	3.7 kbit/s
access- fat-05	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	07h 58m 31s	0	0.0 kbit/s	3.7 kbit/s
access- fat-06	f8:e9:03:ab:89:26	f8:e9:03:ab:89:26	Schule	07h 58m 29s	0	0.0 kbit/s	3.9 kbit/s
access- fat-06	f8:e9:03:ab:89:27	f8:e9:03:ab:89:26	puavo	07h 58m 29s	1	0.0 kbit/s	3.9 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	c0:a0:bb:a8:f9:48	Schule	07h 58m 33s	0	0.0 kbit/s	3.9 kbit/s
access- fat-07	c0:a0:bb:a8:f9:49	c0:a0:bb:a8:f9:48	puavo	07h 58m 32s	0	0.0 kbit/s	3.9 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	07h 58m 34s	0	0.0 kbit/s	3.9 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	07h 58m 34s	3	63.4 kbit/s	1.6 Mbit/s
access- fat-09	c4:12:f5:0d:0d:63	c4:12:f5:0d:0d:63	Schule	07h 58m 30s	0	0.0 kbit/s	3.7 kbit/s
access- fat-09	c4:12:f5:0d:0d:64	c4:12:f5:0d:0d:63	puavo	07h 58m 30s	5	80.8 kbit/s	9.8 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	07h 58m 34s	0	0.0 kbit/s	4.1 kbit/s
access- fat-11	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	07h 58m 33s	2	0.0 kbit/s	4.1 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	f8:e9:03:87:c0:f2	Schule	07h 58m 16s	0	0.0 kbit/s	4.5 kbit/s
access- fat-12	f8:e9:03:87:c0:f3	f8:e9:03:87:c0:f2	puavo	07h 58m 16s	2	0.0 kbit/s	4.5 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	07h 58m 34s	0	0.0 kbit/s	4.1 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	07h 58m 34s	0	0.0 kbit/s	4.1 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	07h 58m 30s	0	0.0 kbit/s	3.3 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	07h 58m 30s	2	0.0 kbit/s	3.3 kbit/s
access- fat-15	6c:19:8f:89:7f:41	6c:19:8f:89:7f:41	Schule	07h 58m 33s	0	0.0 kbit/s	3.7 kbit/s
		16	144.2 kbit/s	11.5 Mbit/s			

Host ▼	BSSID ₹	Radio MAC 🔻	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-15	6c:19:8f:89:7f:42	6c:19:8f:89:7f:41	puavo	07h 58m 33s	0	0.0 kbit/s	3.7 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	07h 58m 28s	0	0.0 kbit/s	4.4 kbit/s
access- fat-17	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	07h 58m 28s	0	0.0 kbit/s	4.4 kbit/s
	Totals						11.5 Mbit/s

Stations (16)

MAC ▼	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate •	Tx rate
e4:f8:ef:01:fe:cd	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-52	16m 10s	0.0 kbit/s	0.0 kbit/s
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-38	01h 21m 49s	0.0 kbit/s	0.0 kbit/s
b4:6d:83:2c:d5:d5	Intel Corporate	access- fat-08	08:60:6e:ca:34:07	-75	06m 24s	1.7 kbit/s	2.3 kbit/s
bub-laptop-021	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-47	09m 24s	1.6 Mbit/s	73.2 kbit/s
20:d3:90:dc:77:8f	Samsung Electronics Co.,Ltd	access- fat-08	08:60:6e:ca:34:07	-73	07h 58m 26s	0.0 kbit/s	0.3 kbit/s
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-55	03m 13s	487.4 kbit/s	22.3 kbit/s
bub-laptop-012	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-39	03m 54s	4.4 Mbit/s	21.2 kbit/s
bub-laptop-020	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-53	04m 48s	471.2 kbit/s	28.1 kbit/s
bub-laptop-014	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-39	04m 59s	4.5 Mbit/s	30.6 kbit/s
e8:50:8b:b4:4c:47	SAMSUNG ELECTRO- MECHANICS(THAILAND)	access- fat-09	c4:12:f5:0d:0d:64	-61	02h 11m 01s	0.0 kbit/s	0.0 kbit/s
54:4e:90:9f:d9:17	Apple, Inc.	access- fat-11	6c:19:8f:89:7f:3a	-52	02h 01m 42s	0.0 kbit/s	0.0 kbit/s
20:d3:90:dc:77:35	Samsung Electronics Co.,Ltd	access- fat-11	6c:19:8f:89:7f:3a	-36	07h 50m 48s	0.0 kbit/s	0.0 kbit/s
	11.4 Mbit/s	178.5 kbit/s					

MAC ▼	Vendor ▼	AP host ▼	BSSID ▼	RSSI *	Uptime ▼	Rx rate ▼	Tx rate
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-12	f8:e9:03:87:c0:f3	-77	03h 42m 27s	0.0 kbit/s	0.0 kbit/s
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-12	f8:e9:03:87:c0:f3	-51	07h 37m 14s	0.0 kbit/s	0.0 kbit/s
3c:a9:f4:54:f8:d4	Intel Corporate	access- fat-14	6c:19:8f:89:7f:3b	-48	08m 41s	0.2 kbit/s	0.5 kbit/s
48:5a:3f:7c:7f:2d	WISOL	access- fat-14	6c:19:8f:89:7f:3b	-68	04h 56m 25s	0.0 kbit/s	0.0 kbit/s
	Tot	tals			_	11.4 Mbit/s	178.5 kbit/s

2017-06-09 10:59:23 +0200