Status



Reload this page automatically every 5 seconds

Hosts (12)

Host ▼	Version ▼	System uptime v	Service uptime ▼	Load 5min •	PHYs •	APs	STAs •	Rx rate	Tx rate
access- fat-01	0.20.6	02h 39m 02s	02h 38m 39s	0.25	1	2	16	0.1 kbit/s	9.5 kbit/s
access- fat-02	0.20.6	06h 33m 32s	06h 33m 09s	0.02	1	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-04	0.20.6	02h 12s	01h 59m 53s	0.01	1	2	1	5.6 kbit/s	12.2 kbit/s
access- fat-05	0.20.6	06h 33m 22s	06h 32m 56s	0.02	1	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-06	0.20.6	06h 33m 22s	06h 33m 02s	0.01	1	2	2	0.0 kbit/s	12.0 kbit/s
access- fat-07	0.20.6	06h 33m 22s	06h 33m 06s	0.02	1	2	0	0.0 kbit/s	12.2 kbit/s
access- fat-08	0.20.6	06h 33m 22s	06h 33m 06s	0.1	1	2	16	227.1 kbit/s	9.0 Mbit/s
access- fat-11	0.20.6	06h 33m 22s	06h 33m 00s	0.04	1	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-13	0.20.6	06h 33m 23s	06h 33m 06s	0.08	1	2	3	9.1 kbit/s	32.1 kbit/s
access- fat-14	0.20.6	06h 33m 22s	06h 33m 01s	0.03	1	2	1	0.0 kbit/s	12.1 kbit/s
access- fat-15	0.20.6	06h 33m 22s	06h 33m 04s	0.01	1	2	1	0.0 kbit/s	12.1 kbit/s
access- fat-17	0.20.6	06h 33m 22s	06h 33m 02s	0.01	1	2	0	0.0 kbit/s	12.1 kbit/s
Totals						24	40	242.0 kbit/s	9.1 Mbit/s

Radios (12)

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs •	STAs *	Rx rate	Tx rate •
access- fat-01	6c:19:8f:89:7f:40	rt2800usb	D-Link International	6	20 dBm		16	0.1 kbit/s	9.5 kbit/s
	Totals							242.0 kbit/s	9.1 Mbit/s

Host ▼	MAC ₹	Driver ▼	Vendor ▼	Channel *	Tx power	APs	STAs •	Rx rate	Tx rate •
access- fat-02	c4:12:f5:0d:0d:6c	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-04	c4:a8:1d:f3:53:1e	rt2800usb	D-Link International	11	20 dBm	2	1	5.6 kbit/s	12.2 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-06	f8:e9:03:ab:89:26	rt2800usb	D-Link International	1	20 dBm	2	2	0.0 kbit/s	12.0 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	12.2 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	16	227.1 kbit/s	9.0 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	12.1 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	1	20 dBm	2	3	9.1 kbit/s	32.1 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	6	20 dBm	2	1	0.0 kbit/s	12.1 kbit/s
access- fat-15	6c:19:8f:89:7f:41	rt2800usb	D-Link International	11	20 dBm	2	1	0.0 kbit/s	12.1 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	12.1 kbit/s
	Totals								9.1 Mbit/s

Access points (24)

Host ▼	BSSID ▼	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	02h 38m 34s	2	0.0 kbit/s	4.4 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	02h 38m 33s	14	0.1 kbit/s	5.1 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	c4:12:f5:0d:0d:6c	Schule	06h 33m 05s	0	0.0 kbit/s	6.0 kbit/s
access- fat-02	c4:12:f5:0d:0d:6d	c4:12:f5:0d:0d:6c	puavo	06h 33m 05s	0	0.0 kbit/s	6.0 kbit/s
		40	242.0 kbit/s	9.1 Mbit/s			

Host ▼	BSSID ▼	Radio MAC ▼	SSID *	Uptime ▼	STAs •	Rx rate ▼	Tx rate
access- fat-04	c4:a8:1d:f3:53:1e	c4:a8:1d:f3:53:1e	Schule	01h 59m 49s	0	0.0 kbit/s	6.1 kbit/s
access- fat-04	c4:a8:1d:f3:53:1f	c4:a8:1d:f3:53:1e	puavo	01h 59m 49s	1	5.6 kbit/s	6.1 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	06h 32m 50s	0	0.0 kbit/s	6.0 kbit/s
access- fat-05	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	06h 32m 50s	0	0.0 kbit/s	6.0 kbit/s
access- fat-06	f8:e9:03:ab:89:26	f8:e9:03:ab:89:26	Schule	06h 32m 55s	0	0.0 kbit/s	6.0 kbit/s
access- fat-06	f8:e9:03:ab:89:27	f8:e9:03:ab:89:26	puavo	06h 32m 55s	2	0.0 kbit/s	6.0 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	c0:a0:bb:a8:f9:48	Schule	06h 33m 03s	0	0.0 kbit/s	6.1 kbit/s
access- fat-07	c0:a0:bb:a8:f9:49	c0:a0:bb:a8:f9:48	puavo	06h 33m 03s	0	0.0 kbit/s	6.1 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	06h 33m 01s	1	2.6 kbit/s	12.6 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	06h 33m 01s	15	224.5 kbit/s	9.0 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	06h 32m 54s	0	0.0 kbit/s	6.0 kbit/s
access- fat-11	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	06h 32m 54s	0	0.0 kbit/s	6.0 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	06h 33m 01s	0	0.0 kbit/s	6.0 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	06h 33m 00s	3	9.1 kbit/s	26.1 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	06h 32m 55s	0	0.0 kbit/s	6.0 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	06h 32m 55s	1	0.0 kbit/s	6.0 kbit/s
access- fat-15	6c:19:8f:89:7f:41	6c:19:8f:89:7f:41	Schule	06h 32m 58s	0	0.0 kbit/s	6.0 kbit/s
access- fat-15	6c:19:8f:89:7f:42	6c:19:8f:89:7f:41	puavo	06h 32m 58s	1	0.0 kbit/s	6.1 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	06h 32m 56s	0	0.0 kbit/s	6.1 kbit/s
		40	242.0 kbit/s	9.1 Mbit/s			

Host ▼	BSSID ▼	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-17	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	06h 32m 56s	0	0.0 kbit/s	6.1 kbit/s
	Totals						9.1 Mbit/s

Stations (40)

MAC ₹	Vendor ▼	AP host ▼	BSSID ₹	RSSI *	Uptime ▼	Rx rate ▼	Tx rate ▼
00:24:d7:60:71:6c	Intel Corporate	access- fat-01	6c:19:8f:89:7f:40	-76	09m 26s	0.0 kbit/s	0.0 kbit/s
00:24:d7:6f:cc:c0	Intel Corporate	access- fat-01	6c:19:8f:89:7f:40	-80	14m 46s	0.0 kbit/s	0.0 kbit/s
e0:99:71:e9:1c:0d	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-82	22m 20s	0.7 kbit/s	0.2 kbit/s
00:24:d7:78:dd:00	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-80	13m 25s	0.0 kbit/s	0.0 kbit/s
00:24:d7:78:e6:24	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-76	24m 56s	0.0 kbit/s	0.0 kbit/s
24:77:03:2a:fa:3c	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-74	25m 20s	0.0 kbit/s	0.0 kbit/s
bub-laptop-070	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-78	09m 50s	0.0 kbit/s	0.0 kbit/s
00:24:d7:70:f0:7c	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-82	29m 15s	0.0 kbit/s	0.0 kbit/s
00:24:d7:60:a9:c4	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-70	14m 15s	0.0 kbit/s	0.0 kbit/s
00:24:d7:5f:03:30	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-80	06m 05s	0.0 kbit/s	0.0 kbit/s
24:77:03:4a:6f:30	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-74	33m 28s	0.0 kbit/s	0.0 kbit/s
24:77:03:2a:fd:d4	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-74	39m 14s	0.0 kbit/s	0.0 kbit/s
24:77:03:47:cc:b0	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-78	10m 27s	0.0 kbit/s	
bub-laptop-061	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-78	28m 50s	0.0 kbit/s	0.0 kbit/s
e4:f8:ef:01:fe:cd	Samsung Electronics	access- fat-01	6c:19:8f:89:7f:41	-56	02h 26m 11s	1.1 kbit/s	0.5 kbit/s
	9.0 Mbit/s	298.6 kbit/s					

MAC ▼	Vendor ▼	AP host	BSSID ₹	RSSI •	Uptime ▼	Rx rate ▼	Tx rate ▼
	Co.,Ltd						
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-72	02h 36m 36s	0.0 kbit/s	0.0 kbit/s
3c:a9:f4:54:f8:d4	Intel Corporate	access- fat-04	c4:a8:1d:f3:53:1f	-42	01h 52m 53s	0.1 kbit/s	6.0 kbit/s
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-46	02h 43m 46s	0.0 kbit/s	0.0 kbit/s
20:d3:90:d0:72:0d	Samsung Electronics Co.,Ltd	access- fat-06	f8:e9:03:ab:89:27	-68	06h 32m 50s	0.0 kbit/s	0.0 kbit/s
bub-laptop-022	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:06	-59	01m 48s	6.6 kbit/s	3.6 kbit/s
bub-laptop-014	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-49	08m 21s	6.3 kbit/s	3.2 kbit/s
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-55	09m 33s	1.6 Mbit/s	51.8 kbit/s
bub-laptop-007	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-49	10m 05s	6.7 kbit/s	3.4 kbit/s
bub-laptop-023	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-45	13m 42s	57.1 kbit/s	6.7 kbit/s
bub-laptop-013	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-47	14m 08s	8.6 kbit/s	3.6 kbit/s
bub-laptop-001	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-57	16m 50s	6.4 kbit/s	3.2 kbit/s
bub-laptop-006	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-49	17m 11s	1.1 Mbit/s	62.3 kbit/s
bub-laptop-021	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-55	20m 27s	783.7 kbit/s	41.5 kbit/s
bub-laptop-024	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-41	20m 33s	1.1 Mbit/s	62.2 kbit/s
		Totals	-			9.0 Mbit/s	298.6 kbit/s

MAC v	Vendor ▼	AP host	BSSID ₹	RSSI *	Uptime ▼	Rx rate ▼	Tx rate ▼
bub-laptop-025	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-55	22m 15s	6.5 kbit/s	3.3 kbit/s
bub-laptop-020	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-43	26m 04s	23.0 kbit/s	4.6 kbit/s
bub-laptop-008	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-43	26m 04s	7.0 kbit/s	3.3 kbit/s
bub-laptop-018	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-67	26m 16s	6.7 kbit/s	3.4 kbit/s
bub-laptop-019	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-49	26m 36s	4.4 Mbit/s	22.6 kbit/s
18:22:7e:c7:4e:11	Samsung Electronics Co.,Ltd	access- fat-08	08:60:6e:ca:34:07	-77	06h 30m 16s	0.0 kbit/s	0.0 kbit/s
bub-laptop-051	Intel Corporate	access- fat-13	6c:19:8f:89:7f:31	-76	39s	15.1 kbit/s	11.1 kbit/s
bub-laptop-068	Intel Corporate	access- fat-13	6c:19:8f:89:7f:31	-76	01m 30s	7.2 kbit/s	2.0 kbit/s
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-13	6c:19:8f:89:7f:31	-62	01h 02m 47s	0.0 kbit/s	0.0 kbit/s
ec:35:86:ef:31:c5	Apple, Inc.	access- fat-14	6c:19:8f:89:7f:3b	-42	15m 24s	0.0 kbit/s	0.0 kbit/s
30:19:66:c7:ec:fa	Samsung Electronics Co.,Ltd	access- fat-15	6c:19:8f:89:7f:42	-78	38m 17s	0.1 kbit/s	0.1 kbit/s
Totals							298.6 kbit/s

2017-06-20 09:33:48 +0200