Status



Reload this page automatically every 5 seconds

Hosts (13)

Host ▼	Version ▼	System uptime v	Service uptime 🔻	Load 5min ▼	PHYs ▼	APs	STAs	Rx rate	Tx rate
access- fat-01	0.20.6	03h 45m 56s	03h 45m 40s	0.69	1	2	20	428.9 kbit/s	15.8 Mbit/s
access- fat-02	0.20.6	07h 59m 45s	07h 59m 22s	0.03	1	2	0	0.0 kbit/s	6.3 kbit/s
access- fat-05	0.20.6	07h 59m 44s	07h 59m 17s	0.16	1	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-06	0.20.6	07h 59m 45s	07h 59m 26s	0.05	1	2	2	0.0 kbit/s	6.0 kbit/s
access- fat-07	0.20.6	07h 59m 44s	07h 59m 24s	0.04	1	2	0	0.0 kbit/s	6.4 kbit/s
access- fat-08	0.20.6	07h 59m 45s	07h 59m 27s	0.03	1	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-09	0.20.6	07h 59m 45s	07h 59m 23s	0.04	1	2	5	26.0 kbit/s	422.8 kbit/s
access- fat-11	0.20.6	07h 59m 44s	07h 59m 24s	0.01	1	2	2	0.0 kbit/s	5.4 kbit/s
access- fat-12	0.20.6	07h 59m 43s	07h 58m 59s	0.01	1	2	3	0.3 kbit/s	5.9 kbit/s
access- fat-13	0.20.6	07h 59m 44s	07h 59m 23s	0.44	1	2	1	3.0 kbit/s	12.7 kbit/s
access- fat-14	0.20.6	07h 59m 44s	07h 59m 25s	0.01	1	2	3	0.0 kbit/s	5.2 kbit/s
access- fat-15	0.20.6	07h 59m 44s	07h 59m 30s	0.03	1	2	1	0.0 kbit/s	5.0 kbit/s
access- fat-17	0.20.6	07h 59m 45s	07h 59m 25s	0.04	1	2	1	28.3 kbit/s	242.5 kbit/s
	Totals						38	486.5 kbit/s	16.5 Mbit/s

Radios (13)

Host ▼	MAC ₹	Driver •	Vendor ▼	Channel *	Tx power	APs	STAs *	Rx rate	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	rt2800usb	D-Link International	6	20 dBm	1 2 1	20	428.9 kbit/s	15.8 Mbit/s

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs ▼	STAs •	Rx rate	Tx rate •
access- fat-02	c4:12:f5:0d:0d:6c	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	6.3 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	6	20 dBm	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-06	f8:e9:03:ab:89:26	rt2800usb	D-Link International	1	20 dBm	2	2	0.0 kbit/s	6.0 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	6.4 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	rt2800usb	D-Link International	6	20 dBm	2	5	26.0 kbit/s	422.8 kbit/s
access- fat-11	6c:19:8f:89:7f:39	rt2800usb	D-Link International	1	20 dBm	2	2	0.0 kbit/s	5.4 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	rt2800usb	D-Link International	11	20 dBm	2	3	0.3 kbit/s	5.9 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	1	20 dBm	2	1	3.0 kbit/s	12.7 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	11	20 dBm	2	3	0.0 kbit/s	5.2 kbit/s
access- fat-15	6c:19:8f:89:7f:41	rt2800usb	D-Link International	11	20 dBm	2	1	0.0 kbit/s	5.0 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	rt2800usb	1 11		20 dBm	2	1	28.3 kbit/s	242.5 kbit/s
	Totals								16.5 Mbit/s

Access points (26)

Host ▼	BSSID ₹	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate v	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	03h 45m 34s	0	0.0 kbit/s	3.5 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	03h 45m 34s	20	428.9 kbit/s	15.8 Mbit/s
access- fat-02	c4:12:f5:0d:0d:6c	c4:12:f5:0d:0d:6c	Schule	07h 59m 19s	0	0.0 kbit/s	3.1 kbit/s
	Totals						16.5 Mbit/s

Host ▼	BSSID ₹	Radio MAC ▼	SSID *	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-02	c4:12:f5:0d:0d:6d	c4:12:f5:0d:0d:6c	puavo	07h 59m 18s	0	0.0 kbit/s	3.1 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	07h 59m 12s	0	0.0 kbit/s	2.6 kbit/s
access- fat-05	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	07h 59m 11s	0	0.0 kbit/s	2.6 kbit/s
access- fat-06	f8:e9:03:ab:89:26	f8:e9:03:ab:89:26	Schule	07h 59m 21s	0	0.0 kbit/s	3.0 kbit/s
access- fat-06	f8:e9:03:ab:89:27	f8:e9:03:ab:89:26	puavo	07h 59m 20s	2	0.0 kbit/s	3.0 kbit/s
access- fat-07	c0:a0:bb:a8:f9:48	c0:a0:bb:a8:f9:48	Schule	07h 59m 20s	0	0.0 kbit/s	3.2 kbit/s
access- fat-07	c0:a0:bb:a8:f9:49	c0:a0:bb:a8:f9:48	puavo	07h 59m 20s	0	0.0 kbit/s	3.2 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	07h 59m 22s	0	0.0 kbit/s	2.6 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	07h 59m 22s	0	0.0 kbit/s	2.6 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	c4:12:f5:0d:0d:63	Schule	07h 59m 20s	0	0.0 kbit/s	2.6 kbit/s
access- fat-09	c4:12:f5:0d:0d:64	c4:12:f5:0d:0d:63	puavo	07h 59m 20s	5	26.0 kbit/s	420.2 kbit/s
access- fat-11	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	07h 59m 18s	0	0.0 kbit/s	2.7 kbit/s
access- fat-11	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	07h 59m 18s	2	0.0 kbit/s	2.7 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	f8:e9:03:87:c0:f2	Schule	07h 58m 56s	0	0.0 kbit/s	2.9 kbit/s
access- fat-12	f8:e9:03:87:c0:f3	f8:e9:03:87:c0:f2	puavo	07h 58m 55s	3	0.3 kbit/s	3.1 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	07h 59m 18s	0	0.0 kbit/s	2.8 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	07h 59m 17s	1	3.0 kbit/s	10.0 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	07h 59m 20s	0	0.0 kbit/s	2.6 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	07h 59m 19s	3	0.0 kbit/s	2.6 kbit/s
		38	486.5 kbit/s	16.5 Mbit/s			

Host ▼	BSSID ₹	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-15	6c:19:8f:89:7f:41	6c:19:8f:89:7f:41	Schule	07h 59m 24s	0	0.0 kbit/s	2.5 kbit/s
access- fat-15	6c:19:8f:89:7f:42	6c:19:8f:89:7f:41	puavo	07h 59m 24s	1	0.0 kbit/s	2.5 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	07h 59m 19s	0	0.0 kbit/s	3.2 kbit/s
access- fat-17	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	07h 59m 19s	1	28.3 kbit/s	239.3 kbit/s
		38	486.5 kbit/s	16.5 Mbit/s			

Stations (38)

MAC v	Vendor v	AP host ▼	BSSID ▼	RSSI *	Uptime ▼	Rx rate ▼	Tx rate ▼
bub-laptop-077	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-50	20m 06s	9.2 kbit/s	4.5 kbit/s
bub-laptop-089	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-60	20m 32s	8.8 kbit/s	4.4 kbit/s
bub-laptop-088	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-50	20m 41s	8.9 kbit/s	4.6 kbit/s
bub-laptop-085	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-64	20m 47s	8.8 kbit/s	4.4 kbit/s
bub-laptop-092	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-58	21m 03s	10.4 kbit/s	5.6 kbit/s
bub-laptop-078	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-60	21m 05s	399.2 kbit/s	32.2 kbit/s
bub-laptop-076	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-60	21m 19s	3.8 Mbit/s	111.8 kbit/s
bub-laptop-096	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-60	21m 33s	8.6 kbit/s	4.2 kbit/s
bub-laptop-084	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-58	21m 34s	3.8 Mbit/s	111.3 kbit/s
bub-laptop-082	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-52	21m 41s	3.8 Mbit/s	113.5 kbit/s
bub-laptop-083	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-50	21m 42s	10.9 kbit/s	6.4 kbit/s
bub-laptop-090	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-54	22m 04s	7.1 kbit/s	3.0 kbit/s
Totals							624.3 kbit/s

MAC ▼	Vendor ▼	AP host ▼	BSSID ▼	RSSI *	Uptime ▼	Rx rate ▼	Tx rate ▼
bub-laptop-093	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-52	22m 06s	9.3 kbit/s	5.3 kbit/s
bub-laptop-094	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-46	22m 09s	3.8 Mbit/s	115.5 kbit/s
bub-laptop-079	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-48	22m 09s	9.1 kbit/s	5.0 kbit/s
bub-laptop-086	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-54	22m 15s	9.7 kbit/s	5.0 kbit/s
bub-laptop-080	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-60	22m 44s	7.5 kbit/s	3.0 kbit/s
bub-laptop-087	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-52	23m 09s	8.8 kbit/s	4.9 kbit/s
bub-laptop-095	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-58	23m 51s	8.3 kbit/s	5.0 kbit/s
bub-laptop-081	Intel Corporate	access- fat-01	6c:19:8f:89:7f:41	-54	24m 13s	9.0 kbit/s	5.4 kbit/s
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-50	33m 39s	0.1 kbit/s	0.1 kbit/s
20:d3:90:d0:72:0d	Samsung Electronics Co.,Ltd	access- fat-06	f8:e9:03:ab:89:27	-70	07h 59m 15s	0.0 kbit/s	0.0 kbit/s
bub-laptop-023	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-43	01m 07s	8.5 kbit/s	3.9 kbit/s
bub-laptop-001	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-51	01m 07s	381.9 kbit/s	16.9 kbit/s
bub-laptop-022	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-49	01m 26s	8.5 kbit/s	3.8 kbit/s
bub-laptop-013	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-47	01m 29s	10.0 kbit/s	4.4 kbit/s
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-47	03m 40s	7.1 kbit/s	3.9 kbit/s
20:d3:90:dc:77:35	Samsung Electronics Co.,Ltd	access- fat-11	6c:19:8f:89:7f:3a	-36	32m 58s	0.0 kbit/s	0.0 kbit/s
80:00:6e:09:92:25	Apple, Inc.	access- fat-11	6c:19:8f:89:7f:3a	-64	03h 23m 23s	0.0 kbit/s	0.0 kbit/s
	16.4 Mbit/s	624.3 kbit/s					

MAC ▼	Vendor ▼	AP host ▼	BSSID ▼	RSSI *	Uptime ▼	Rx rate ▼	Tx rate •
c4:b3:01:8e:c8:d4	Apple, Inc.	access- fat-12	f8:e9:03:87:c0:f3	-65	01h 22m 25s	0.2 kbit/s	0.4 kbit/s
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-12	f8:e9:03:87:c0:f3	-67	03h 50m 59s	0.0 kbit/s	0.0 kbit/s
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-12	f8:e9:03:87:c0:f3	-51	07h 57m 02s	0.0 kbit/s	0.0 kbit/s
bub-laptop-073	Intel Corporate	access- fat-13	6c:19:8f:89:7f:31	-78	01h 56m 32s	7.2 kbit/s	4.0 kbit/s
ec:85:2f:a2:e2:8f	Apple, Inc.	access- fat-14	6c:19:8f:89:7f:3b	-60	08m 51s	0.0 kbit/s	0.0 kbit/s
ec:35:86:ef:31:c5	Apple, Inc.	access- fat-14	6c:19:8f:89:7f:3b	-46	19m 31s	0.0 kbit/s	0.0 kbit/s
3c:a9:f4:54:f8:d4	Intel Corporate	access- fat-14	6c:19:8f:89:7f:3b	-50	24m 15s	0.1 kbit/s	0.5 kbit/s
ec:59:e7:07:b1:74	Microsoft Corporation	access- fat-15	6c:19:8f:89:7f:42	-38	01h 46m 30s	0.0 kbit/s	0.0 kbit/s
20:d3:90:dc:77:8f	Samsung Electronics Co.,Ltd	access- fat-17	6c:19:8f:89:7f:3c	-66	01m 17s	236.2 kbit/s	31.3 kbit/s
Totals							624.3 kbit/s

2017-06-16 11:00:10 +0200