Status



Reload this page automatically every 5 seconds

Hosts (13)

Host ▼	Version ▼	System uptime ▼	Service uptime 🔻	Load 5min ▼	PHYs •	APs	STAs •	Rx rate ▼	Tx rate
access- fat-01	0.20.6	04h 12m 38s	04h 12m 17s	0.01	1	2	1	3.4 kbit/s	10.5 kbit/s
access- fat-02	0.20.6	08h 18m 55s	08h 18m 31s	0.06	1	2	0	0.0 kbit/s	4.2 kbit/s
access- fat-05	0.20.6	08h 18m 55s	08h 18m 35s	0.01	1	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-06	0.20.6	08h 18m 55s	08h 18m 34s	0.27	1	2	2	164.6 kbit/s	28.4 Mbit/s
access- fat-07	0.20.6	08h 18m 55s	08h 18m 34s	0.01	1	2	0	0.0 kbit/s	4.4 kbit/s
access- fat-08	0.20.6	08h 18m 56s	08h 18m 37s	0.18	1	2	4	2.2 kbit/s	7.3 kbit/s
access- fat-09 ■	0.20.6	08h 18m 55s	08h 18m 31s	0.16	1	2	5	35.6 kbit/s	8.7 Mbit/s
access- fat-11 ■	0.20.6	08h 18m 55s	08h 18m 37s	0.02	1	2	2	0.0 kbit/s	5.4 kbit/s
access- fat-12 ■	0.20.6	08h 18m 55s	08h 18m 17s	0.02	1	2	2	0.0 kbit/s	6.6 kbit/s
access- fat-13 ■	0.20.6	08h 18m 56s	08h 18m 38s	0.01	1	2	0	0.0 kbit/s	5.4 kbit/s
access- fat-14 ■	0.20.6	08h 18m 56s	08h 18m 34s	0.03	1	2	2	0.0 kbit/s	5.3 kbit/s
access- fat-15 ■	0.20.6	08h 18m 55s	08h 18m 37s	0.02	1	2	0	0.0 kbit/s	4.7 kbit/s
access- fat-17	0.20.6	08h 18m 55s	08h 18m 32s	0.04	1	2	1	2.1 kbit/s	9.2 kbit/s
Totals					13	26	19	208.0 kbit/s	37.2 Mbit/s

Radios (13)

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel •	Tx power	APs v	STAs *	Rx rate ▼	Tx rate ▼
	Totals							208.0 kbit/s	37.2 Mbit/s

Host ▼	MAC ▼	Driver ▼	Vendor ▼	Channel *	Tx power	APs	STAs •	Rx rate •	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	rt2800usb	D-Link International	6	20 dBm	2	1	3.4 kbit/s	10.5 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	4.2 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	5.2 kbit/s
access- fat-06	f8:e9:03:ab:89:26	rt2800usb	D-Link International	6	20 dBm	2	2	164.6 kbit/s	28.4 Mbit/s
access- fat-07	c0:a0:bb:a8:f9:48	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	4.4 kbit/s
access- fat-08	08:60:6e:ca:34:06	rt2800usb	ASUSTek COMPUTER INC.	1	20 dBm	2	4	2.2 kbit/s	7.3 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	rt2800usb	D-Link International	6	20 dBm	2	5	35.6 kbit/s	8.7 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	rt2800usb	D-Link International	1	20 dBm	2	2	0.0 kbit/s	5.4 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	6.6 kbit/s
access- fat-13	6c:19:8f:89:7f:30	rt2800usb	D-Link International	1	20 dBm	2	0	0.0 kbit/s	5.4 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	rt2800usb	D-Link International	11	20 dBm	2	2	0.0 kbit/s	5.3 kbit/s
access- fat-15	6c:19:8f:89:7f:41	rt2800usb	D-Link International	11	20 dBm	2	0	0.0 kbit/s	4.7 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	rt2800usb	D-Link International	6	20 dBm	2	1	2.1 kbit/s	9.2 kbit/s
	Totals							208.0 kbit/s	37.2 Mbit/s

Access points (26)

Host ▼	BSSID ₹	Radio MAC v	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-01	6c:19:8f:89:7f:40	6c:19:8f:89:7f:40	Schule	04h 12m 11s	0	0.0 kbit/s	2.1 kbit/s
access- fat-01	6c:19:8f:89:7f:41	6c:19:8f:89:7f:40	puavo	04h 12m 11s	1	3.4 kbit/s	8.4 kbit/s
access- fat-02	c4:12:f5:0d:0d:6c	c4:12:f5:0d:0d:6c	Schule	08h 18m 27s	0	0.0 kbit/s	2.1 kbit/s
	Totals						37.2 Mbit/s

Host ▼	BSSID ₹	Radio MAC ▼	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-02	c4:12:f5:0d:0d:6d	c4:12:f5:0d:0d:6c	puavo	08h 18m 27s	0	0.0 kbit/s	2.1 kbit/s
access- fat-05	6c:19:8f:89:7f:3f	6c:19:8f:89:7f:3f	Schule	08h 18m 30s	0	0.0 kbit/s	2.6 kbit/s
access- fat-05	6c:19:8f:89:7f:38	6c:19:8f:89:7f:3f	puavo	08h 18m 29s	0	0.0 kbit/s	2.6 kbit/s
access- fat-06	f8:e9:03:ab:89:26	f8:e9:03:ab:89:26	Schule	08h 18m 27s	0	0.0 kbit/s	2.3 kbit/s
access- fat-06	f8:e9:03:ab:89:27	f8:e9:03:ab:89:26	puavo	08h 18m 27s	2	164.6 kbit/s	28.4 Mbit/s
access- fat-07	c0:a0:bb:a8:f9:48	c0:a0:bb:a8:f9:48	Schule	08h 18m 31s	0	0.0 kbit/s	2.2 kbit/s
access- fat-07	c0:a0:bb:a8:f9:49	c0:a0:bb:a8:f9:48	puavo	08h 18m 30s	0	0.0 kbit/s	2.2 kbit/s
access- fat-08	08:60:6e:ca:34:06	08:60:6e:ca:34:06	Schule	08h 18m 32s	0	0.0 kbit/s	2.7 kbit/s
access- fat-08	08:60:6e:ca:34:07	08:60:6e:ca:34:06	puavo	08h 18m 32s	4	2.2 kbit/s	4.6 kbit/s
access- fat-09	c4:12:f5:0d:0d:63	c4:12:f5:0d:0d:63	Schule	08h 18m 28s	0	0.0 kbit/s	2.5 kbit/s
access- fat-09	c4:12:f5:0d:0d:64	c4:12:f5:0d:0d:63	puavo	08h 18m 28s	5	35.6 kbit/s	8.7 Mbit/s
access- fat-11	6c:19:8f:89:7f:39	6c:19:8f:89:7f:39	Schule	08h 18m 32s	0	0.0 kbit/s	2.7 kbit/s
access- fat-11	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:39	puavo	08h 18m 31s	2	0.0 kbit/s	2.7 kbit/s
access- fat-12	f8:e9:03:87:c0:f2	f8:e9:03:87:c0:f2	Schule	08h 18m 14s	0	0.0 kbit/s	3.3 kbit/s
access- fat-12	f8:e9:03:87:c0:f3	f8:e9:03:87:c0:f2	puavo	08h 18m 14s	2	0.0 kbit/s	3.3 kbit/s
access- fat-13	6c:19:8f:89:7f:30	6c:19:8f:89:7f:30	Schule	08h 18m 32s	0	0.0 kbit/s	2.7 kbit/s
access- fat-13	6c:19:8f:89:7f:31	6c:19:8f:89:7f:30	puavo	08h 18m 32s	0	0.0 kbit/s	2.7 kbit/s
access- fat-14	6c:19:8f:89:7f:3a	6c:19:8f:89:7f:3a	Schule	08h 18m 28s	0	0.0 kbit/s	2.6 kbit/s
access- fat-14	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3a	puavo	08h 18m 28s	2	0.0 kbit/s	2.6 kbit/s
access- fat-15	6c:19:8f:89:7f:41	6c:19:8f:89:7f:41	Schule	08h 18m 31s	0	0.0 kbit/s	2.3 kbit/s
		19	208.0 kbit/s	37.2 Mbit/s			

Host ▼	BSSID ₹	Radio MAC v	SSID •	Uptime ▼	STAs •	Rx rate ▼	Tx rate ▼
access- fat-15	6c:19:8f:89:7f:42	6c:19:8f:89:7f:41	puavo	08h 18m 31s	0	0.0 kbit/s	2.3 kbit/s
access- fat-17	6c:19:8f:89:7f:3b	6c:19:8f:89:7f:3b	Schule	08h 18m 26s	1	2.1 kbit/s	7.1 kbit/s
access- fat-17	6c:19:8f:89:7f:3c	6c:19:8f:89:7f:3b	puavo	08h 18m 26s	0	0.0 kbit/s	2.1 kbit/s
	Totals						37.2 Mbit/s

Stations (19)

MAC ▼	Vendor v	AP host •	BSSID ▼	RSSI *	Uptime ▼	Rx rate •	Tx rate
e4:f8:ef:01:fe:cd	Samsung Electronics Co.,Ltd	access- fat-01	6c:19:8f:89:7f:41	-48	36m 09s	6.3 kbit/s	3.8 kbit/s
78:31:c1:c3:e2:40	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-52	02m 06s	28.4 Mbit/s	207.4 kbit/s
80:ea:96:1b:3a:d8	Apple, Inc.	access- fat-06	f8:e9:03:ab:89:27	-52	01h 41m 47s	1.6 kbit/s	2.3 kbit/s
bub-laptop-010	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-57	12m 25s	0.0 kbit/s	0.0 kbit/s
b4:6d:83:2c:d5:d5	Intel Corporate	access- fat-08	08:60:6e:ca:34:07	-75	26m 22s	1.9 kbit/s	2.8 kbit/s
bub-laptop-021	Hon Hai Precision Ind. Co.,Ltd.	access- fat-08	08:60:6e:ca:34:07	-69	29m 22s	0.0 kbit/s	0.0 kbit/s
20:d3:90:dc:77:8f	Samsung Electronics Co.,Ltd	access- fat-08	08:60:6e:ca:34:07	-75	08h 18m 24s	0.0 kbit/s	0.3 kbit/s
bub-laptop-014	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-41	07m 21s	4.4 Mbit/s	20.8 kbit/s
bub-laptop-011	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-51	23m 11s	3.9 kbit/s	2.0 kbit/s
bub-laptop-012	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-39	23m 52s	4.3 Mbit/s	21.7 kbit/s
bub-laptop-020	Hon Hai Precision Ind. Co.,Ltd.	access- fat-09	c4:12:f5:0d:0d:64	-43	24m 46s	4.0 kbit/s	2.1 kbit/s
e8:50:8b:b4:4c:47	SAMSUNG ELECTRO- MECHANICS(THAILAND)	access- fat-09	c4:12:f5:0d:0d:64	-61	02h 30m 59s	0.0 kbit/s	0.0 kbit/s
	37.2 Mbit/s	266.1 kbit/s					

MAC ▼	Vendor ▼	AP host •	BSSID ▼	RSSI *	Uptime •	Rx rate ▼	Tx rate ▼
54:4e:90:9f:d9:17	Apple, Inc.	access- fat-11	6c:19:8f:89:7f:3a	-44	02h 21m 39s	0.0 kbit/s	0.0 kbit/s
20:d3:90:dc:77:35	Samsung Electronics Co.,Ltd	access- fat-11	6c:19:8f:89:7f:3a	-38	08h 10m 46s	0.0 kbit/s	0.0 kbit/s
e0:c7:67:db:a6:f0	Apple, Inc.	access- fat-12	f8:e9:03:87:c0:f3	-71	04h 02m 26s	0.0 kbit/s	0.0 kbit/s
a8:7c:01:a8:a3:0a	Samsung Electronics Co.,Ltd	access- fat-12	f8:e9:03:87:c0:f3	-51	07h 57m 13s	0.0 kbit/s	0.0 kbit/s
3c:a9:f4:54:f8:d4	Intel Corporate	access- fat-14	6c:19:8f:89:7f:3b	-46	28m 39s	0.0 kbit/s	0.2 kbit/s
48:5a:3f:7c:7f:2d	WISOL	access- fat-14	6c:19:8f:89:7f:3b	-64	05h 16m 23s	0.0 kbit/s	0.0 kbit/s
bub-laptop-023	Hon Hai Precision Ind. Co.,Ltd.	access- fat-17	6c:19:8f:89:7f:3b	-46	01m 02s	4.9 kbit/s	2.7 kbit/s
	37.2 Mbit/s	266.1 kbit/s					

2017-06-09 11:19:21 +0200