

12345678910111213141516

M  
L  
K  
J  
I  
H  
G  
F  
E  
D  
C  
B  
A

THE CITY OF LOS ANGELES OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF ELECTRONIC COPIES OF THIS PLAN SHEET.

FILE PATH: BM 360-/Granada Hills Pool Renovation/A\_Granada-Hills\_2017.rvt  
SHEET ISSUE DATE: 02/10/10

REVISION DATES  
(DESIGN STAGE ONLY)

12345678910111213141516

ROOM FINISH SCHEDULE

NO.	ROOM NAME	FLOOR		WALLS				CEILING	REMARKS
		BASE	FINISH	NORTH	EAST	SOUTH	WEST		
100	LOBBY/ENTRY	CB-01/BR-01	SC-01	BR-01/CP-01	CP-01	BR-01/CP-01	BR-01	EXP - PT-01	
101	HALL	CB-01	SC-01	CP-01	-	CP-01	WM-01	EXP - PT-01	
102	MEN'S VESTIBULE	CB-01/BR-01	SC-01	CP-01	CP-01	CP-01	BR-01	EXP - PT-01	
103	WOMEN'S VESTIBULE	CB-01/BR-01	SC-01	CP-01	CP-01	CP-01	BR-01	EXP - PT-01	
104	STAFF RR	CB-01	SC-01	CT-01/CP-01	CT-01	CT-01/CP-01	CP-01	PT-01	
105	CHECK-IN	CB-01	SC-01	CP-01	BR-01	CP-01	WM-01	ACT-01	
106	FIRST AID	CB-01/BR-01	SC-01	-	BR-01	BR-01	CP-01	ACT-01	
107	LIFEGUARD	CB-01/BR-01	SC-01	CP-01	CP-01	CP-01	BR-01	ACT-01	
108	FAM/UNISEX	CB-01	SC-01	CT-01/CP-01	CT-01/CP-01	CT-01/CP-01	CT-01/CP-01	PT-01	
109	FAM/UNISEX	CB-01	SC-01	CT-01/CP-01	CT-01/CP-01	CT-01/CP-01	CT-01/CP-01	PT-01	
110	MEN'S CHANGING	CB-01/BR-01	SC-01	BR-01	CP-01	CP-01	BR-01	EXP - PT-01	
111	WOMEN'S CHANGING	CB-01/BR-01	SC-01	CP-01	CP-01	BR-01	BR-01	EXP - PT-01	
112	JAN	CB-01/BR-01	SC-01	BR-01	CP-01	BR-01	BR-01	EXP - PT-01	
113	JAN	CB-01/BR-01	SC-01	CP-01	CP-01	BR-01	BR-01	EXP - PT-01	
114	MEN'S ENTRY	CB-01/BR-01	SC-01	CP-01	CP-01	BR-01	CP-01	EXP - PT-01	
115	WOMEN'S ENTRY	CB-01/BR-01	SC-01	BR-01	BR-01	CP-01	CP-01	EXP - PT-01	
116	CHASE	CB-01	SC-01	-	-	-	-	EXP - PT-01	EXPOSED STUDS AT WALLS
117	CHASE	CB-01	SC-01	-	-	-	-	EXP - PT-01	EXPOSED STUDS AT WALLS
118	MEN'S SHWR	CT-01	SC-01/CT-02	CT-02	CT-02	CT-02	-	EXP - PT-01	
119	WOMEN'S SHOWER	CT-01	SC-01/CT-02	CT-02	CT-02	CT-02	-	EXP - PT-01	
120	MEN'S RR	CB-01/BR-01	SC-01	BR-01	CP-01	CT-01/CP-01	CT-01/CP-01	EXP - PT-01	
121	WOMEN'S RR	CB-01/BR-01	SC-01	CT-01/CP-01	CP-01	BR-01	CT-01/CP-01	EXP - PT-01	
122	BAG CHECK	CB-01	SC-01	CP-01	CP-01	CP-01	CP-01	ACT-01	CABS OVER EXPOSED BRICK, CP-01 SOFFIT ABOVE
123	BAG CHECK	CB-01	SC-01	CP-01	CP-01	CP-01	CP-01	ACT-01	CABS OVER EXPOSED BRICK, CP-01 SOFFIT ABOVE
125	ELEC	CB-01/BR-01	SC-01	CP-01	CP-01	CP-01	CP-01	EXP - PT-01	
126	COMM	CB-01/BR-01	SC-01	BL-01	BL-01	BL-01	CP-01	EXP - PT-01	
150	POOL EQUIPMENT RM	BL-01	SC-01	BL-01	BL-01	BL-01	BL-01	EXP - PT-01	
151	CHLORINE RM	BL-01	SC-01/PT-05	PT-05	PT-05	PT-05	PT-05	EXP - PT-01	
152	ACID STOR	BL-01	SC-01/PT-05	PT-05	PT-05	PT-05	PT-05	EXP - PT-01	
153	STORAGE	BL-01	SC-01	BL-01	BL-01	BL-01	BL-01	EXP - PT-01	
200	POOL DECK	-	SC-01	-	-	-	-	-	

ROOM FINISH GENERAL NOTES

1. THE CONTRACTOR SHALL SUBMIT ALL FINISH COLOR SAMPLES FOR REVIEW AND APPROVAL BY THE ARCHITECT PRIOR TO INSTALLATION.

2. PAINT ALL EXPOSED STRUCTURAL BEAMS, DECKS, A/C DUCTS, PIPES, ELECTRICAL CONDUITS AND COMPONENTS ETCETERA WITH COLOR \_\_\_\_, PAINT ALL EXPOSED STRUCTURAL COLUMNS AND BRACES WITH COLOR \_\_\_\_, UNLESS NOTED OTHERWISE, AND PAINT ALL AIR DIFFUSERS AND CEILING ACCESS DOORS TO MATCH WITH ADJACENT SURFACES, TYPICAL FOR ALL INTERIOR OF THE BUILDING.

3. ALL INTERIOR FINISH MATERIALS APPLIED TO WALLS AND CEILINGS SHALL BE TESTED AS SPECIFIED IN SECTION 802 OF THE LOS ANGELES BUILDING CODE. FOR EXITWAYS, HALLWAYS AND CORRIDORS MUST HAVE MAXIMUM FLAME SPREAD OF CLASS-II, ALL OTHER ROOMS MUST HAVE MAXIMUM FLAME SPREAD OF CLASS-III.

4. EXTEND PLYWOOD SHEETING TO THE ENTIRE WALL WHERE SHEAR WALL PLYWOOD EXISTS IN ORDER TO HAVE AN EVEN WALL SURFACE.

5. REFERENCE POINT FOR WALL AND FLOOR TILE INSTALLATION SHALL START FROM THE CENTER OF THE FLOOR OR WALL SURFACE.

6. PROVIDE RECESSED VALVE OUTLETS FOR REFRIGERATOR AND UTILITY LINES.

7. ALL BUILDING SURFACES ARE TO BE FREED OF ANY (E) GRAFFITI AND PREPPED TO RECEIVE (N) FINISH.

8. ALL (E) BRICK WALLS ARE TO BE FREED OF ALL (E) CALCIFICATION AND PREPPED TO RECEIVE (N) FINISH.

9. ALL (E) WALLS AND CEILING TO REMAIN ARE TO BE SANDBLASTED AND SEALED, SEE SPECS.

10. NEW FLOOR SLAB TO RECEIVE ACRYLIC COLOR SEALERR U.N.O. COLORS TO BE CHOSEN BY OWNER.

11. ALL FLOOR AND WALL TILES IN SHOWERS AND RESTROOMS MUST BE NON-GLAZED.

12. ALL FLOOR AND WALL SURFACES IN SHOWERS AND RESTROOMS MUST HAVE A COEFFICIENT OF FRICTION OF .6 OR GREATER.

13. ALL RESTROOM FLOORS TO BE HARD, NON-ABSORBENT, SLIP RESISTANT, COVED AT LEAST 5" AND SLOPED ONE-QUARTER INCHES PER FOOT TO FLOOR DRAINS.

FLOOR TILE PATTERN

6'-TYP.

6'-TYP.

CRISP LINEN D139

DESERT GREY D014

TILE CONCRETE FLOOR  
EDGE, CONCRETE FLOOR  
PER FINISH SCHEDULE

NOTE:  
ALL DOORS, TRIMS, GATES, PERIMETER FENCING, TRELLIS,  
AND STRUCTURE FOR FUTURE PHOTOVOLTAICPANELS TO  
BE PTD. PT-03

FINISH LEGEND

CERAMIC/PORCELIN AND QUARRY TILE

CT-01  
MFR: DALTILE  
SERIES: KEYSTONE  
SIZE: 1"X1"  
COLOR: CRISP LINEN D139 & DESERT GRAY D014 IN CUSTOM PATTERN.  
GROUT: SUBMIT FULL COLOR RANGE SAMPLES FOR SELECTION.  
INSTALLATION: SEE PATTERN DETAIL.  
NOTES: PROVIDE COVE TILE AT WALL BASE

CT-02  
MFR: DALTILE  
SERIES: KEYSTONE  
SIZE: 1"X1"  
COLOR: CINNAMON RANGE D007  
GROUT: SUBMIT FULL COLOR RANGE SAMPLES FOR SELECTION.  
INSTALLATION: SEE PATTERN DETAIL.

SUSPENDED GRID ACOUSTICAL CEILING

ACT-01  
MFR: USG  
SERIES: RADAR CLIMAPLUS PERFORMANCE  
ITEM NO: 2227  
SIZE: 24"X24"  
COLOR: WHITE  
EDGE: SLT  
GRID: C USG DX/DXL, WHITE

INTERIOR PORTLAND CEMENT PLASTER

CP-01  
MFR: MERLEX  
PRODUCT: SUPER SHOWER FINISH  
SEALER: MERSEAL II  
COLOR: WHITE  
FINISH: SMOOTH STEEL TROWEL

CONCRETE FINISHES

SC-01  
MEDIUM BROOM FINISH  
SEALED CONCRETE  
PROVIDE HARDENER PER SPECIFICATIONS

CB-01  
CONCRETE BASE  
SEE SLAB AND CURB CONTROL PLAN  
AT EXISTING BRICK, POUR NEW CONCRETE BASE AGAINST WALL

MASONRY FINISHES

BL-01  
MFR: ANGELUS  
PRODUCT: MEDIUM WEIGHT BURNISHED BLOCK  
SIZE: 8X8X16  
GROUT: TYPE S - NATURAL GRAY  
JOINT INTERIOR: FLUSH STRUCK  
COLOR: SAGE  
SEALER: PER SPEC.

BR-01  
EXPOSED EXISTING BRICK  
CLEAN W/ EFFLORESCENCE REMOVER  
APPLY SEALER PER SPEC.

METAL FINISHES

SS-01  
TYPE 316 STAINLESS STEEL  
FINISH: NO. 4  
GAUGE: 16

WM-01  
MFR: MCNICHOLS  
MATERIAL: TYPE 316 STAINLESS STEEL  
OPENING: 2" SQUARE  
WIRE DIA: 0.120"

PM-01  
MFR: MCNICHOLS  
MATERIAL: TYPE 304 STAINLESS STEEL  
GAUGE: 11  
HOLE: 1/8" HOLES ON 1/4" MARGIN  
PATTERN: STAGGERED

PAINT

\*\*\*PREP ALL SUBSTRATES PER PAINT SCHEDULE, REF SPECS  
\*\*\*APPLY COATS PER PAINT SCHEDULE, REF SPECS

PT-01  
MFR: DUNN EDWARDS  
FINISH: FLAT/MATTE  
COLOR: THICKET DE 5622

PT-02  
MFR: DUNN EDWARDS  
FINISH: FLAT/MATTE  
COLOR: WHITE DEW 380

PT-03  
MFR: DUNN EDWARDS  
FINISH: FLAT/MATTE  
COLOR: WILD THYME DE 5621

PT-04  
MFR: DUNN EDWARDS  
FINISH: FLAT/MATTE  
COLOR: BURNT CEDAR DE966

PT-05  
MFR: SHERWIN WILLIAMS  
FINISH: SEMI-GLOSS  
COLOR: HAZE GRAY  
SYSTEM: 1 COAT COROBOND 100 EPOXY PRIMER/SEALER @ 6.0 MILS DFT  
1 COAT STEEL-SEAM FT910 AS REQ. FOR FILLING VOIDS & BUGHOLES ON CONC.  
1 COAT SHER-TUFF FLEXIBLE EPOXY @ 30.0 MILS DFT  
1 COAT COR-COTE HCR (CLEAR) W/ 1 OZ GLASS MAT @ 30.0 MILS DFT (WITH GLASS MAT)  
2 COATS COR-COTE HCR FF FLAKE FILLED EPOXY @ 20.0 MILS DFT/CT

ROOFING FINISHES

RF-01  
MFR: OWENS CORNING  
PRODUCT: TRUDEFINITION DURATION COOL SHINGLES  
COLOR: SAND CASTLE

RF-02  
MFR: OWENS CORNING  
PRODUCT: TRUDEFINITION DURATION COOL SHINGLES  
COLOR: SHASTA WHITE

PARTITIONS

SP-01  
MFR: BOBRICK  
PRODUCT: SOLID PHENOLIC 1080  
COLOR: LIMOUSINE GREYS-542-CA

SP-01  
MFR: BOBRICK  
PRODUCT: SOLID PHENOLIC 1080  
COLOR: LIMOUSINE GREYS-542-CA

CASEWORK

SP-01  
MFR: BOBRICK  
PRODUCT: SOLID PHENOLIC 1080  
COLOR: LIMOUSINE GREYS-542-CA

BUREAU OF ENGINEERING

DEPARTMENT OF PUBLIC WORKS

GARY LEE MOORE, PE, ENV SP

CITY ENGINEER

DATE: 03/03/20

ARCHITECTURAL DIVISION

ARCHITECT/ENGINEER: JOHN SPARANO LIC. NO.: C-8244

DESIGNED BY: SPARANO • MOONEY ARCHITECTURE

DRAWN BY: JORGE BELTRAN

CHECKED BY: LUDWING JUAREZ

APPROVED BY:

OFFICIAL RECORD

SHEET TITLE: FINISH SCHEDULE

PROJECT: GRANADA HILLS POOL AND BATHHOUSE REPLACEMENT PROJECT

ADDRESS: 16730 CHATSWORTH STREET  
GRANADA HILLS, CA 91344

WORK ORDER NO. #E170517

PLAN FILE NO. #308

DRAWING NO. A8.50

SHEET 0 F SHEETS