

1 POOL DECK PLAN
1/8" = 1'-0"

GENERAL NOTES

1. CONCRETE TOOLED JOINTS TO BE 1/8" IN WIDTH BY 1 1/2" IN DEPTH, NO STEEL TROWELED, CONFORMING TO PROPER CONSTRUCTION PRACTICE DEPENDING ON CURE TIME AND WEATHER CONDITIONS. SEE POOL DECK PLAN FOR DIVISION LINES. S.S.D. AND SHEET A7.30 FOR MORE INFO.
2. CONTRACTOR IS TO PERFORM A FIELD OBSERVATION VERIFYING ALL DIMENSIONS WITH EXISTING FIELD CONDITIONS.
3. CONTRACTOR IS TO PROVIDE JOINT LAYOUT SHOP DRAWING SUBMITTAL FOR REVIEW PRIOR TO LAYING DOWN OF REBAR.
4. ALL DIMENSIONS TO BE VERIFIED IN FIELD.
5. S.C.D. FOR SPOT ELEVATIONS OF POOL DECK FOR PROPER DRAINAGE
6. S.C.D. FOR REQUIRED POOL DECK SLOPE.
7. S.C.D. FOR SLOT DRAIN LOCATIONS.
8. S.AQ.D. FOR ADDITIONAL POOL AND PIT INFORMATION.
9. S.AQ.D.. SHEET SP-1 FOR POOL DIMENSIONS AND DATA INFO.
10. S.S.D. FOR EXPANSION JOINTS INFO.
11. SEE SHEETS A2.13, A2.14 &AND A2.15 FOR SITE CONTROL JOINT INFORMATION
12. S.AQ.D. FOR LIFEGUARD CHAIR LOCATIONS.
13. ALL NEW WALKING SURFACES SHALL BE STABLE, FIRM AND SLIP RESISTANT
14. SWIMMING POOLS TO COMPLY WITH SECTION 11B-1009
15. ADA LIFTS TO COMPLY WITH SECTION 11B-1009.2-11B-1009.2.8

GRAPHIC LEGEND

- INDICATES NEW CONCRETE SLAB
- INDICATES NEW TOOLED JOINT LINE
- INDICATES NEW SLOT DRAIN
- INDICATES NEW SLOT DRAIN CATCH BASIN
- SLOPE DIRECTION ARROW
- ACCESSIBLE ROUTE TO ADA LIFT

KEYNOTE LEGEND

1 (N) SWIMMING POOL. 9,110 S.F. S.AQ.D. SHEET SP-1 FOR MORE INFO.
2 (N) ADA ACCESSIBLE LIFT.S.AQ.D. FOR MORE INFO.
3 (N) 1M DIVING BOARD.W/ THICKENED SLAB, SEE DETAIL 1/SP-9 FOR MORE INFO.
4 (N) DRINKING FOUNTAINS (3) ON (E) BRICK WALL W/ (1) BOTTLE FILLING STATION.SEE DETAIL 1/A7.32. S.P.D. FOR MORE INFO.
5 (N) STEEL SHADE STRUCTURE. PAINT PER SCHEDULE.
6 (E) CONCRETE BENCH TO REMAIN, PROTECT.
7 (N) CONC. BALANCE TANK AND HATCH, FOR DIMENSIONS, REINFORCEMENT & HATCH INFO. SEE SHEET WP-4 AND STRUCT. DWGS.
8 (N) EXPANSION JOINT. S.S.D. FOR MORE INFO.
9 (N) 9'-6" H TUBE STEEL FENCE ON 6" H CONC CURB.
10 (N) SLOT DRAIN SYSTEM. S.C.D. AND S.AQ.D. FOR MORE INFO.
11 (N) WALL MOUNTED SCOREBOARD UNDER SEPARATE PERMIT. S.AQ.D. & S.S.D. FOR MORE INFO.
12 (N) NEW LIGHT POLE, S.E.D. & MUSCO STRUCT. DWGS FOR MORE INFO.
13 (N) LIGHT FIXTURE. S.E.D.
14 (N) LIFEGUARD CHAIR. S.AQ.D. FOR MORE INFO.
15 (N) GRABRAIL WITH STEPS. S.AQ.D.. FOR MORE INFO.
16 (N) POOL STEPS AND HANDRAIL. S.AQ.D. FOR MORE INFO.
17 (N) 6" CONC POOL DECK. FINISH TO BE MEDIUM BROOM FINISH.COBTRACTOR TO PROVIDE MOCK-UPS OF MEDIUM AND HEAVY FINISH.

BUREAU OF ENGINEERING
OFFICIAL RECORD

THE CITY OF LOS ANGELES OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF ELECTRONIC COPIES OF THIS PLAN SHEET.

TTLB TEMPLATE REVISION DATE: 02/2013
SHEET ISSUE DATE: 01/04/18
FILE PATH: BIM 360://Granada Hills Pool Renovation/A_Granada-Hills_2017.rvt

REVISION DATES (DESIGN STAGE ONLY)

BUREAU OF ENGINEERING
ENGINEERING
CITY OF LOS ANGELES

NO.	REVISION DESCRIPTION	DATE	BY

BUILDING NO. -
INDEX NO. RP-300118

LICENSED ARCHITECT
JOHN P. SPARANO
C-26244
EXP. 1-30-21
STATE OF CALIFORNIA

DEPARTMENT OF PUBLIC WORKS
GARY LEE MOORE, PE, ENV SP
CITY ENGINEER

		DATE:
ARCHITECT/ENGINEER:	JOHN SPARANO ARCHITECTURAL DIVISION LIC. NO.: C-26244	03/03/20
DESIGNED BY:	SPARANO + MOONEY ARCHITECTURE	03/03/20
DRAWN BY:	JORGE BELTRAN	03/03/20
CHECKED BY:	LUDWING JUAREZ	03/03/20
APPROVED BY:		03/03/20

CITY OF LOS ANGELES
VERTICAL CONTROL:
HORIZONTAL CONTROL:
SHEET TITLE: CONTROL JOINT DECK PLAN
PROJECT: GRANADA HILLS POOL AND BATHHOUSE REPLACEMENT PROJECT
ADDRESS: 16730 CHATSWORTH STREET GRANADA HILLS, CA 91344

BID SET
PROJECT ISSUE DATE: 06/22/21

WORK ORDER NO. #E170517
PLAN FILE NO. #308
DRAWING NO. A2.12
SHEET OF SHEETS

PLOTTED:8/18/2020 1:20:02 PM