## Econometrics III Assignment Part 1 & 2 Tinbergen Insitute

Stanislav Avdeev & Bas Machielsen student no 590049bm stnavdeev@gmail.com 590049bm@eur.nl

March 4, 2021


## Instructions

I created a file .Renviron, where the python distribution is located on my system. You can find that by opening a terminal, and entering \$ which -a python python3. Then, in RStudio, use usethis::edit\_r\_environ(), and add RETICULATE\_PYTHON="/Users/basmachielsen/opt/anaconda3/bin/python" (or your directory) on a new line to the file. In this way, we can seamlessly interchange R and Python code chunks. Restart RStudio, and then everything is ready to go:

```
summary(cars)
##
        speed
                         dist
          : 4.0
                           : 2.00
##
   Min.
                   Min.
   1st Qu.:12.0
                   1st Qu.: 26.00
##
   Median:15.0
                   Median : 36.00
   Mean
           :15.4
                           : 42.98
##
                   Mean
    3rd Qu.:19.0
                   3rd Qu.: 56.00
##
  Max.
           :25.0
                   Max.
                           :120.00
mtcars <- mtcars
import pandas as pd
import numpy as np
r.mtcars.sum()
            642.900
## mpg
## cyl
            198.000
## disp
           7383.100
           4694.000
## hp
## drat
            115.090
## wt
            102.952
## qsec
            571.160
## vs
             14.000
## am
             13.000
            118.000
## gear
## carb
             90.000
## dtype: float64
```

## **Including Plots**

You can also embed plots, for example:



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

## **Including Matplotlib**

```
hoi = np.arange(0,10)
hoi
## array([0, 1, 2, 3, 4, 5, 6, 7, 8, 9])
py$hoi
## [1] 0 1 2 3 4 5 6 7 8 9
gert::git_branch_checkout("attempt_bas")
## <git repository>: /home/bas/Documents/git/econometrics_iii[@attempt_bas]
gert::git_add(c("*"))
##
                                                             file
                                                                    status staged
## 5 assignment_1/assignment_1_files/figure-latex/pressure-1.pdf modified
                                                                             TRUE
## 2
                                   assignment_1/assignment_1.log
                                                                             TRUE
## 3
                                   assignment_1/assignment_1.pdf deleted
                                                                             TRUE
                                   assignment_1/assignment_1.Rmd modified
## 1
                                                                             TRUE
                                                                             TRUE
## 4
                                   assignment_1/assignment_1.tex
                                                                       new
gert::git_commit(message = "Automatic commit")
```

## [1] "549d0c7449276049216186a948df766cf31354a0"

gert::git\_push()