

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git init
Reinitialized existing Git repository in C:/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again/.git/
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git init
Reinitialized existing Git repository in C:/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again/.git/

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt.
fatal: pathspec 'third.txt.' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt
fatal: pathspec 'third.txt' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add adding third.txt
fatal: pathspec 'adding' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding third.txt'
[master (root-commit) 30923b9] adding third.txt
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 adding third.txt
create mode 100644 third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git init
Reinitialized existing Git repository in C:/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again/.git/

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt.
fatal: pathspec 'third.txt.' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt
fatal: pathspec 'third.txt' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add adding third.txt
fatal: pathspec 'adding' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding third.txt'
[master (root-commit) 30923b9] adding third.txt
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 adding third.txt
create mode 100644 third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 30923b978b09ac7ac39bcd73048400bc8bca4b4 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date: Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git init
Reinitialized existing Git repository in C:/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again/.git/

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt.
fatal: pathspec 'third.txt.' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt
fatal: pathspec 'third.txt' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add adding third.txt
fatal: pathspec 'adding' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding third.txt'
[master (root-commit) 30923b9] adding third.txt
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 adding third.txt
create mode 100644 third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 30923b978b09ac7ac39bc073048400bc8bca4b4 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date: Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add Fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode (master)
$ cd learn_git_again

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git init
Reinitialized existing Git repository in C:/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again/.git/

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt.
fatal: pathspec 'third.txt.' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt
fatal: pathspec 'third.txt' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add adding third.txt
fatal: pathspec 'adding' did not match any files

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding third.txt'
[master (root-commit) 30923b9] adding third.txt
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 adding third.txt
create mode 100644 third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 30923b978b09ac7ac39bc073048400bc8bca4b4 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date: Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add Fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding fourth.txt'
[master 600a571] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
[master (root-commit) 30923b9] adding third.txt
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 adding third.txt
create mode 100644 third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 30923b978b09ac7ac39bc073048400bc8bca4b4 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date:   Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding fourth.txt'
[master 6b0a571] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git rm --cached third.txt
error: unknown option 'cached'
usage: git rm [<options>] [--] <file>...

    -n, --dry-run      dry run
    -q, --quiet        do not list removed files
    --cached           only remove from the index
    -f, --force        override the up-to-date check
    -r                allow recursive removal
    --ignore-unmatch   exit with a zero status even if nothing matched
    --pathspec-from-file <file> read pathspec from file
    --pathspec-file-nul with --pathspec-from-file, pathspec elements are separated with NUL character

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding third.txt

no changes added to commit (use "git add" and/or "git commit -a")

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git add fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'adding fourth.txt'
[master 6b0a571] adding fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fourth.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git rm --cached third.txt
error: unknown option 'cached'
usage: git rm [<options>] [--] <file>...

    -n, --dry-run      dry run
    -q, --quiet        do not list removed files
    --cached           only remove from the index
    -f, --force        override the up-to-date check
    -r                allow recursive removal
    --ignore-unmatch   exit with a zero status even if nothing matched
    --pathspec-from-file <file> read pathspec from file
    --pathspec-file-nul with --pathspec-from-file, pathspec elements are separated with NUL character


EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding third.txt

no changes added to commit (use "git add" and/or "git commit -a")

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'removing third.txt'
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding third.txt


no changes added to commit (use "git add" and/or "git commit -a")

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$
```

 learn.gomycode.co • maintenanant ^

Ranked System

You've been promoted to Master II (11 LP), keep up the good work and climb fast through ranks.



```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
error: unknown option 'cached'
usage: git rm [<options>] [--] <file>...

-n, --dry-run          dry run
-q, --quiet            do not list removed files
--cached              only remove from the index
-f, --force            override the up-to-date check
-r, --recursive        allow recursive removal
--ignore-unmatch       exit with a zero status even if nothing matched
--pathspec-from-file <file>
                        read pathspec from file
--pathspec-file-nul    with --pathspec-from-file, pathspec elements are separated with NUL character

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding_third.txt

no changes added to commit (use "git add" and/or "git commit -a")
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'removing third.txt'
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding_third.txt

no changes added to commit (use "git add" and/or "git commit -a")
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 6b0a5710bb7879c5fb11076564fcc07fc8b7523 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date:   Mon Nov 9 10:59:40 2020 +0100

    adding fourth.txt

commit 30923b978b09ac7ac39bc073048400bc8bca4b4
Author: basma <bsm.hamdi09@gmail.com>
Date:   Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
-n, --dry-run          dry run
-q, --quiet            do not list removed files
--cached              only remove from the index
-f, --force            override the up-to-date check
-r, --recursive        allow recursive removal
--ignore-unmatch       exit with a zero status even if nothing matched
--pathspec-from-file <file>
                        read pathspec from file
--pathspec-file-nul    with --pathspec-from-file, pathspec elements are separated with NUL character

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding_third.txt

no changes added to commit (use "git add" and/or "git commit -a")
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git commit -m 'removing third.txt'
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    adding_third.txt

no changes added to commit (use "git add" and/or "git commit -a")
EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git log
commit 6b0a5710bb7879c5fb11076564fcc07fc8b7523 (HEAD -> master)
Author: basma <bsm.hamdi09@gmail.com>
Date:   Mon Nov 9 10:59:40 2020 +0100

    adding fourth.txt

commit 30923b978b09ac7ac39bc073048400bc8bca4b4
Author: basma <bsm.hamdi09@gmail.com>
Date:   Mon Nov 9 10:43:09 2020 +0100

    adding third.txt

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git config --global alias.cat core.pager

EL_PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ |
```

```
MINGW64/c/Users/EL PANDAs/Desktop/GoMyCode/learn_git_again
$ git config --global alias.cat core.pager

EL PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$ git config --global
usage: git config [<options>]

Config file location
--global          use global config file
--system          use system config file
--local           use repository config file
--worktree        use per-worktree config file
-f, --file <file> use given config file
--blob <blob-id>  read config from given blob object

Action
--get             get value: name [value-regex]
--get-all        get all values: key [value-regex]
--get-regexp      get values for regexp: name-regex [value-regex]
--get-urlmatch    get value specific for the URL: section[.var] URL
--replace-all    replace all matching variables: name value [value-regex]
--add            add a new variable: name value
--unset           remove a variable: name [value-regex]
--unset-all      remove all matches: name [value-regex]
--rename-section  rename section: old-name new-name
--remove-section  remove a section: name
-l, --list        list all
-e, --edit        open an editor
--get-color       find the color configured: slot [default]
--get-colorbool   find the color setting: slot [stdout-is-ty]

Type
-t, --type <v>  value is given this type
--bool           value is "true" or "false"
--int            value is decimal number
--bool-or-int    value is --bool or --int
--bool-or-str    value is --bool or string
--path           value is a path (file or directory name)
--expiry-date    value is an expiry date

Other
-z, --null       terminate values with NUL byte
--name-only      show variable names only
--includes       respect include directives on lookup
--show-origin    show origin of config (file, standard input, blob, command line)
--show-scope     show scope of config (worktree, local, global, system, command)
--default <value> with --get, use default value when missing entry

EL PANDAs@ELPANDAs-PC MINGW64 ~/Desktop/GoMyCode/learn_git_again (master)
$
```