

Operator Performance Report

20260417_105935

April 17, 2026 at 10:59 | 10:59 – 11:07 | 7m 38s | Operator: Remon |

Shopping Mall — Organised Theft with Insider Assistance

Operator scored 34/100 (Fail) on the 'Shopping Mall — Organised Theft with Insider Assistance' scenario. Performance is anchored by false-positive discipline (100/100, 20% of composite). Remedial training is recommended before further deployment.

Composite breakdown

Detection accuracy (40%) | 0

Share of suspicious entities the operator correctly marked within their visibility window.

False positives (20%) | 100



Discipline in avoiding marks on non-suspicious entities; each false mark carries a score penalty.

Timeliness (20%) | 0

Speed of response to critical events and alarms, measured from event onset to operator action.

Attention & gaze (20%) | 70.0

How well the operator's gaze covered the feeds where suspicious activity actually appeared.



Detection outcomes across the scenario's 7 suspicious entities.

CORRECTLY MARKED

0

of 7 entities

Suspicious entities marked while visible on a feed.

MISSED

7

critical: 7

Suspicious entities that ended the session without a mark.

FALSE POSITIVES

0

no false marks

Marks placed on entities that were not suspicious.

DETECTION RATE

0.0%

correctly marked ÷ total suspicious entities.

FP RATE

0.0%


false positives ÷ total marks placed.

ACCURACY

0.0%

overall marking accuracy after false-positive penalties.

When each suspicious entity became visible and the severity of each appearance.



0/7 suspicious entities marked; 7 missed. Bubble diameter reflects event severity.

0/7 suspicious entities marked; 7 missed. Bubble diameter reflects event severity.

03 Timeliness

Reaction latencies per entity and per supervisor alarm.

ENTITY	REACTION	STATUS
Male 1 (lookout_leader)	—	Not marked
Male 2 (lookout)	—	Not marked
Male 3 (lookout)	—	Not marked
Male 4 (operative)	—	Not marked
Male 5 (operative)	—	Not marked
SG 1 (insider)	—	Not marked
Victim (target)	—	Not marked

ALARM RESPONSES		
ALARM	RESPONSE	STATUS

Camera attention distribution and how it aligned with active events.

Gaze coverage

0.0%

Critical watched

0


Critical off-gaze

0

Tunnel vision


No

OPERATOR GAZE DISTRIBUTION




Camera_04 dominated attention at 50%;
runner-up None at 21%. 3 feed(s) unused.

OPERATOR GAZE % VS CRITICAL EVENTS %




Largest gap: Camera_03 held 42% of critical
events but received 0% of gaze.

OPERATOR GAZE VS CRITICAL EVENTS OVER TIME




PER-CAMERA GAZE TIMELINE

Cam 01



Camera_04: 50% dwell, 1 critical events, 0 missed while on another feed.

Cam 02




None: 21% dwell, 0 critical events, 0 missed while on another feed.

Cam 03




Camera_07: 16% dwell, 0 critical events, 0 missed while on another feed.

Cam 04



Camera_05: 9% dwell, 4 critical events, 0 missed while on another feed.

Cam 05



Camera_06: 5% dwell, 0 critical events, 0 missed while on another feed.

Cam 06




Cam 07



Cam 08






05 Unified event & action timeline

Unified event and action timeline with response-tier correlations.




Biometric telemetry across the session.


HEART RATE




EDA LEVEL



TEMPERATURE



BIOMETRICS CORRELATED WITH SCENARIO EVENTS



9 stress episode(s); peak 133 bpm / 0.0 μ S at t=277s.

HEART RATE

79.2 44.9 132.7

avg bpm min max

EDA LEVEL

0.0682 0.0302 0.2708

avg min max

SCR AMPLITUDE

0.0024 0.0 0.0637

avg min max


TEMPERATURE

35.8 33.4 38.2

avg °C min max

07 Operator actions timeline

Action types emitted by the operator over time.



0 actions — 0 Marked, 0 Unmarked, 0 SelectFeed. Mean inter-action gap 0.0s.

0 actions — 0 Marked, 0 Unmarked, 0 SelectFeed. Mean inter-action gap 0.0s.

Stress episodes detected from biometric spikes.

STRESS EPISODES

9 160

episodes spike s

PEAK HR

133 79

avg bpm avg

PEAK EDA

0.27 0.07 μ S avg

TEMPERATURE RANGE

33.4 38.2

min °C max °C

Detected 9 stress episodes across the session (total 160s above baseline). Peak reached HR 133 bpm at t=277s.

PERFORMANCE UNDER STRESS VS. BASELINE

Stress-vs-baseline comparison could not be computed: too few marking decisions fell inside stress windows (0) or baseline windows (0).

BASELINE

0.0%

Accuracy

UNDER
STRESS

—

Accuracy

CHANGE

—

Accuracy

BASELINE

9 / 0Missed
criticals /
False
positivesUNDER
STRESS**0 / 0**Missed
criticals /
False
positivesUNDER
STRESS

—

Error rate

STRESS EPISODE BREAKDOWN

Episode 1 — peaked at t=53.0s, lasted 5.0s

INDICATORS

- Heart rate peaked at 129.74 bpm, 50.53 bpm above the session baseline of 79.21 bpm (+63.8%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 2 — peaked at t=148.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 112.25 bpm, 33.04 bpm above the session baseline of 79.21 bpm (+41.7%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 3 — peaked at t=207.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 112.13 bpm, 32.92 bpm above the session baseline of 79.21 bpm (+41.6%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 4 — peaked at t=230.0s, lasted 8.0s

INDICATORS

- Heart rate peaked at 109.18 bpm, 29.97 bpm above the session baseline of 79.21 bpm (+37.8%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 5 — peaked at t=241.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 122.4 bpm, 43.19 bpm above the session baseline of 79.21 bpm (+54.5%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 6 — peaked at t=264.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 104.91 bpm, 25.7 bpm above the session baseline of 79.21 bpm (+32.5%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 7 — peaked at t=277.0s, lasted 10.0s

INDICATORS

- Heart rate peaked at 132.68 bpm, 53.47 bpm above the session baseline of 79.21 bpm (+67.5%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 8 — peaked at t=309.0s, lasted 4.0s

INDICATORS

- Heart rate peaked at 123.96 bpm, 44.75 bpm above the session baseline of 79.21 bpm (+56.5%). This exceeded the detection threshold of 95.88 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 9 — peaked at t=400.0s, lasted 144.0s

INDICATORS

- Heart rate peaked at 119.01 bpm, 39.8 bpm above the session baseline of 79.21 bpm (+50.3%). This exceeded the detection threshold of 95.88 bpm.
- Electrodermal activity reached 0.27 μ S, 0.2 μ S above the baseline of 0.07 μ S (+297.3%), clearing the 0.17 μ S stress threshold.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Data quality notes

- No gaze samples were recorded in this session.
- Scenario event timing was unavailable for correlation.

09 Performance feedback

Feedback synthesized from the quantitative signals above.

During this 7m 38s session on the 'Shopping Mall — Organised Theft with Insider Assistance' scenario, you engaged 5/8 camera feeds, maintaining broad situational awareness. however, you missed 7 of 7 suspicious entities (Male 1, Male 2, Male 3, Male 4, Male 5, SG 1, Victim), which contributed to 4 camera feed(s) went unused: Camera_01, Camera_02, Camera_03, Camera_08.

Ranked recommendations with supporting evidence from this session.

High priority

Detection accuracy

Medium confidence

1. Tighten suspicious-entity detection

Close the gap on missed entities by drilling the behavioural cues that accompanied each miss.

Why / How

Why: You missed 7/7 entities (Male 1, Male 2, Male 3, Male 4, Male 5, SG 1, Victim). Detection accuracy scored 0/100.

How: Rewatch Male 1, Male 2, Male 3, Male 4, Male 5, SG 1, Victim in the replay; list three behavioural tells per entity before the next session.

Supporting evidence

- Correctly marked: **0**
- Missed: **7**
- Detection rate: **0.0%**
- Critical: **7**

HOW WE REACHED THIS CONCLUSION

1. Signal: **Detection rate**

Observation: **0.0%**

Threshold: **target ≥ 80%**

Why it matters: *Detection rate of 0.0% sits below the operational target and drives the recommendation.*

2. Signal: **Missed suspicious entities**

Observation: **7/7**

Why it matters: *7 of 7 suspicious entities went unmarked (Male 1, Male 2, Male 3, Male 4, Male 5, SG 1, Victim); each miss removes the chance of escalation.*

3. Signal: **Dimension score**

Observation: **0/100**

Threshold: **flagged below 70/100**

Why it matters: *This dimension scored 0/100 at 40% weight — the largest drag on the composite.*

Medium priority

Attention & gaze

Medium confidence

2. Broaden gaze coverage

Increase critical-feed coverage by enforcing a rotation cadence.

Why / How

Why: 0 critical event(s) fired while you were watching a different feed; tunnel vision sat at 50% on Camera_04.

How: Adopt a 12-second rotation on Camera_01, Camera_02, Camera_03, Camera_08. Audit feed dwell live via the supervisor overlay.

Supporting evidence

- Gaze coverage: **0.0%**
- Tunnel vision: **50%**
- Critical off-gaze: **0**

Low priority

Growth

Medium confidence

3. Extend a confirmed strength

Convert your strongest dimension into a transferable scanning pattern.

[Why / How](#)

Why: false-positive discipline scored 100/100 — your strongest signal. Lean into it.

How: Document the scan pattern that produced your false-positive discipline score and adapt it to the weaker dimensions.

Supporting evidence

- Score: **100/100**
- Composite breakdown: **34/100**

HOW WE REACHED THIS CONCLUSION

1. Signal: **Strongest Ziyad dimension**

Observation: **false-positive discipline: 100/100**

Threshold: **strength flagged at $\geq 70/100$**

Why it matters: *false-positive discipline at 100/100 clears the 70-point strength threshold — a pattern worth extending, not just preserving.*

2. Signal: **Composite score**

Observation: **34/100**

Why it matters: *This strength anchors the composite (34/100); growth recommendations build on confirmed capability.*

Low priority

Data quality

Low confidence

4. Expand telemetry capture

Raise telemetry coverage so future sessions surface the signals this one lacked.

[Why / How](#)

Why: gaze fixations, biometric samples, scenario event timing telemetry stream(s) were sparse or unavailable, limiting what this report could diagnose.

How: Confirm the operator device is logging gaze fixations, biometric samples, scenario event timing before the next session begins.

Supporting evidence

- Biometric coverage was sparse ({count} sample(s)).: **0**

- No gaze samples were recorded in this session.: 0

HOW WE REACHED THIS CONCLUSION

1. Signal: Gaze fixation samples

Observation: 0 samples

Threshold: minimum 10 samples for confidence

Why it matters: Only 0 gaze fixation(s) were recorded — below the 10-sample minimum for high-confidence gaze analysis.

2. Signal: Biometric samples

Observation: 0 samples

Threshold: minimum 20 samples for confidence

Why it matters: Only 0 biometric sample(s) — below the 20-sample minimum needed to detect stress episodes reliably.

3. Signal: Missing data streams

Observation: gaze fixations, biometric samples, scenario event timing

Why it matters: The following streams were incomplete and weakened downstream conclusions: gaze fixations, biometric samples, scenario event timing.