

April 17, 2026 at 09:14


09:14 – 09:20

6m 49s

Operator: Hamdan

Airport — Suspicious Item

Operator scored 29/100 (Fail) on the 'Airport — Suspicious Item' scenario. Performance is anchored by attention & gaze (97/100, 20% of composite). Remedial training is recommended before further deployment.



01 Detection metrics

Detection outcomes across the scenario's 4 suspicious entities.

CORRECTLY MARKED

1

of 4 entities

Suspicious entities marked while visible on a feed.

MISSED

3

critical: 3

Suspicious entities that ended the session without a mark.

FALSE POSITIVES

4

false marks

Marks placed on entities that were not suspicious.

DETECTION RATE

25.0%

correctly marked ÷ total suspicious entities.

FP RATE

80.0%

false positives ÷ total marks placed.


ACCURACY

12.5%

overall marking accuracy after false-positive penalties.

02 Entity detection timeline

When each suspicious entity became visible and the severity of each appearance.



1/4 suspicious entities marked; 3 missed. Bubble diameter reflects event severity.

1/4 suspicious entities marked; 3 missed. Bubble diameter reflects event severity.

03

Timeliness

Reaction latencies per entity and per supervisor alarm.

ENTITY	REACTION	STATUS
Male 1 (bag_placer)	—	Not marked
Male 2 (restricted_door_operative)	—	Not marked
Female 1 (coordinator_lookout)	—	Not marked
Backpack Coffee Table (suspicious_item)	160.0s	Delayed

ALARM RESPONSES

ALARM	RESPONSE	STATUS
-------	----------	--------

Camera attention distribution and how it aligned with active events.

Gaze coverage

60.0%

Critical watched

11

Critical off-gaze


0

Tunnel vision

No


28 event(s) had no gaze sample (counted as no data, not as missed).

OPERATOR GAZE DISTRIBUTION




None dominated attention at 33%; runner-up Camera_02 at 29%. 0 feed(s) unused.

OPERATOR GAZE % VS CRITICAL EVENTS %




Largest gap: Camera_02 held 69% of critical events but received 29% of gaze.

OPERATOR GAZE VS CRITICAL EVENTS OVER TIME



Your gaze matched the event feed for 49/51 critical events (96.1%).

Cam 01



None: 33% dwell, 0 critical events, 0 missed while on another feed.

Cam 02



Camera_02: 29% dwell, 18 critical events, 0 missed while on another feed.

Cam 03



Camera_07: 16% dwell, 0 critical events, 0 missed while on another feed.

Cam 04



Camera_08: 14% dwell, 0 critical events, 0 missed while on another feed.

Cam 06




Camera_06: 9% dwell, 0 critical events, 0 missed while on another feed.

Cam 07



Cam 08



Cam 02

28.8%

Cam 06

8.8%

Cam 07

16.2%


Cam 08

13.6%

None

32.6%

Unified event and action timeline with response-tier correlations.



0 fast ($\leq 5s$), 0 normal ($\leq 10s$), 1 delayed, 3 uncorrelated critical event(s). 0 supervisor alarm(s).

RESPONSE CORRELATION

0

0

0


70

 $\leq 5s$ $\leq 10s$ $> 10s$


missed

Biometric telemetry across the session.

HEART RATE




EDA LEVEL



TEMPERATURE



BIOMETRICS CORRELATED WITH SCENARIO EVENTS



17 stress episode(s); peak 154 bpm / 0.0 μ S at t=182s.

HEART RATE

90.2 34.5 153.8

avg bpm min max

EDA LEVEL

0.7846 0.7284 0.98

avg min max

SCR AMPLITUDE

0.0102 0.0004 0.0767


avg min max

TEMPERATURE

35.8 33.3 37.7

avg °C min max

Action types emitted by the operator over time.



0 actions — 0 Marked, 0 Unmarked, 0 SelectFeed. Mean inter-action gap 0.0s.

0 actions — 0 Marked, 0 Unmarked, 0 SelectFeed. Mean inter-action gap 0.0s.

Stress episodes detected from biometric spikes.

STRESS EPISODES

17

episodes

74

spike s

PEAK HR

154

avg bpm

90

avg

PEAK EDA

0.98

μS

0.78

avg

TEMPERATURE RANGE

33.3

min °C

37.7

max °C

Detected 17 stress episodes across the session (total 74s above baseline). Peak reached HR 154 bpm at t=182s.

PERFORMANCE UNDER STRESS VS. BASELINE

Accuracy under stress (0.0%) tracked the baseline (0.0%) within 0.0 pp — the operator absorbed physiological load without a meaningful performance shift.

BASELINE

0.0%

Accuracy

UNDER STRESS

0.0%

Accuracy

CHANGE

+0.0**pp**

Accuracy

BASELINE

18 / 0Missed
criticals /
False
positives

UNDER STRESS

7 / 0Missed
criticals /
False
positives

UNDER STRESS

100.0%

Error rate

STRESS EPISODE BREAKDOWN

Episode 1 — peaked at t=23.0s, lasted 38.0s

INDICATORS

- Electrodermal activity reached 0.98 μ S, 0.2 μ S above the baseline of 0.78 μ S (+24.9%), clearing the 0.87 μ S stress threshold.

LIKELY TRIGGER

Likely trigger: notable event targeting Female_1 (event) at t=5.0s, 0.0s before onset.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 2 — peaked at t=72.0s, lasted 10.0s

INDICATORS

- Heart rate peaked at 138.11 bpm, 47.96 bpm above the session baseline of 90.15 bpm (+53.2%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Most likely trigger: suspicious event targeting Male_1 (event) at t=68.0s, 1.0s before onset — strong preceding signal.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 3 — peaked at t=114.0s, lasted 3.0s

INDICATORS

- Heart rate peaked at 120.0 bpm, 29.85 bpm above the session baseline of 90.15 bpm (+33.1%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Most likely trigger: critical event targeting Male_1 (event) at t=112.0s, 1.0s before onset — strong preceding signal.

PERFORMANCE

BEFORE (−30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 1 missed critical(s).

DURING EPISODE

Accuracy 0.0% — 0 correct, 0 false positive(s), 1 missed critical(s).

AFTER (+30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 7 missed critical(s).

Accuracy held roughly steady at 0.0% during stress versus 0.0% beforehand (+0.0 pp change).

MISTAKES DURING EPISODE

- Missed critical on Male_1 (bag_placer) at t=115.0s.

Episode 4 — peaked at t=137.0s, lasted 5.0s

INDICATORS

- Heart rate peaked at 125.19 bpm, 35.04 bpm above the session baseline of 90.15 bpm (+38.9%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Likely trigger: critical event targeting Backpack_Coffee_Table (event) at t=122.0s, 11.0s before onset.

PERFORMANCE

BEFORE (−30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 6 missed critical(s).

DURING EPISODE

Accuracy 0.0% — 0 correct, 0 false positive(s), 2 missed critical(s).

AFTER (+30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 3 missed critical(s).

Accuracy held roughly steady at 0.0% during stress versus 0.0% beforehand (+0.0 pp change).

MISTAKES DURING EPISODE

- Missed critical on Female_1 (coordinator_lookout) at t=135.0s.
- Missed critical on Female_1 (coordinator_lookout) at t=137.0s.

Episode 5 — peaked at t=169.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 116.6 bpm, 26.45 bpm above the session baseline of 90.15 bpm (+29.3%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Most likely trigger: critical event targeting Female_1 (event) at t=168.0s, 1.0s before onset — strong preceding signal.

PERFORMANCE

BEFORE (−30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 3 missed critical(s).

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 11 missed critical(s).

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 6 — peaked at t=182.0s, lasted 5.0s

INDICATORS

- Heart rate peaked at 153.78 bpm, 63.63 bpm above the session baseline of 90.15 bpm (+70.6%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Most likely trigger: critical event targeting Backpack_Coffee_Table (event) at t=178.0s, 2.0s before onset — strong preceding signal.

PERFORMANCE

BEFORE (−30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 8 missed critical(s).

DURING EPISODE

Accuracy 0.0% — 0 correct, 0 false positive(s), 4 missed critical(s).

AFTER (+30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 6 missed critical(s).

Accuracy held roughly steady at 0.0% during stress versus 0.0% beforehand (+0.0 pp change).

MISTAKES DURING EPISODE

- Missed critical on Backpack_Coffee_Table (suspicious_item) at t=180.0s.
- Missed critical on environment at t=181.0s.
- Missed critical on environment at t=182.0s.
- Missed critical on Female_1 (coordinator_lookout) at t=183.0s.

Episode 7 — peaked at t=223.0s, lasted 6.0s

INDICATORS

- Heart rate peaked at 125.95 bpm, 35.8 bpm above the session baseline of 90.15 bpm (+39.7%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Likely trigger: critical event targeting Male_2 (event) at t=207.0s, 12.0s before onset.

PERFORMANCE

BEFORE (-30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 5 missed critical(s).

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 8 — peaked at t=232.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 117.44 bpm, 27.29 bpm above the session baseline of 90.15 bpm (+30.3%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Possible trigger: critical event targeting Male_2 (event) at t=207.0s (-25.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 3 missed critical(s).

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 9 — peaked at t=239.0s, lasted 4.0s

INDICATORS

- Heart rate peaked at 132.73 bpm, 42.58 bpm above the session baseline of 90.15 bpm (+47.2%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Possible trigger: suspicious event targeting Female_1 (event) at t=222.0s (-16.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 10 — peaked at t=261.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 109.03 bpm, 18.88 bpm above the session baseline of 90.15 bpm (+20.9%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

Possible trigger: baseline event targeting environment (event) at t=240.0s (-21.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 11 — peaked at t=276.0s, lasted 4.0s

INDICATORS

- Heart rate peaked at 140.76 bpm, 50.61 bpm above the session baseline of 90.15 bpm (+56.1%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 12 — peaked at t=299.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 127.62 bpm, 37.47 bpm above the session baseline of 90.15 bpm (+41.6%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 13 — peaked at t=320.0s, lasted 5.0s

INDICATORS

- Heart rate peaked at 136.98 bpm, 46.83 bpm above the session baseline of 90.15 bpm (+51.9%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 14 — peaked at t=352.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 110.49 bpm, 20.34 bpm above the session baseline of 90.15 bpm (+22.6%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 15 — peaked at t=367.0s, lasted 1.0s

INDICATORS

- Heart rate peaked at 111.36 bpm, 21.21 bpm above the session baseline of 90.15 bpm (+23.5%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 16 — peaked at t=392.0s, lasted 2.0s

INDICATORS

- Heart rate peaked at 118.45 bpm, 28.3 bpm above the session baseline of 90.15 bpm (+31.4%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 17 — peaked at t=403.0s, lasted 8.0s

INDICATORS

- Heart rate peaked at 140.78 bpm, 50.63 bpm above the session baseline of 90.15 bpm (+56.2%). This exceeded the detection threshold of 108.91 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Data quality notes

- No gaze samples were recorded in this session.

09

Performance feedback

Feedback synthesized from the quantitative signals above.

During this 6m 49s session on the 'Airport — Suspicious Item' scenario, you engaged 5/5 camera feeds, maintaining broad situational awareness, additionally, your gaze reached 60% of suspicious events on the correct feed. however, you missed 3 of 4 suspicious entities (Male 1, Male 2, Female 1), which contributed to reaction times slipped into the delayed tier 1 time(s), with a p90 of 160.0s.

Ranked recommendations with supporting evidence from this session.

High priority

Timeliness

Medium confidence

1. Compress reaction latency

Cut p90 reaction time by pre-staging scan patterns on high-traffic feeds.

Why / How

Why: p90 reaction time reached 160.0s; 1 response(s) fell into the delayed tier.

How: Run a 10-minute scan-pattern drill twice per shift; target a p90 under 7s.

Supporting evidence

- Reaction: **p50 160.0s**
- Reaction: **p90 160.0s**
- Delayed: **1**

HOW WE REACHED THIS CONCLUSION

1. Signal: 90th-percentile reaction time

Observation: **160.0s**

Threshold: **target ≤ 10s**

Why it matters: *Nine of ten responses take up to 160.0s, beyond the 10s operational ceiling for critical events.*

2. Signal: Median reaction time

Observation: **160.0s**

Why it matters: *Half of all responses already exceed 160.0s — a baseline pacing issue, not an outlier problem.*

3. Signal: Delayed responses (>10s)

Observation: **1/1**

Threshold: **any delayed response is a concern**

Why it matters: *1 of 1 responses crossed the 10s ceiling, each representing a window where an adversary could act.*

Medium priority

Detection accuracy

Medium confidence

2. Tighten suspicious-entity detection

Close the gap on missed entities by drilling the behavioural cues that accompanied each miss.

Why / How

Why: You missed 3/4 entities (Male 1, Male 2, Female 1). Detection accuracy scored 15/100.

How: Rewatch Male 1, Male 2, Female 1 in the replay; list three behavioural tells per entity before the next session.

Supporting evidence

- Correctly marked: **1**
- Missed: **3**
- Detection rate: **25.0%**
- Critical: **3**

Low priority

Growth

Medium confidence

3. Extend a confirmed strength

Convert your strongest dimension into a transferable scanning pattern.

Why / How

Why: attention & gaze scored 97/100 — your strongest signal. Lean into it.

How: Document the scan pattern that produced your attention & gaze score and adapt it to the weaker dimensions.

Supporting evidence

- Score: **97/100**
- Composite breakdown: **29/100**

HOW WE REACHED THIS CONCLUSION

1. Signal: Strongest Ziyad dimension

Observation: **attention & gaze: 97/100**

Threshold: **strength flagged at $\geq 70/100$**

Why it matters: *attention & gaze at 97/100 clears the 70-point strength threshold — a pattern worth extending, not just preserving.*

2. Signal: Composite score

Observation: **29/100**

Why it matters: *This strength anchors the composite (29/100); growth recommendations build on confirmed capability.*

Low priority

Data quality

Low confidence

4. Expand telemetry capture

Raise telemetry coverage so future sessions surface the signals this one lacked.

Why / How

Why: gaze fixations, biometric samples telemetry stream(s) were sparse or unavailable, limiting what this report could diagnose.

How: Confirm the operator device is logging gaze fixations, biometric samples before the next session begins.

Supporting evidence

- Biometric coverage was sparse ({count} sample(s)).: **0**
- No gaze samples were recorded in this session.: **0**

HOW WE REACHED THIS CONCLUSION

1. Signal: Gaze fixation samples

Observation: 0 samples

Threshold: minimum 10 samples for confidence

Why it matters: Only 0 gaze fixation(s) were recorded — below the 10-sample minimum for high-confidence gaze analysis.

2. Signal: Biometric samples

Observation: 0 samples

Threshold: minimum 20 samples for confidence

Why it matters: Only 0 biometric sample(s) — below the 20-sample minimum needed to detect stress episodes reliably.

3. Signal: Missing data streams

Observation: gaze fixations, biometric samples

Why it matters: The following streams were incomplete and weakened downstream conclusions: gaze fixations, biometric samples.