

Operator Performance Report

20260417_085209

April 17, 2026 at 08:52 | 08:52 – 09:00 | 8m 37s | Operator: Micheal |

Airport — Suspicious Item

Operator scored 39/100 (Fail) on the 'Airport — Suspicious Item' scenario. Performance is anchored by false-positive discipline (100/100, 20% of composite). Remedial training is recommended before further deployment.

Composite breakdown

Detection accuracy (40%) | 0

Share of suspicious entities the operator correctly marked within their visibility window.

False positives (20%) | 100



Discipline in avoiding marks on non-suspicious entities; each false mark carries a score penalty.

Timeliness (20%) | 0

Speed of response to critical events and alarms, measured from event onset to operator action.

Attention & gaze (20%) | 96.3

How well the operator's gaze covered the feeds where suspicious activity actually appeared.



01 Detection metrics

Detection outcomes across the scenario's 4 suspicious entities.

CORRECTLY MARKED

0

of 4 entities

Suspicious entities marked while visible on a feed.

MISSED

4

critical: 4

Suspicious entities that ended the session without a mark.

FALSE POSITIVES

0

no false marks

Marks placed on entities that were not suspicious.

DETECTION RATE

0.0%

correctly marked ÷ total suspicious entities.

FP RATE

0.0%

false positives ÷ total marks placed.


ACCURACY

0.0%

overall marking accuracy after false-positive penalties.

02 Entity detection timeline

When each suspicious entity became visible and the severity of each appearance.



0/4 suspicious entities marked; 4 missed. Bubble diameter reflects event severity.

0/4 suspicious entities marked; 4 missed. Bubble diameter reflects event severity.

03

Timeliness

Reaction latencies per entity and per supervisor alarm.

ENTITY	REACTION	STATUS
Male 1 (bag_placer)	—	Not marked
Male 2 (restricted_door_operative)	—	Not marked
Female 1 (coordinator_lookout)	—	Not marked
Backpack Coffee Table (suspicious_item)	—	Not marked

ALARM RESPONSES

ALARM	RESPONSE	STATUS
-------	----------	--------

Camera attention distribution and how it aligned with active events.

Gaze coverage

57.1%

Critical watched

18

Critical off-gaze


1

Tunnel vision

No


33 event(s) had no gaze sample (counted as no data, not as missed).

OPERATOR GAZE DISTRIBUTION




None dominated attention at 61%; runner-up Camera_05 at 18%. 0 feed(s) unused.

OPERATOR GAZE % VS CRITICAL EVENTS %



Largest gap: Camera_02 held 69% of critical events but received 4% of gaze.

OPERATOR GAZE VS CRITICAL EVENTS OVER TIME



Your gaze matched the event feed for 45/46 critical events (97.8%).

Cam 01



None: 61% dwell, 0 critical events, 0 missed while on another feed.

Cam 02



Camera_05: 18% dwell, 0 critical events, 0 missed while on another feed.

Cam 03



Camera_07: 11% dwell, 0 critical events, 0 missed while on another feed.

Cam 04




Camera_02: 4% dwell, 18 critical events, 1 missed while on another feed.

Cam 05



Camera_01: 3% dwell, 0 critical events, 0 missed while on another feed.

Cam 07



Camera_08: 2% dwell, 0 critical events, 0 missed while on another feed.

Cam 08



Camera_04: 1% dwell, 2 critical events, 0 missed while on another feed.

Cam 01

3.2%

Cam 02

4.0%

Cam 04

0.8%

Cam 05

17.7%

Cam 07

11.2%


Cam 08

1.6%

None

61.4%

Unified event and action timeline with response-tier correlations.



0 fast ($\leq 5s$), 0 normal ($\leq 10s$), 0 delayed, 4 uncorrelated critical event(s). 0 supervisor alarm(s).

RESPONSE CORRELATION

0

0

0


70

 $\leq 5s$ $\leq 10s$ $> 10s$


missed

Biometric telemetry across the session.

HEART RATE




EDA LEVEL



TEMPERATURE



BIOMETRICS CORRELATED WITH SCENARIO EVENTS



6 stress episode(s); peak 86 bpm / 1.04 μ S at t=37s.

HEART RATE

72.4 54.4 85.8

avg bpm min max

EDA LEVEL

0.7924 0.6981 1.0365

avg min max

SCR AMPLITUDE

0.0125 0.0004 0.0487

avg min max


TEMPERATURE

35.6 34.6 36.5

avg °C min max

07 Operator actions timeline

Action types emitted by the operator over time.



0 actions — 0 Marked, 0 Unmarked, 0 SelectFeed. Mean inter-action gap 0.0s.

Stress episodes detected from biometric spikes.

STRESS EPISODES

6 85

episodes spike s

PEAK HR

86 72

avg bpm avg

PEAK EDA

1.04 0.79 μ S avg

TEMPERATURE RANGE

34.6 36.5

min °C max °C

Detected 6 stress episodes across the session (total 85s above baseline). Peak reached HR 86 bpm, EDA 1.04 μ S at t=37s.

PERFORMANCE UNDER STRESS VS. BASELINE

Stress-vs-baseline comparison could not be computed: too few marking decisions fell inside stress windows (0) or baseline windows (0).

BASELINE

0.0%

Accuracy

UNDER
STRESS

—

Accuracy

CHANGE

—

Accuracy

BASELINE

25 / 0Missed
criticals /
False
positivesUNDER
STRESS**0 / 0**Missed
criticals /
False
positivesUNDER
STRESS

—

Error rate

STRESS EPISODE BREAKDOWN

Episode 1 — peaked at t=37.0s, lasted 73.0s

INDICATORS

- Heart rate peaked at 85.76 bpm, 13.36 bpm above the session baseline of 72.4 bpm (+18.4%). This exceeded the detection threshold of 77.59 bpm.
- Electrodermal activity reached 1.04 μ S, 0.24 μ S above the baseline of 0.79 μ S (+30.8%), clearing the 0.93 μ S stress threshold.

LIKELY TRIGGER

Possible trigger: notable event targeting Female_1 (event) at t=5.0s (+1.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 2 — peaked at t=234.0s, lasted 6.0s

INDICATORS

- Heart rate peaked at 79.02 bpm, 6.62 bpm above the session baseline of 72.4 bpm (+9.1%). This exceeded the detection threshold of 77.59 bpm.

LIKELY TRIGGER

Possible trigger: critical event targeting Male_2 (event) at t=207.0s (-24.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

Accuracy 0.0% — 0 correct, 0 false positive(s), 3 missed critical(s).

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 3 — peaked at t=248.0s, lasted 7.0s

INDICATORS

- Heart rate peaked at 79.69 bpm, 7.29 bpm above the session baseline of 72.4 bpm (+10.1%). This exceeded the detection threshold of 77.59 bpm.

LIKELY TRIGGER

Possible trigger: suspicious event targeting Female_1 (event) at t=222.0s (-21.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 4 — peaked at t=261.0s, lasted 6.0s

INDICATORS

- Heart rate peaked at 83.93 bpm, 11.53 bpm above the session baseline of 72.4 bpm (+15.9%). This exceeded the detection threshold of 77.59 bpm.

LIKELY TRIGGER

Possible trigger: baseline event targeting environment (event) at t=240.0s (-17.0s relative to onset).

PERFORMANCE

BEFORE (-30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 5 — peaked at t=275.0s, lasted 4.0s

INDICATORS

- Heart rate peaked at 79.25 bpm, 6.85 bpm above the session baseline of 72.4 bpm (+9.5%). This exceeded the detection threshold of 77.59 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Episode 6 — peaked at t=302.0s, lasted 6.0s

INDICATORS

- Heart rate peaked at 80.38 bpm, 7.98 bpm above the session baseline of 72.4 bpm (+11.0%). This exceeded the detection threshold of 77.59 bpm.

LIKELY TRIGGER

No nearby scenario event lined up with this episode; the trigger is not clearly attributable.

PERFORMANCE

BEFORE (−30S)

No marking activity in this window.

DURING EPISODE

No marking activity in this window.

AFTER (+30S)

No marking activity in this window.

Not enough marking activity inside the window to judge a performance shift.

MISTAKES DURING EPISODE

- The operator made no marking errors inside the stress window.

Data quality notes

- No gaze samples were recorded in this session.

Feedback synthesized from the quantitative signals above.

During this 8m 37s session on the 'Airport — Suspicious Item' scenario, you engaged 7/7 camera feeds, maintaining broad situational awareness, additionally, your gaze reached 57% of suspicious events on the correct feed. however, you missed 4 of 4 suspicious entities (Male 1, Male 2, Female 1, Backpack Coffee Table).

Ranked recommendations with supporting evidence from this session.

High priority

Detection accuracy

Medium confidence

1. Tighten suspicious-entity detection

Close the gap on missed entities by drilling the behavioural cues that accompanied each miss.

Why / How

Why: You missed 4/4 entities (Male 1, Male 2, Female 1, Backpack Coffee Table). Detection accuracy scored 0/100.

How: Rewatch Male 1, Male 2, Female 1, Backpack Coffee Table in the replay; list three behavioural tells per entity before the next session.

Supporting evidence

- Correctly marked: **0**
- Missed: **4**
- Detection rate: **0.0%**
- Critical: **4**

HOW WE REACHED THIS CONCLUSION

1. Signal: **Detection rate**

Observation: **0.0%**

Threshold: **target ≥ 80%**

Why it matters: *Detection rate of 0.0% sits below the operational target and drives the recommendation.*

2. Signal: **Missed suspicious entities**

Observation: **4/4**

Why it matters: *4 of 4 suspicious entities went unmarked (Male 1, Male 2, Female 1, Backpack Coffee Table); each miss removes the chance of escalation.*

3. Signal: **Dimension score**

Observation: **0/100**

Threshold: **flagged below 70/100**

Why it matters: *This dimension scored 0/100 at 40% weight — the largest drag on the composite.*

Medium priority

Attention & gaze

Medium confidence

2. Broaden gaze coverage

Increase critical-feed coverage by enforcing a rotation cadence.

Why / How

Why: 1 critical event(s) fired while you were watching a different feed; tunnel vision sat at 61% on None.

How: Adopt a 12-second rotation on Camera_03. Audit feed dwell live via the supervisor overlay.

Supporting evidence

- Gaze coverage: **57.1%**
- Tunnel vision: **61%**
- Critical off-gaze: **1**

Low priority

Growth

Medium confidence

3. Extend a confirmed strength

Convert your strongest dimension into a transferable scanning pattern.

Why / How

Why: false-positive discipline scored 100/100 — your strongest signal. Lean into it.

How: Document the scan pattern that produced your false-positive discipline score and adapt it to the weaker dimensions.

Supporting evidence

- Score: **100/100**
- Composite breakdown: **39/100**

HOW WE REACHED THIS CONCLUSION

1. Signal: **Strongest Ziyad dimension**

Observation: **false-positive discipline: 100/100**

Threshold: **strength flagged at $\geq 70/100$**

Why it matters: *false-positive discipline at 100/100 clears the 70-point strength threshold — a pattern worth extending, not just preserving.*

2. Signal: **Composite score**

Observation: **39/100**

Why it matters: *This strength anchors the composite (39/100); growth recommendations build on confirmed capability.*

Low priority

Data quality

Low confidence

4. Expand telemetry capture

Raise telemetry coverage so future sessions surface the signals this one lacked.

Why / How

Why: gaze fixations, biometric samples telemetry stream(s) were sparse or unavailable, limiting what this report could diagnose.

How: Confirm the operator device is logging gaze fixations, biometric samples before the next session begins.

Supporting evidence

- Biometric coverage was sparse ({count} sample(s)).: **0**

- No gaze samples were recorded in this session.: 0

HOW WE REACHED THIS CONCLUSION

1. Signal: Gaze fixation samples

Observation: 0 samples

Threshold: minimum 10 samples for confidence

Why it matters: Only 0 gaze fixation(s) were recorded — below the 10-sample minimum for high-confidence gaze analysis.

2. Signal: Biometric samples

Observation: 0 samples

Threshold: minimum 20 samples for confidence

Why it matters: Only 0 biometric sample(s) — below the 20-sample minimum needed to detect stress episodes reliably.

3. Signal: Missing data streams

Observation: gaze fixations, biometric samples

Why it matters: The following streams were incomplete and weakened downstream conclusions: gaze fixations, biometric samples.