















Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a $\log 10$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.







Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a $\log 10$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.







Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a $\log_{10}$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

moderately unbalanced / low OVL







Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(eI - \max eI)$, shown on a $\log_{10}$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

 true p^*  numerical MLE



Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a log10 z-axis.
White point: true p*. Red point: numerical MLE. One shared legend for all four panels on the page.





moderately unbalanced / high OVL



Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a log10 z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

◇ true p^* ● numerical MLE





highly unbalanced / low OVL



Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a $\log_{10}$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

 true p^*  numerical MLE





highly unbalanced / moderate OVL



Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a log10 z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

◇ true p^* ● numerical MLE

highly unbalanced / high OVL



Convolution log-likelihood for one bulk sample (means fixed; only p varies).
Surface values are $L / \max(L) = \exp(\ell I - \max \ell I)$, shown on a $\log_{10}$ z-axis.
White point: true p^* . Red point: numerical MLE. One shared legend for all four panels on the page.

◇ true p^* ● numerical MLE