







balanced / moderate OVL



Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.




moderately unbalanced / low OVL




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

moderately unbalanced / moderate OVL




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

moderately unbalanced / high OVL




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

highly unbalanced / low OVL




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

highly unbalanced / moderate OVL



Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

highly unbalanced / high OVL



Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.