
Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / balanced / mean pairwise Hellinger distance between methods = 0.0454



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.0662



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0625



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / balanced / mean pairwise Hellinger distance between methods = 0.072



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.086



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0813



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / homoscedastic / balanced / mean pairwise Hellinger distance between methods = 0.000342




	lsei	NNLS	Firth	L-BFGS-B	Newton-Raphson
lsei	0	0.00017	0.00059	0.00034	0.00034
NNLS	0.00017	0	0.00061	0.00039	0.00039
Firth	0.00059	0.00061	0	0.00029	0.00029
L-BFGS-B	0.00034	0.00039	0.00029	0	2.6e-06
Newton-Raphson	0.00034	0.00039	0.00029	2.6e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / homoscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.00477




	Firth	NNLS	lsei	L-BFGS-B	Newton-Raphson
Firth	0	0.0093	0.0069	0.006	0.006
NNLS	0.0093	0	0.0055	0.0057	0.0057
lsei	0.0069	0.0055	0	0.0013	0.0013
L-BFGS-B	0.006	0.0057	0.0013	0	1.5e-06
Newton-Raphson	0.006	0.0057	0.0013	1.5e-06	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


large centroid gap / homoscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0182




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / balanced / mean pairwise Hellinger distance between methods = 0.00375




	lsei	NNLS	Firth	L-BFGS-B	Newton-Raphson
lsei	0	0.00029	0.0061	0.0061	0.0061
NNLS	0.00029	0	0.0061	0.0061	0.0061
Firth	0.0061	0.0061	0	0.00037	0.00036
L-BFGS-B	0.0061	0.0061	0.00037	0	3e-06
Newton-Raphson	0.0061	0.0061	0.00036	3e-06	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.00803




	lsei	Firth	NNLS	L-BFGS-B	Newton-Raphson
lsei	0	0.014	0.0069	0.012	0.012
Firth	0.014	0	0.01	0.0075	0.0075
NNLS	0.0069	0.01	0	0.0055	0.0055
L-BFGS-B	0.012	0.0075	0.0055	0	1.9e-06
Newton-Raphson	0.012	0.0075	0.0055	1.9e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0218



	Firth	lsei	NNLS	L-BFGS-B	Newton-Raphson
Firth	0	0.038	0.034	0.03	0.03
lsei	0.038	0	0.019	0.022	0.022
NNLS	0.034	0.019	0	0.011	0.012
L-BFGS-B	0.03	0.022	0.011	0	0.00057
Newton-Raphson	0.03	0.022	0.012	0.00057	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.