
Run time of every method


small centroid gap / homoscedastic / balanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


small centroid gap / homoscedastic / moderately unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


small centroid gap / homoscedastic / highly unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


small centroid gap / heteroscedastic / balanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


small centroid gap / heteroscedastic / moderately unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


small centroid gap / heteroscedastic / highly unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


large centroid gap / homoscedastic / balanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


large centroid gap / homoscedastic / moderately unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


large centroid gap / homoscedastic / highly unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


large centroid gap / heteroscedastic / balanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method


large centroid gap / heteroscedastic / moderately unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.

Run time of every method

large centroid gap / heteroscedastic / highly unbalanced



Point estimate only; interval computations are not included. Competitors: batch time divided by the bulks.