

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.248




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.43	0.64
Firth	0.13	0	0.00038	0.00038	0.0062	0.0066	0.0051	0.0051	0.55	0.69
L-BFGS-B	0.13	0.00038	0	3.9e-07	0.0062	0.0066	0.0051	0.0051	0.54	0.69
Newton-Raphson	0.13	0.00038	3.9e-07	0	0.0062	0.0066	0.0051	0.0051	0.54	0.69
RNA-Sieve	0.13	0.0062	0.0062	0.0062	0	0.0056	0.0041	0.0045	0.54	0.69
RLM	0.13	0.0066	0.0066	0.0066	0.0056	0	0.0037	0.004	0.54	0.69
NNLS	0.13	0.0051	0.0051	0.0051	0.0041	0.0037	0	0.0019	0.54	0.69
ReDeconv	0.13	0.0051	0.0051	0.0051	0.0045	0.004	0.0019	0	0.54	0.69
CIBERSORT	0.43	0.55	0.54	0.54	0.54	0.54	0.54	0.54	0	0.45
lsei	0.64	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.45	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.25




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.12	0.12	0.13	0.12	0.12	0.12	0.44	0.64
Firth	0.12	0	0.00098	0.00098	0.0099	0.01	0.0081	0.0081	0.55	0.7
L-BFGS-B	0.12	0.00098	0	7.1e-07	0.0099	0.0099	0.0079	0.008	0.55	0.7
Newton-Raphson	0.12	0.00098	7.1e-07	0	0.0099	0.0099	0.0079	0.008	0.55	0.7
RNA-Sieve	0.13	0.0099	0.0099	0.0099	0	0.0084	0.0057	0.0065	0.55	0.7
RLM	0.12	0.01	0.0099	0.0099	0.0084	0	0.0056	0.0062	0.55	0.7
NNLS	0.12	0.0081	0.0079	0.0079	0.0057	0.0056	0	0.003	0.55	0.7
ReDeconv	0.12	0.0081	0.008	0.008	0.0065	0.0062	0.003	0	0.55	0.7
CIBERSORT	0.44	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0	0.46
lsei	0.64	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.46	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.225




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.4	0.52
Firth	0.13	0	0.0025	0.0025	0.0099	0.0099	0.0081	0.0078	0.51	0.6
L-BFGS-B	0.13	0.0025	0	4.8e-07	0.0092	0.0095	0.0077	0.0074	0.51	0.6
Newton-Raphson	0.13	0.0025	4.8e-07	0	0.0092	0.0095	0.0077	0.0074	0.51	0.6
RNA-Sieve	0.13	0.0099	0.0092	0.0092	0	0.0069	0.005	0.0053	0.51	0.6
RLM	0.13	0.0099	0.0095	0.0095	0.0069	0	0.0046	0.005	0.51	0.6
NNLS	0.13	0.0081	0.0077	0.0077	0.005	0.0046	0	0.0021	0.51	0.6
ReDeconv	0.13	0.0078	0.0074	0.0074	0.0053	0.005	0.0021	0	0.51	0.6
CIBERSORT	0.4	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0	0.39
lsei	0.52	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.39	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.228




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.4	0.53
Firth	0.13	0	0.0062	0.0062	0.02	0.015	0.013	0.013	0.51	0.6
L-BFGS-B	0.13	0.0062	0	7.6e-07	0.016	0.014	0.011	0.011	0.51	0.6
Newton-Raphson	0.13	0.0062	7.6e-07	0	0.016	0.014	0.011	0.011	0.51	0.6
RNA-Sieve	0.13	0.02	0.016	0.016	0	0.014	0.012	0.012	0.51	0.6
RLM	0.13	0.015	0.014	0.014	0.014	0	0.0074	0.0079	0.51	0.6
NNLS	0.13	0.013	0.011	0.011	0.012	0.0074	0	0.0037	0.51	0.6
ReDeconv	0.13	0.013	0.011	0.011	0.012	0.0079	0.0037	0	0.51	0.6
CIBERSORT	0.4	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0	0.39
lsei	0.53	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.39	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.25




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.43	0.65
RNA-Sieve	0.13	0	0.0025	0.0025	0.0025	0.0025	0.0025	0.0025	0.55	0.71
Firth	0.13	0.0025	0	3.4e-06	3.3e-06	0.00066	0.00053	0.00052	0.55	0.71
L-BFGS-B	0.13	0.0025	3.4e-06	0	6.2e-08	0.00066	0.00053	0.00052	0.55	0.71
Newton-Raphson	0.13	0.0025	3.3e-06	6.2e-08	0	0.00066	0.00053	0.00052	0.55	0.71
RLM	0.13	0.0025	0.00066	0.00066	0.00066	0	0.00037	0.0004	0.55	0.71
NNLS	0.13	0.0025	0.00053	0.00053	0.00053	0.00037	0	0.00019	0.55	0.71
ReDeconv	0.13	0.0025	0.00052	0.00052	0.00052	0.0004	0.00019	0	0.55	0.71
CIBERSORT	0.43	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0	0.45
lsei	0.65	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.45	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.25




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.44	0.65
RNA-Sieve	0.12	0	0.0041	0.0041	0.0041	0.0041	0.004	0.004	0.55	0.7
Firth	0.12	0.0041	0	8.1e-06	8.1e-06	0.0011	0.00081	0.0008	0.55	0.71
L-BFGS-B	0.12	0.0041	8.1e-06	0	7.8e-08	0.0011	0.00081	0.0008	0.55	0.71
Newton-Raphson	0.12	0.0041	8.1e-06	7.8e-08	0	0.0011	0.00081	0.0008	0.55	0.71
RLM	0.12	0.0041	0.0011	0.0011	0.0011	0	0.00059	0.00064	0.55	0.71
NNLS	0.12	0.004	0.00081	0.00081	0.00081	0.00059	0	0.0003	0.55	0.71
ReDeconv	0.12	0.004	0.0008	0.0008	0.0008	0.00064	0.0003	0	0.55	0.71
CIBERSORT	0.44	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0	0.46
lsei	0.65	0.7	0.71	0.71	0.71	0.71	0.71	0.71	0.46	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.225




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.4	0.52
RNA-Sieve	0.13	0	0.0062	0.0062	0.0062	0.0062	0.0061	0.0061	0.51	0.61
Firth	0.13	0.0062	0	2.5e-05	2.5e-05	0.00091	0.00075	0.00073	0.52	0.61
L-BFGS-B	0.13	0.0062	2.5e-05	0	4.8e-08	0.00091	0.00075	0.00072	0.52	0.61
Newton-Raphson	0.13	0.0062	2.5e-05	4.8e-08	0	0.00091	0.00075	0.00072	0.52	0.61
RLM	0.13	0.0062	0.00091	0.00091	0.00091	0	0.00044	0.00048	0.52	0.61
NNLS	0.13	0.0061	0.00075	0.00075	0.00075	0.00044	0	0.00022	0.52	0.61
ReDeconv	0.13	0.0061	0.00073	0.00072	0.00072	0.00048	0.00022	0	0.52	0.61
CIBERSORT	0.4	0.51	0.52	0.52	0.52	0.52	0.52	0.52	0	0.39
lsei	0.52	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.39	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.225




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	Isei
MEAD	0	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.41	0.53
RNA-Sieve	0.14	0	0.0044	0.0044	0.0044	0.0042	0.0041	0.0041	0.51	0.6
Firth	0.14	0.0044	0	6.1e-05	6.1e-05	0.0014	0.0011	0.0011	0.51	0.61
L-BFGS-B	0.14	0.0044	6.1e-05	0	8.9e-08	0.0014	0.0011	0.0011	0.51	0.61
Newton-Raphson	0.14	0.0044	6.1e-05	8.9e-08	0	0.0014	0.0011	0.0011	0.51	0.61
RLM	0.14	0.0042	0.0014	0.0014	0.0014	0	0.00072	0.00081	0.51	0.61
NNLS	0.14	0.0041	0.0011	0.0011	0.0011	0.00072	0	0.00035	0.51	0.61
ReDeconv	0.14	0.0041	0.0011	0.0011	0.0011	0.00081	0.00035	0	0.51	0.61
CIBERSORT	0.41	0.51	0.51	0.51	0.51	0.51	0.51	0.51	0	0.4
Isei	0.53	0.6	0.61	0.61	0.61	0.61	0.61	0.61	0.4	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.248




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.43	0.64
Firth	0.12	0	0.00093	0.00093	0.0079	0.0075	0.0067	0.0064	0.54	0.7
L-BFGS-B	0.12	0.00093	0	1.1e-06	0.0078	0.0074	0.0066	0.0064	0.54	0.7
Newton-Raphson	0.12	0.00093	1.1e-06	0	0.0078	0.0074	0.0066	0.0064	0.54	0.7
RNA-Sieve	0.12	0.0079	0.0078	0.0078	0	0.0061	0.0041	0.0049	0.54	0.69
RLM	0.12	0.0075	0.0074	0.0074	0.0061	0	0.0044	0.0045	0.54	0.69
NNLS	0.12	0.0067	0.0066	0.0066	0.0041	0.0044	0	0.0024	0.54	0.69
ReDeconv	0.12	0.0064	0.0064	0.0064	0.0049	0.0045	0.0024	0	0.54	0.69
CIBERSORT	0.43	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0	0.47
lsei	0.64	0.7	0.7	0.7	0.69	0.69	0.69	0.69	0.47	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.29




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.35	0.35	0.35	0.36	0.35	0.35	0.35	0.51	0.65
Firth	0.35	0	0.0055	0.0054	0.021	0.019	0.017	0.016	0.55	0.69
L-BFGS-B	0.35	0.0055	0	0.00011	0.019	0.019	0.016	0.015	0.54	0.69
Newton-Raphson	0.35	0.0054	0.00011	0	0.019	0.018	0.015	0.015	0.54	0.69
RNA-Sieve	0.36	0.021	0.019	0.019	0	0.016	0.012	0.014	0.54	0.69
RLM	0.35	0.019	0.019	0.018	0.016	0	0.01	0.011	0.54	0.69
NNLS	0.35	0.017	0.016	0.015	0.012	0.01	0	0.0057	0.54	0.69
ReDeconv	0.35	0.016	0.015	0.015	0.014	0.011	0.0057	0	0.54	0.69
CIBERSORT	0.51	0.55	0.54	0.54	0.54	0.54	0.54	0.54	0	0.48
lsei	0.65	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.48	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.219




	MEAD	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.37	0.52
Firth	0.13	0	0.0057	0.0057	0.01	0.011	0.01	0.0099	0.48	0.6
L-BFGS-B	0.13	0.0057	0	2.4e-06	0.0097	0.01	0.0086	0.0087	0.48	0.6
Newton-Raphson	0.13	0.0057	2.4e-06	0	0.0097	0.01	0.0086	0.0087	0.48	0.6
RNA-Sieve	0.13	0.01	0.0097	0.0097	0	0.0074	0.0056	0.0057	0.48	0.6
RLM	0.13	0.011	0.01	0.01	0.0074	0	0.0055	0.0055	0.48	0.6
NNLS	0.13	0.01	0.0086	0.0086	0.0056	0.0055	0	0.0023	0.48	0.6
ReDeconv	0.13	0.0099	0.0087	0.0087	0.0057	0.0055	0.0023	0	0.48	0.6
CIBERSORT	0.37	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0	0.4
lsei	0.52	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.4	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.254




	MEAD	RNA-Sieve	RLM	NNLS	ReDeconv	Firth	L-BFGS-B	Newton-Raphson	CIBERSORT	lsei
MEAD	0	0.32	0.32	0.32	0.32	0.33	0.32	0.32	0.43	0.5
RNA-Sieve	0.32	0	0.018	0.013	0.014	0.03	0.023	0.023	0.46	0.6
RLM	0.32	0.018	0	0.013	0.013	0.028	0.023	0.023	0.46	0.6
NNLS	0.32	0.013	0.013	0	0.0054	0.026	0.019	0.019	0.46	0.6
ReDeconv	0.32	0.014	0.013	0.0054	0	0.026	0.02	0.019	0.46	0.6
Firth	0.33	0.03	0.028	0.026	0.026	0	0.019	0.019	0.46	0.6
L-BFGS-B	0.32	0.023	0.023	0.019	0.02	0.019	0	0.00065	0.46	0.6
Newton-Raphson	0.32	0.023	0.023	0.019	0.019	0.019	0.00065	0	0.46	0.6
CIBERSORT	0.43	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0	0.43
lsei	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.43	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.249




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.43	0.65
RNA-Sieve	0.12	0	0.0038	0.0038	0.0038	0.0037	0.0037	0.0037	0.55	0.71
Firth	0.12	0.0038	0	7.7e-06	7.6e-06	0.00083	0.00068	0.00067	0.55	0.71
L-BFGS-B	0.12	0.0038	7.7e-06	0	2.4e-07	0.00083	0.00068	0.00067	0.55	0.71
Newton-Raphson	0.12	0.0038	7.6e-06	2.4e-07	0	0.00083	0.00068	0.00067	0.55	0.71
RLM	0.12	0.0037	0.00083	0.00083	0.00083	0	0.00044	0.00046	0.55	0.71
NNLS	0.12	0.0037	0.00068	0.00068	0.00068	0.00044	0	0.00023	0.55	0.71
ReDeconv	0.12	0.0037	0.00067	0.00067	0.00067	0.00046	0.00023	0	0.55	0.71
CIBERSORT	0.43	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0	0.48
lsei	0.65	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.48	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.308




	CIBERSORT	lsei	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv
CIBERSORT	0	0.49	0.56	0.55	0.55	0.55	0.55	0.55	0.55	0.55
lsei	0.49	0	0.69	0.71	0.71	0.71	0.71	0.71	0.71	0.71
MEAD	0.56	0.69	0	0.46	0.46	0.46	0.46	0.46	0.46	0.46
RNA-Sieve	0.55	0.71	0.46	0	0.014	0.015	0.015	0.014	0.014	0.014
Firth	0.55	0.71	0.46	0.014	0	3.9e-05	3.9e-05	0.0017	0.0015	0.0014
L-BFGS-B	0.55	0.71	0.46	0.015	3.9e-05	0	5.1e-07	0.0017	0.0015	0.0014
Newton-Raphson	0.55	0.71	0.46	0.015	3.9e-05	5.1e-07	0	0.0017	0.0015	0.0014
RLM	0.55	0.71	0.46	0.014	0.0017	0.0017	0.0017	0	0.00096	0.001
NNLS	0.55	0.71	0.46	0.014	0.0015	0.0015	0.0015	0.00096	0	0.00055
ReDeconv	0.55	0.71	0.46	0.014	0.0014	0.0014	0.0014	0.001	0.00055	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.218




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.37	0.52
RNA-Sieve	0.12	0	0.0071	0.0072	0.0072	0.0072	0.0072	0.0071	0.47	0.61
Firth	0.13	0.0071	0	6.3e-05	6.3e-05	0.001	0.00082	0.00083	0.47	0.61
L-BFGS-B	0.13	0.0072	6.3e-05	0	2.7e-07	0.00099	0.00082	0.00083	0.47	0.61
Newton-Raphson	0.13	0.0072	6.3e-05	2.7e-07	0	0.00099	0.00082	0.00083	0.47	0.61
RLM	0.13	0.0072	0.001	0.00099	0.00099	0	0.00052	0.00054	0.47	0.61
NNLS	0.13	0.0072	0.00082	0.00082	0.00082	0.00052	0	0.00022	0.47	0.61
ReDeconv	0.13	0.0071	0.00083	0.00083	0.00083	0.00054	0.00022	0	0.47	0.61
CIBERSORT	0.37	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0	0.42
lsei	0.52	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.42	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.243



	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	lsei	CIBERSORT	MEAD
RNA-Sieve	0	0.019	0.019	0.019	0.019	0.019	0.019	0.61	0.46	0.29
Firth	0.019	0	0.00031	0.00031	0.0022	0.0018	0.0019	0.61	0.46	0.29
L-BFGS-B	0.019	0.00031	0	7.8e-07	0.0022	0.0018	0.0018	0.61	0.46	0.29
Newton-Raphson	0.019	0.00031	7.8e-07	0	0.0022	0.0018	0.0018	0.61	0.46	0.29
RLM	0.019	0.0022	0.0022	0.0022	0	0.0012	0.0012	0.61	0.46	0.29
NNLS	0.019	0.0018	0.0018	0.0018	0.0012	0	0.00049	0.61	0.46	0.29
ReDeconv	0.019	0.0019	0.0018	0.0018	0.0012	0.00049	0	0.61	0.46	0.29
lsei	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0	0.45	0.57
CIBERSORT	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.45	0	0.33
MEAD	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.57	0.33	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.