
Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals

G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.