









small_CLD / homoscedastic / balanced



Algorithm nnls lsei SA gradient LBFGS Marquadt-Levenberg Newton-Raphson


Central 50% and 95% of Monte Carlo replicates; not a confidence interval for p. Dashed vertical lines and labels: true cell-type proportions (abundant type to the right, others to the left). Dots show 100 quantiles per group (no bounded KDE slab)

small_CLD / homoscedastic / moderately unbalanced


 $\rho = (0, 0)$  $\rho = (-0.8, -0.8)$  $\rho = (0.8, 0.8)$  $\rho = (-0.8, 0.8)$ 

Algorithm nnls lsei SA gradient LBFGS Marquardt-Levenberg Newton-Raphson


Central 50% and 95% of Monte Carlo replicates; not a confidence interval for p . Dashed vertical lines and labels: true cell-type proportions (abundant type to the right, others to the left). Dots show 100 quantiles per group (no bounded KDE slab).





small_CLD / heteroscedastic / balanced




small_CLD / heteroscedastic / moderately unbalanced









large_CLD / homoscedastic / moderately unbalanced



Algorithm nnls lsei SA gradient LBFGS Marquardt-Levenberg Newton-Raphson

Central 50% and 95% of Monte Carlo replicates; not a confidence interval for p. Dashed vertical lines and labels: true cell-type proportions (abundant type to the right, others to the left). Dots show 100 quantiles per group (no bounded KDE slab)





large_CLD / heteroscedastic / moderately unbalanced

