



small_CLD / homoscedastic / balanced




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

small_CLD / homoscedastic / moderately unbalanced




small_CLD / homoscedastic / highly unbalanced




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

small_CLD / heteroscedastic / balanced




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

small_CLD / heteroscedastic / moderately unbalanced




small_CLD / heteroscedastic / highly unbalanced




Projected-score residual after the estimate lies on the simplex; not a $|\text{sum}(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / homoscedastic / balanced




Projected-score residual after the estimate lies on the simplex; not a $|\text{sum}(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / homoscedastic / moderately unbalanced




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / homoscedastic / highly unbalanced




Projected-score residual after the estimate lies on the simplex; not a $|\text{sum}(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / heteroscedastic / balanced




Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / heteroscedastic / moderately unbalanced



Projected-score residual after the estimate lies on the simplex; not a $|\sum(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.

large_CLD / heteroscedastic / highly unbalanced



Projected-score residual after the estimate lies on the simplex; not a $|\text{sum}(p)-1|$ violation before L-BFGS-B renormalisation. Inner 50% and 95% bands are Monte Carlo quantiles.