Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / balanced / mean pairwise Hellinger distance between methods = 0.0448



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.0677



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / homoscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0564



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / balanced / mean pairwise Hellinger distance between methods = 0.0761



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.0913



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


small centroid gap / heteroscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0797




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / homoscedastic / balanced / mean pairwise Hellinger distance between methods = 0.000346




	lsei	NNLS	Firth	L-BFGS-B	Newton-Raphson
lsei	0	0.00016	0.0006	0.00036	0.00036
NNLS	0.00016	0	0.00062	0.0004	0.0004
Firth	0.0006	0.00062	0	0.00028	0.00028
L-BFGS-B	0.00036	0.0004	0.00028	0	2.4e-06
Newton-Raphson	0.00036	0.0004	0.00028	2.4e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / homoscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.00496




	Firth	NNLS	lsei	L-BFGS-B	Newton-Raphson
Firth	0	0.01	0.0072	0.0062	0.0062
NNLS	0.01	0	0.0056	0.0059	0.0059
lsei	0.0072	0.0056	0	0.0013	0.0013
L-BFGS-B	0.0062	0.0059	0.0013	0	1.4e-06
Newton-Raphson	0.0062	0.0059	0.0013	1.4e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / homoscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0177




	Firth	NNLS	lsei	L-BFGS-B	Newton-Raphson
Firth	0	0.034	0.03	0.028	0.028
NNLS	0.034	0	0.016	0.016	0.017
lsei	0.03	0.016	0	0.0034	0.0037
L-BFGS-B	0.028	0.016	0.0034	0	0.00038
Newton-Raphson	0.028	0.017	0.0037	0.00038	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / balanced / mean pairwise Hellinger distance between methods = 0.0038




	lsei	NNLS	Firth	L-BFGS-B	Newton-Raphson
lsei	0	0.00025	0.0062	0.0062	0.0062
NNLS	0.00025	0	0.0062	0.0062	0.0062
Firth	0.0062	0.0062	0	0.00035	0.00035
L-BFGS-B	0.0062	0.0062	0.00035	0	2.7e-06
Newton-Raphson	0.0062	0.0062	0.00035	2.7e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / moderately unbalanced / mean pairwise Hellinger distance between methods = 0.00838




	lsei	Firth	NNLS	L-BFGS-B	Newton-Raphson
lsei	0	0.015	0.0069	0.012	0.012
Firth	0.015	0	0.011	0.0078	0.0078
NNLS	0.0069	0.011	0	0.006	0.006
L-BFGS-B	0.012	0.0078	0.006	0	1.6e-06
Newton-Raphson	0.012	0.0078	0.006	1.6e-06	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

large centroid gap / heteroscedastic / highly unbalanced / mean pairwise Hellinger distance between methods = 0.0209



	Firth	lsei	NNLS	L-BFGS-B	Newton-Raphson
Firth	0	0.037	0.032	0.028	0.028
lsei	0.037	0	0.02	0.021	0.022
NNLS	0.032	0.02	0	0.01	0.011
L-BFGS-B	0.028	0.021	0.01	0	0.00064
Newton-Raphson	0.028	0.022	0.011	0.00064	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.