
Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / homoscedastic / balanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / homoscedastic / moderately unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / homoscedastic / highly unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / heteroscedastic / balanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / heteroscedastic / moderately unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


small centroid gap / heteroscedastic / highly unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


large centroid gap / homoscedastic / balanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


large centroid gap / homoscedastic / moderately unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


large centroid gap / homoscedastic / highly unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


large centroid gap / heteroscedastic / balanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals


large centroid gap / heteroscedastic / moderately unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.

Monte Carlo law of the estimates: density, dots and quantile intervals

large centroid gap / heteroscedastic / highly unbalanced



One estimate per simulated bulk; intervals: 50% and 95% Monte Carlo quantiles; dashed: mean target. Mass at 0 or 1 is an estimate on a face.