
Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.254




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.14	0.14	0.14	0.14	0.14	0.14	0.43	0.64
RNA-Sieve	0.13	0	0.041	0.041	0.041	0.043	0.04	0.041	0.54	0.7
Firth	0.14	0.041	0	0.00037	0.00037	0.0056	0.004	0.0051	0.54	0.7
L-BFGS-B	0.14	0.041	0.00037	0	6.8e-08	0.0056	0.0038	0.005	0.54	0.7
Newton-Raphson	0.14	0.041	0.00037	6.8e-08	0	0.0056	0.0038	0.005	0.54	0.7
RLM	0.14	0.043	0.0056	0.0056	0.0056	0	0.004	0.0035	0.54	0.7
NNLS	0.14	0.04	0.004	0.0038	0.0038	0.004	0	0.0018	0.54	0.69
ReDeconv	0.14	0.041	0.0051	0.005	0.005	0.0035	0.0018	0	0.54	0.7
CIBERSORT	0.43	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0	0.46
lsei	0.64	0.7	0.7	0.7	0.7	0.7	0.69	0.7	0.46	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.257




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.14	0.14	0.14	0.14	0.14	0.14	0.44	0.64
RNA-Sieve	0.13	0	0.026	0.026	0.026	0.034	0.031	0.032	0.56	0.7
Firth	0.14	0.026	0	0.0011	0.0011	0.012	0.0092	0.0084	0.56	0.7
L-BFGS-B	0.14	0.026	0.0011	0	5.7e-07	0.012	0.009	0.0086	0.56	0.7
Newton-Raphson	0.14	0.026	0.0011	5.7e-07	0	0.012	0.009	0.0086	0.56	0.7
RLM	0.14	0.034	0.012	0.012	0.012	0	0.0067	0.0057	0.56	0.7
NNLS	0.14	0.031	0.0092	0.009	0.009	0.0067	0	0.0043	0.56	0.7
ReDeconv	0.14	0.032	0.0084	0.0086	0.0086	0.0057	0.0043	0	0.56	0.7
CIBERSORT	0.44	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0	0.45
lsei	0.64	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.45	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.228




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.4	0.52
RNA-Sieve	0.13	0	0.03	0.029	0.029	0.029	0.028	0.028	0.51	0.61
Firth	0.13	0.03	0	0.002	0.002	0.0086	0.0068	0.0071	0.5	0.6
L-BFGS-B	0.13	0.029	0.002	0	1.9e-06	0.0086	0.006	0.0068	0.5	0.6
Newton-Raphson	0.13	0.029	0.002	1.9e-06	0	0.0086	0.006	0.0068	0.5	0.6
RLM	0.13	0.029	0.0086	0.0086	0.0086	0	0.004	0.0032	0.5	0.6
NNLS	0.13	0.028	0.0068	0.006	0.006	0.004	0	0.0024	0.5	0.6
ReDeconv	0.13	0.028	0.0071	0.0068	0.0068	0.0032	0.0024	0	0.5	0.6
CIBERSORT	0.4	0.51	0.5	0.5	0.5	0.5	0.5	0.5	0	0.4
lsei	0.52	0.61	0.6	0.6	0.6	0.6	0.6	0.6	0.4	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.241




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.19	0.18	0.18	0.18	0.18	0.18	0.35	0.54
RNA-Sieve	0.13	0	0.11	0.1	0.1	0.095	0.095	0.094	0.45	0.6
Firth	0.19	0.11	0	0.0061	0.0061	0.022	0.017	0.018	0.48	0.61
L-BFGS-B	0.18	0.1	0.0061	0	9.7e-07	0.017	0.012	0.014	0.48	0.61
Newton-Raphson	0.18	0.1	0.0061	9.7e-07	0	0.017	0.012	0.014	0.48	0.61
RLM	0.18	0.095	0.022	0.017	0.017	0	0.009	0.011	0.48	0.61
NNLS	0.18	0.095	0.017	0.012	0.012	0.009	0	0.0035	0.48	0.6
ReDeconv	0.18	0.094	0.018	0.014	0.014	0.011	0.0035	0	0.48	0.6
CIBERSORT	0.35	0.45	0.48	0.48	0.48	0.48	0.48	0.48	0	0.39
lsei	0.54	0.6	0.61	0.61	0.61	0.61	0.6	0.6	0.39	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.246




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.087	0.098	0.098	0.098	0.098	0.098	0.098	0.46	0.67
RNA-Sieve	0.087	0	0.016	0.016	0.016	0.016	0.016	0.016	0.53	0.71
Firth	0.098	0.016	0	1.5e-06	1.5e-06	0.0006	0.00043	0.00034	0.53	0.71
L-BFGS-B	0.098	0.016	1.5e-06	0	5.2e-08	0.0006	0.00043	0.00034	0.53	0.71
Newton-Raphson	0.098	0.016	1.5e-06	5.2e-08	0	0.0006	0.00043	0.00034	0.53	0.71
RLM	0.098	0.016	0.0006	0.0006	0.0006	0	0.00027	0.00034	0.53	0.71
NNLS	0.098	0.016	0.00043	0.00043	0.00043	0.00027	0	0.00014	0.53	0.71
ReDeconv	0.098	0.016	0.00034	0.00034	0.00034	0.00034	0.00014	0	0.53	0.71
CIBERSORT	0.46	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0	0.5
lsei	0.67	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.5	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.261




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	ReDeconv	NNLS	RLM	CIBERSORT	lsei
MEAD	0	0.13	0.16	0.16	0.16	0.16	0.16	0.16	0.45	0.65
RNA-Sieve	0.13	0	0.036	0.036	0.036	0.037	0.037	0.037	0.55	0.7
Firth	0.16	0.036	0	8.3e-06	8.3e-06	0.00079	0.00074	0.00081	0.57	0.71
L-BFGS-B	0.16	0.036	8.3e-06	0	5.5e-08	0.00079	0.00074	0.00081	0.57	0.71
Newton-Raphson	0.16	0.036	8.3e-06	5.5e-08	0	0.00079	0.00074	0.00081	0.57	0.71
ReDeconv	0.16	0.037	0.00079	0.00079	0.00079	0	0.00027	0.00031	0.57	0.71
NNLS	0.16	0.037	0.00074	0.00074	0.00074	0.00027	0	0.00026	0.57	0.71
RLM	0.16	0.037	0.00081	0.00081	0.00081	0.00031	0.00026	0	0.57	0.71
CIBERSORT	0.45	0.55	0.57	0.57	0.57	0.57	0.57	0.57	0	0.4
lsei	0.65	0.7	0.71	0.71	0.71	0.71	0.71	0.71	0.4	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.238




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	ReDeconv	NNLS	RLM	CIBERSORT	lsei
MEAD	0	0.13	0.15	0.15	0.15	0.15	0.15	0.15	0.42	0.52
RNA-Sieve	0.13	0	0.072	0.072	0.072	0.072	0.072	0.072	0.53	0.61
Firth	0.15	0.072	0	2.9e-05	2.9e-05	0.00077	0.00082	0.00081	0.53	0.61
L-BFGS-B	0.15	0.072	2.9e-05	0	6.7e-08	0.00078	0.00083	0.00082	0.53	0.61
Newton-Raphson	0.15	0.072	2.9e-05	6.7e-08	0	0.00078	0.00083	0.00082	0.53	0.61
ReDeconv	0.15	0.072	0.00077	0.00078	0.00078	0	0.00025	0.00024	0.53	0.61
NNLS	0.15	0.072	0.00082	0.00083	0.00083	0.00025	0	0.00014	0.53	0.61
RLM	0.15	0.072	0.00081	0.00082	0.00082	0.00024	0.00014	0	0.53	0.61
CIBERSORT	0.42	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0	0.34
lsei	0.52	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.34	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.224




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.14	0.14	0.14	0.14	0.14	0.14	0.37	0.52
RNA-Sieve	0.13	0	0.039	0.039	0.039	0.038	0.039	0.038	0.47	0.61
Firth	0.14	0.039	0	7.7e-05	7.7e-05	0.0018	0.0014	0.0013	0.47	0.61
L-BFGS-B	0.14	0.039	7.7e-05	0	9.7e-08	0.0019	0.0015	0.0013	0.47	0.61
Newton-Raphson	0.14	0.039	7.7e-05	9.7e-08	0	0.0019	0.0015	0.0013	0.47	0.61
RLM	0.14	0.038	0.0018	0.0019	0.0019	0	0.001	0.00095	0.47	0.61
NNLS	0.14	0.039	0.0014	0.0015	0.0015	0.001	0	0.00047	0.47	0.61
ReDeconv	0.14	0.038	0.0013	0.0013	0.0013	0.00095	0.00047	0	0.47	0.61
CIBERSORT	0.37	0.47	0.47	0.47	0.47	0.47	0.47	0.47	0	0.45
lsei	0.52	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.45	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.252




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.12	0.14	0.14	0.14	0.13	0.13	0.13	0.43	0.64
RNA-Sieve	0.12	0	0.022	0.021	0.021	0.021	0.02	0.02	0.54	0.69
Firth	0.14	0.022	0	0.00092	0.00092	0.0096	0.0073	0.0073	0.55	0.69
L-BFGS-B	0.14	0.021	0.00092	0	1.3e-05	0.0097	0.0074	0.0074	0.55	0.69
Newton-Raphson	0.14	0.021	0.00092	1.3e-05	0	0.0097	0.0074	0.0074	0.55	0.69
RLM	0.13	0.021	0.0096	0.0097	0.0097	0	0.0041	0.0048	0.55	0.69
NNLS	0.13	0.02	0.0073	0.0074	0.0074	0.0041	0	0.0016	0.55	0.69
ReDeconv	0.13	0.02	0.0073	0.0074	0.0074	0.0048	0.0016	0	0.55	0.69
CIBERSORT	0.43	0.54	0.55	0.55	0.55	0.55	0.55	0.55	0	0.45
lsei	0.64	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.45	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.348




	CIBERSORT	lsei	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv
CIBERSORT	0	0.52	0.8	0.56	0.54	0.54	0.54	0.53	0.53	0.53
lsei	0.52	0	0.86	0.72	0.7	0.7	0.7	0.7	0.69	0.69
MEAD	0.8	0.86	0	0.6	0.61	0.61	0.61	0.62	0.61	0.61
RNA-Sieve	0.56	0.72	0.6	0	0.051	0.058	0.058	0.054	0.052	0.053
Firth	0.54	0.7	0.61	0.051	0	0.0075	0.0075	0.021	0.016	0.015
L-BFGS-B	0.54	0.7	0.61	0.058	0.0075	0	4.2e-06	0.022	0.018	0.017
Newton-Raphson	0.54	0.7	0.61	0.058	0.0075	4.2e-06	0	0.022	0.018	0.017
RLM	0.53	0.7	0.62	0.054	0.021	0.022	0.022	0	0.016	0.014
NNLS	0.53	0.69	0.61	0.052	0.016	0.018	0.018	0.016	0	0.0048
ReDeconv	0.53	0.69	0.61	0.053	0.015	0.017	0.017	0.014	0.0048	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.229




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	Isei
MEAD	0	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.4	0.54
RNA-Sieve	0.14	0	0.061	0.06	0.06	0.06	0.059	0.059	0.51	0.64
Firth	0.13	0.061	0	0.0044	0.0044	0.0093	0.0085	0.0081	0.47	0.6
L-BFGS-B	0.13	0.06	0.0044	0	1.7e-06	0.0084	0.006	0.0055	0.47	0.6
Newton-Raphson	0.13	0.06	0.0044	1.7e-06	0	0.0084	0.006	0.0055	0.47	0.6
RLM	0.13	0.06	0.0093	0.0084	0.0084	0	0.005	0.0047	0.47	0.6
NNLS	0.13	0.059	0.0085	0.006	0.006	0.005	0	0.0016	0.47	0.6
ReDeconv	0.13	0.059	0.0081	0.0055	0.0055	0.0047	0.0016	0	0.47	0.6
CIBERSORT	0.4	0.51	0.47	0.47	0.47	0.47	0.47	0.47	0	0.42
Isei	0.54	0.64	0.6	0.6	0.6	0.6	0.6	0.6	0.42	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.298




	CIBERSORT	lsei	MEAD	RNA-Sieve	RLM	NNLS	ReDeconv	Firth	L-BFGS-B	Newton-Raphson
CIBERSORT	0	0.44	0.6	0.52	0.45	0.45	0.45	0.46	0.45	0.45
lsei	0.44	0	0.55	0.66	0.6	0.6	0.6	0.6	0.6	0.6
MEAD	0.6	0.55	0	0.45	0.45	0.46	0.46	0.45	0.46	0.46
RNA-Sieve	0.52	0.66	0.45	0	0.15	0.15	0.15	0.13	0.15	0.15
RLM	0.45	0.6	0.45	0.15	0	0.009	0.0085	0.025	0.026	0.026
NNLS	0.45	0.6	0.46	0.15	0.009	0	0.004	0.023	0.023	0.023
ReDeconv	0.45	0.6	0.46	0.15	0.0085	0.004	0	0.023	0.021	0.021
Firth	0.46	0.6	0.45	0.13	0.025	0.023	0.023	0	0.019	0.019
L-BFGS-B	0.45	0.6	0.46	0.15	0.026	0.023	0.021	0.019	0	3.2e-06
Newton-Raphson	0.45	0.6	0.46	0.15	0.026	0.023	0.021	0.019	3.2e-06	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.255




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.45	0.65
RNA-Sieve	0.13	0	0.027	0.027	0.027	0.027	0.027	0.027	0.57	0.71
Firth	0.13	0.027	0	7.5e-06	7.5e-06	0.00088	0.00075	0.0007	0.56	0.71
L-BFGS-B	0.13	0.027	7.5e-06	0	1.1e-07	0.00088	0.00075	0.0007	0.56	0.71
Newton-Raphson	0.13	0.027	7.5e-06	1.1e-07	0	0.00088	0.00075	0.0007	0.56	0.71
RLM	0.13	0.027	0.00088	0.00088	0.00088	0	0.0005	0.00064	0.56	0.71
NNLS	0.13	0.027	0.00075	0.00075	0.00075	0.0005	0	0.00038	0.56	0.71
ReDeconv	0.13	0.027	0.0007	0.0007	0.0007	0.00064	0.00038	0	0.56	0.71
CIBERSORT	0.45	0.57	0.56	0.56	0.56	0.56	0.56	0.56	0	0.43
lsei	0.65	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.43	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.305




	CIBERSORT	lsei	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv
CIBERSORT	0	0.47	0.48	0.56	0.54	0.54	0.54	0.54	0.54	0.54
lsei	0.47	0	0.63	0.72	0.71	0.71	0.71	0.71	0.71	0.71
MEAD	0.48	0.63	0	0.41	0.43	0.43	0.43	0.43	0.43	0.43
RNA-Sieve	0.56	0.72	0.41	0	0.069	0.069	0.069	0.068	0.068	0.069
Firth	0.54	0.71	0.43	0.069	0	3.9e-05	3.9e-05	0.0019	0.002	0.0017
L-BFGS-B	0.54	0.71	0.43	0.069	3.9e-05	0	3.2e-07	0.0019	0.002	0.0017
Newton-Raphson	0.54	0.71	0.43	0.069	3.9e-05	3.2e-07	0	0.0019	0.002	0.0017
RLM	0.54	0.71	0.43	0.068	0.0019	0.0019	0.0019	0	0.0012	0.0014
NNLS	0.54	0.71	0.43	0.068	0.002	0.002	0.002	0.0012	0	0.001
ReDeconv	0.54	0.71	0.43	0.069	0.0017	0.0017	0.0017	0.0014	0.001	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / mean pairwise Hellinger distance between methods = 0.224




	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv	CIBERSORT	lsei
MEAD	0	0.15	0.12	0.12	0.12	0.12	0.12	0.12	0.37	0.53
RNA-Sieve	0.15	0	0.044	0.044	0.044	0.044	0.044	0.044	0.49	0.63
Firth	0.12	0.044	0	6.4e-05	6.4e-05	0.00092	0.00087	0.00091	0.47	0.61
L-BFGS-B	0.12	0.044	6.4e-05	0	9.9e-08	0.00093	0.00091	0.00093	0.47	0.61
Newton-Raphson	0.12	0.044	6.4e-05	9.9e-08	0	0.00093	0.00091	0.00093	0.47	0.61
RLM	0.12	0.044	0.00092	0.00093	0.00093	0	0.00055	0.00039	0.47	0.61
NNLS	0.12	0.044	0.00087	0.00091	0.00091	0.00055	0	0.00035	0.47	0.61
ReDeconv	0.12	0.044	0.00091	0.00093	0.00093	0.00039	0.00035	0	0.47	0.61
CIBERSORT	0.37	0.49	0.47	0.47	0.47	0.47	0.47	0.47	0	0.43
lsei	0.53	0.63	0.61	0.61	0.61	0.61	0.61	0.61	0.43	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / mean pairwise Hellinger distance between methods = 0.287



	CIBERSORT	lsei	MEAD	RNA-Sieve	Firth	L-BFGS-B	Newton-Raphson	RLM	NNLS	ReDeconv
CIBERSORT	0	0.44	0.58	0.55	0.48	0.48	0.48	0.47	0.47	0.48
lsei	0.44	0	0.5	0.68	0.61	0.61	0.61	0.6	0.61	0.61
MEAD	0.58	0.5	0	0.4	0.42	0.42	0.42	0.42	0.42	0.42
RNA-Sieve	0.55	0.68	0.4	0	0.13	0.13	0.13	0.13	0.13	0.13
Firth	0.48	0.61	0.42	0.13	0	0.00031	0.00031	0.0024	0.002	0.0018
L-BFGS-B	0.48	0.61	0.42	0.13	0.00031	0	6.9e-07	0.0024	0.002	0.0018
Newton-Raphson	0.48	0.61	0.42	0.13	0.00031	6.9e-07	0	0.0024	0.002	0.0018
RLM	0.47	0.6	0.42	0.13	0.0024	0.0024	0.0024	0	0.00092	0.00099
NNLS	0.47	0.61	0.42	0.13	0.002	0.002	0.002	0.00092	0	0.00053
ReDeconv	0.48	0.61	0.42	0.13	0.0018	0.0018	0.0018	0.00099	0.00053	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.