
First-order optimality of every estimate


G = 20 / 1000 cells per bulk / balanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1000 cells per bulk / balanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1000 cells per bulk / balanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1000 cells per bulk / balanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.

First-order optimality of every estimate

G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap



Projected score at the estimate on the simplex; 0 at a maximum of the DeCovarT likelihood.