
Expected log-likelihood along the simplex

small centroid gap / homoscedastic / balanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

small centroid gap / homoscedastic / moderately unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

small centroid gap / homoscedastic / highly unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

small centroid gap / heteroscedastic / balanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

small centroid gap / heteroscedastic / moderately unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

small centroid gap / heteroscedastic / highly unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / homoscedastic / balanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / homoscedastic / moderately unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / homoscedastic / highly unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / heteroscedastic / balanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / heteroscedastic / moderately unbalanced




Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)

Expected log-likelihood along the simplex

large centroid gap / heteroscedastic / highly unbalanced



Expected log-likelihood at p*. Same axes on every panel and page.

◇ true p* ● Monte Carlo mean of p-hat (Newton-Raphson)