
Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / balanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 20 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / balanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1000 cells per bulk / unbalanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / balanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / low sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 1 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 1 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]


G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 5 / equal sizes



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.

Confidence intervals for the technical scales: coverage [Wilson 95% interval]

G = 200 / 1e+05 cells per bulk / unbalanced / high sibling overlap / a = 5 / sizes 1:1:5:5



Bar: mean lower to mean upper bound over the simulated bulks; point: mean estimate; dashed: true value.
Intervals formed on the log scale, so every bound is positive. n-hat is a number of cells only because the platform scale a is known to the generator; otherwise c and phi identify a n and a^2 n only.