












small_CLD / heteroscedastic / balanced




Fill is the p -weighted mixture of purified Gaussians, $\sum_j p_j \phi(x; \mu_j, \Sigma_j)$, not the bulk convolution. Outlines are exact 95% Gaussian regions $(x - \mu)^T \Sigma^{-1} (x - \mu) \leq \chi^2_{\{2, 0.95\}}$ (stats::qchisq(0.95, df = 2));

small_CLD / heteroscedastic / moderately unbalanced




Fill is the p-weighted mixture of purified Gaussians, $\sum_j p_j \phi(x; \mu_j, \Sigma_j)$, not the bulk convolution. Outlines are exact 95% Gaussian regions $(x - \mu)^T \Sigma^{-1} (x - \mu) \leq \chi^2_{\{2, 0.95\}}$ (stats::qchisq(0.95, df = 2));

small_CLD / heteroscedastic / highly unbalanced




Fill is the p -weighted mixture of purified Gaussians, $\sum_j p_j \phi(x; \mu_j, \Sigma_j)$, not the bulk convolution. Outlines are exact 95% Gaussian regions $(x - \mu)^T \Sigma^{-1} (x - \mu) \leq \chi^2_{\{2, 0.95\}}$ (stats::qchisq(0.95, df = 2));


large_CLD / homoscedastic / balanced




large_CLD / homoscedastic / moderately unbalanced



large_CLD / homoscedastic / highly unbalanced




large_CLD / heteroscedastic / balanced



Fill is the p-weighted mixture of purified Gaussians, $\sum_j p_j \phi(x; \mu_j, \Sigma_j)$, not the bulk convolution. Outlines are exact 95% Gaussian regions $(x - \mu)^T \Sigma^{-1} (x - \mu) \leq \chi^2_{2, 0.95}$ (stats::qchisq(0.95, df = 2); gaussian_conf)

large_CLD / heteroscedastic / moderately unbalanced



Fill is the p-weighted mixture of purified Gaussians, $\sum_j p_j \phi(x; \mu_j, \Sigma_j)$, not the bulk convolution. Outlines are exact 95% Gaussian regions $(x - \mu)^T \Sigma^{-1} (x - \mu) \leq \chi^2_{2, 0.95}$ (stats::qchisq(0.95, df = 2); gaussian_conf)

large_CLD / heteroscedastic / highly unbalanced

