



small_CLD / homoscedastic / balanced

$\rho = (0, 0)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, -0.8)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (0.8, 0.8)$







Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, 0.8)$







Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.





small_CLD / homoscedastic / moderately unbalanced







small_CLD / homoscedastic / highly unbalanced




small_CLD / heteroscedastic / balanced




small_CLD / heteroscedastic / moderately unbalanced




small_CLD / heteroscedastic / highly unbalanced




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


large_CLD / homoscedastic / balanced

$\rho = (0, 0)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, -0.8)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


$\rho = (-0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


large_CLD / homoscedastic / moderately unbalanced

$\rho = (0, 0)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, -0.8)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


$\rho = (-0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


large_CLD / homoscedastic / highly unbalanced

$\rho = (0, 0)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

rho = (-0.8, -0.8)




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

rho = (0.8, 0.8)



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


rho = (-0.8, 0.8)




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

large_CLD / heteroscedastic / balanced


$\rho = (0, 0)$




$\rho = (-0.8, -0.8)$



$\rho = (0.8, 0.8)$




$\rho = (-0.8, 0.8)$




large_CLD / heteroscedastic / moderately unbalanced

$\rho = (0, 0)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, -0.8)$




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


$\rho = (-0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.


large_CLD / heteroscedastic / highly unbalanced

rho = (0, 0)




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

rho = (-0.8, -0.8)




Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

rho = (0.8, 0.8)



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.

$\rho = (-0.8, 0.8)$



Clustering uses $1 - r$ (behavioural similarity), not numerical agreement of estimates.