
Observed log-likelihood


balanced / low overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

Observed log-likelihood

balanced / moderate overlap




Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

◇ true p* ● maximum on the grid

Observed log-likelihood


balanced / high overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

Observed log-likelihood


moderately unbalanced / low overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

Observed log-likelihood


moderately unbalanced / moderate overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

Observed log-likelihood

moderately unbalanced / high overlap




Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

◇ true p* ● maximum on the grid

Observed log-likelihood


highly unbalanced / low overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

Observed log-likelihood

highly unbalanced / moderate overlap




Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

◇ true p* ● maximum on the grid

Observed log-likelihood

highly unbalanced / high overlap



Log-likelihood of the first simulated bulk. Fill: log10(L / max L), floored at -10.

◇ true p* ● maximum on the grid