

Agreement of the estimates: mean Hellinger distance, Ward clustering

balanced / low overlap / mean pairwise Hellinger distance between methods = 0.164




	CIBERSORT	Firth	L-BFGS-B	Newton-Raphson	MEAD	RLM	lsei	NNLS	ReDeconv	RNA-Sieve
CIBERSORT	0	0.53	0.52	0.52	0.45	0.48	0.47	0.47	0.47	0.47
Firth	0.53	0	0.024	0.024	0.15	0.11	0.12	0.12	0.12	0.13
L-BFGS-B	0.52	0.024	0	0.0026	0.14	0.11	0.12	0.12	0.12	0.12
Newton-Raphson	0.52	0.024	0.0026	0	0.14	0.11	0.12	0.12	0.12	0.12
MEAD	0.45	0.15	0.14	0.14	0	0.083	0.082	0.078	0.073	0.063
RLM	0.48	0.11	0.11	0.11	0.083	0	0.046	0.039	0.045	0.05
lsei	0.47	0.12	0.12	0.12	0.082	0.046	0	0.019	0.037	0.041
NNLS	0.47	0.12	0.12	0.12	0.078	0.039	0.019	0	0.028	0.034
ReDeconv	0.47	0.12	0.12	0.12	0.073	0.045	0.037	0.028	0	0.032
RNA-Sieve	0.47	0.13	0.12	0.12	0.063	0.05	0.041	0.034	0.032	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

balanced / moderate overlap / mean pairwise Hellinger distance between methods = 0.276




	Firth	L-BFGS-B	Newton-Raphson	RNA-Sieve	RLM	ReDeconv	lsei	NNLS	CIBERSORT	MEAD
Firth	0	0.039	0.036	0.29	0.17	0.29	0.28	0.29	0.53	0.42
L-BFGS-B	0.039	0	0.006	0.28	0.17	0.28	0.27	0.28	0.52	0.42
Newton-Raphson	0.036	0.006	0	0.28	0.17	0.28	0.27	0.28	0.52	0.42
RNA-Sieve	0.29	0.28	0.28	0	0.15	0.095	0.14	0.12	0.4	0.4
RLM	0.17	0.17	0.17	0.15	0	0.11	0.11	0.094	0.46	0.42
ReDeconv	0.29	0.28	0.28	0.095	0.11	0	0.092	0.068	0.38	0.4
lsei	0.28	0.27	0.27	0.14	0.11	0.092	0	0.051	0.4	0.42
NNLS	0.29	0.28	0.28	0.12	0.094	0.068	0.051	0	0.4	0.41
CIBERSORT	0.53	0.52	0.52	0.4	0.46	0.38	0.4	0.4	0	0.51
MEAD	0.42	0.42	0.42	0.4	0.42	0.4	0.42	0.41	0.51	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

balanced / high overlap / mean pairwise Hellinger distance between methods = 0.363




	CIBERSORT	RNA-Sieve	lsei	NNLS	ReDeconv	RLM	MEAD	Firth	L-BFGS-B	Newton-Raphson
CIBERSORT	0	0.39	0.35	0.35	0.36	0.47	0.65	0.54	0.53	0.53
RNA-Sieve	0.39	0	0.28	0.25	0.26	0.29	0.55	0.41	0.41	0.41
lsei	0.35	0.28	0	0.11	0.21	0.22	0.6	0.42	0.41	0.41
NNLS	0.35	0.25	0.11	0	0.17	0.14	0.6	0.43	0.42	0.42
ReDeconv	0.36	0.26	0.21	0.17	0	0.17	0.59	0.43	0.43	0.43
RLM	0.47	0.29	0.22	0.14	0.17	0	0.48	0.21	0.22	0.22
MEAD	0.65	0.55	0.6	0.6	0.59	0.48	0	0.48	0.49	0.49
Firth	0.54	0.41	0.42	0.43	0.43	0.21	0.48	0	0.044	0.043
L-BFGS-B	0.53	0.41	0.41	0.42	0.43	0.22	0.49	0.044	0	0.0068
Newton-Raphson	0.53	0.41	0.41	0.42	0.43	0.22	0.49	0.043	0.0068	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

moderately unbalanced / low overlap / mean pairwise Hellinger distance between methods = 0.157




	Firth	L-BFGS-B	Newton-Raphson	CIBERSORT	lsei	RLM	MEAD	NNLS	ReDeconv	RNA-Sieve
Firth	0	0.059	0.058	0.34	0.19	0.19	0.19	0.2	0.2	0.19
L-BFGS-B	0.059	0	0.012	0.32	0.17	0.2	0.18	0.18	0.18	0.18
Newton-Raphson	0.058	0.012	0	0.32	0.17	0.2	0.18	0.18	0.18	0.18
CIBERSORT	0.34	0.32	0.32	0	0.24	0.32	0.25	0.25	0.25	0.26
lsei	0.19	0.17	0.17	0.24	0	0.1	0.096	0.073	0.085	0.089
RLM	0.19	0.2	0.2	0.32	0.1	0	0.087	0.062	0.074	0.076
MEAD	0.19	0.18	0.18	0.25	0.096	0.087	0	0.062	0.052	0.046
NNLS	0.2	0.18	0.18	0.25	0.073	0.062	0.062	0	0.037	0.043
ReDeconv	0.2	0.18	0.18	0.25	0.085	0.074	0.052	0.037	0	0.037
RNA-Sieve	0.19	0.18	0.18	0.26	0.089	0.076	0.046	0.043	0.037	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


moderately unbalanced / moderate overlap / mean pairwise Hellinger distance between methods = 0.292



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering


moderately unbalanced / high overlap / mean pairwise Hellinger distance between methods = 0.38




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

highly unbalanced / low overlap / mean pairwise Hellinger distance between methods = 0.15




	Firth	L-BFGS-B	Newton-Raphson	CIBERSORT	RLM	lsei	NNLS	MEAD	ReDeconv	RNA-Sieve
Firth	0	0.043	0.036	0.26	0.26	0.18	0.19	0.19	0.19	0.19
L-BFGS-B	0.043	0	0.022	0.24	0.27	0.17	0.18	0.18	0.18	0.18
Newton-Raphson	0.036	0.022	0	0.25	0.27	0.18	0.18	0.19	0.18	0.18
CIBERSORT	0.26	0.24	0.25	0	0.32	0.18	0.19	0.18	0.19	0.19
RLM	0.26	0.27	0.27	0.32	0	0.13	0.071	0.11	0.087	0.096
lsei	0.18	0.17	0.18	0.18	0.13	0	0.071	0.095	0.084	0.095
NNLS	0.19	0.18	0.18	0.19	0.071	0.071	0	0.06	0.038	0.051
MEAD	0.19	0.18	0.19	0.18	0.11	0.095	0.06	0	0.051	0.037
ReDeconv	0.19	0.18	0.18	0.19	0.087	0.084	0.038	0.051	0	0.036
RNA-Sieve	0.19	0.18	0.18	0.19	0.096	0.095	0.051	0.037	0.036	0




Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

highly unbalanced / moderate overlap / mean pairwise Hellinger distance between methods = 0.289




	L-BFGS-B	Firth	Newton-Raphson	MEAD	CIBERSORT	RLM	lsei	RNA-Sieve	NNLS	ReDeconv
L-BFGS-B	0	0.053	0.046	0.43	0.36	0.42	0.33	0.34	0.35	0.34
Firth	0.053	0	0.04	0.44	0.38	0.41	0.34	0.36	0.36	0.36
Newton-Raphson	0.046	0.04	0	0.43	0.37	0.41	0.34	0.35	0.35	0.35
MEAD	0.43	0.44	0.43	0	0.42	0.45	0.37	0.35	0.37	0.39
CIBERSORT	0.36	0.38	0.37	0.42	0	0.4	0.24	0.25	0.25	0.25
RLM	0.42	0.41	0.41	0.45	0.4	0	0.2	0.17	0.1	0.13
lsei	0.33	0.34	0.34	0.37	0.24	0.2	0	0.16	0.1	0.14
RNA-Sieve	0.34	0.36	0.35	0.35	0.25	0.17	0.16	0	0.11	0.12
NNLS	0.35	0.36	0.35	0.37	0.25	0.1	0.1	0.11	0	0.085
ReDeconv	0.34	0.36	0.35	0.39	0.25	0.13	0.14	0.12	0.085	0



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.

Agreement of the estimates: mean Hellinger distance, Ward clustering

highly unbalanced / high overlap / mean pairwise Hellinger distance between methods = 0.408



Distance between the estimates of two methods on the same bulk, averaged over the bulks of the page;
0 means identical estimates. Ward.D2 on these distances; one colour scale for every page.
Dashed line on the dendrogram: mean of the pairwise distances between methods on this page.