



small_CLD / homoscedastic / balanced

rho = (0, 0)



Relative likelihood (log10 scale)

rho = (-0.8, -0.8)




Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Relative likelihood (log10 scale)

rho = (-0.8, 0.8)




Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

small_CLD / homoscedastic / moderately unbalanced


rho = (0, 0)




rho = (-0.8, -0.8)



rho = (0.8, 0.8)




rho = (-0.8, 0.8)




small_CLD / homoscedastic / highly unbalanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


small_CLD / heteroscedastic / balanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


small_CLD / heteroscedastic / moderately unbalanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


small_CLD / heteroscedastic / highly unbalanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

large_CLD / homoscedastic / balanced


$\rho = (0, 0)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (-0.8, -0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (0.8, 0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

$\rho = (-0.8, 0.8)$




Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

large_CLD / homoscedastic / moderately unbalanced


$\rho = (0, 0)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (-0.8, -0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (0.8, 0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

$\rho = (-0.8, 0.8)$




Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


large_CLD / homoscedastic / highly unbalanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


large_CLD / heteroscedastic / balanced

rho = (0, 0)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, -0.8)




Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, 0.8)



Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

large_CLD / heteroscedastic / moderately unbalanced


$\rho = (0, 0)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (-0.8, -0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


$\rho = (0.8, 0.8)$



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

$\rho = (-0.8, 0.8)$




Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

large_CLD / heteroscedastic / highly unbalanced


rho = (0, 0)



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (-0.8, -0.8)



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).


rho = (0.8, 0.8)



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).

rho = (-0.8, 0.8)



Relative likelihood (log10 scale)

Y-axis is $L / \max(L) = \exp(\text{ell} - \max \text{ell})$ on a log10 scale (ggplot2::annotation_logticks).