


small_CLD / homoscedastic / balanced




Solver


nnls SA LBFGS Newton-Raphson

lsei gradient Marquardt-Levenberg

Half-eye: median and central 50% / 95% of Monte Carlo replicates. Rug: raw draws. y-axis is log10.

small_CLD / homoscedastic / moderately unbalanced






Solver


nnls	sa	lbfgs	Newton-Raphson
lsei	gradient	Marquardt-Levenberg	

small_CLD / heteroscedastic / balanced




Half-eye: median and central 50% / 95% of Monte Carlo replicates. Rug: raw draws. y-axis is log10.


small_CLD / heteroscedastic / moderately unbalanced



small_CLD / heteroscedastic / highly unbalanced




large_CLD / homoscedastic / balanced




Solver

- nnls
- lsei
- SA
- gradient
- LBFGS
- Marquardt-Levenberg
- Newton-Raphson

large_CLD / homoscedastic / moderately unbalanced




large_CLD / homoscedastic / highly unbalanced




Solver

- nnls
- lsei
- sa
- gradient
- lbfgs
- marquardt-levenberg
- newton-raphson


large_CLD / heteroscedastic / balanced



large_CLD / heteroscedastic / moderately unbalanced



large_CLD / heteroscedastic / highly unbalanced



Solver

- nnls
- lsei
- sa
- gradient
- lbfgs
- marquardt-levenberg
- newton-raphson

Half-eye: median and central 50% / 95% of Monte Carlo replicates. Rug: raw draws. y-axis is log10.