


48 h: gene-wise mean log1p CPM, all RNA genes (left) versus the SCT counts allow-list (right)

Before

After



Cell type Epiblast Exiting naïve pluripotency Naïve pluripotency Zscan4+ Artefact

72 h: gene-wise mean log1p CPM, all RNA genes (left) versus the SCT counts allow-list (right)

Before

After

Primitive streak

Primitive streak

Naïve pluripotency

Naïve pluripotency

Exiting naïve pluripotency

Exiting naïve pluripotency

Ectopic pluripotency

Ectopic pluripotency

Cd63+ ectoderm-like artefact

Cd63+ ectoderm-like artefact

Mean log1p CPM

Mean log1p CPM

Cell type



Cd63+ ectoderm-like artefact



Ectopic pluripotency



Exiting naïve pluripotency



Naïve pluripotency



Primitive streak

30% null

53% null

67% null

44% null

49% null

2% null

24% null


41% null

13% null


19% null

96 h: gene-wise mean log1p CPM, all RNA genes (left) versus the SCT counts allow-list (right)

Before



After



Cell type

Cell type	Color
Caudal mesoderm	Teal
Ectopic pluripotency	Light green
Gut	Light green
Pre-somitic mesoderm	Light green
Somite differentiation front	Light green