

CLAUDE.md — CARITA TEMBONG

1. Project Identity

Project Name: CARITA TEMBONG

Project Type: Village Information Portal, Digital Storytelling Platform, Local Product Showcase, Tourism Discovery, and Digital Village Archive.

CARITA TEMBONG adalah portal digital Desa Tembong, Kecamatan Carita, Kabupaten Pandeglang, Banten.

Website harus menjadi ruang digital yang mempertemukan:

- informasi desa;
- cerita masyarakat;
- budaya lokal;
- potensi wisata;
- UMKM;
- produk lokal;
- kegiatan masyarakat;
- kesehatan;
- peta desa;
- dokumentasi perkembangan desa.

CARITA TEMBONG bukan sekadar website administrasi desa.

Core idea:

Data + Storytelling + Map + Local Products

Tagline utama:

Setiap Sudut Punya Cerita.

2. Main Product Philosophy

Website harus memberikan pengalaman seperti:

modern editorial village magazine with Sundanese cultural soul

Pengunjung harus merasa sedang mengenal Desa Tembong secara dekat, bukan sekadar membaca data pemerintahan.

Prioritas pengalaman pengguna:

1. mengenal desa;
 2. melihat manusia dan cerita di balik desa;
 3. menemukan budaya;
 4. menjelajahi alam;
 5. mengenal produk masyarakat;
 6. menemukan lokasi;
 7. mengikuti perkembangan desa.
-

3. Primary Language

Bahasa utama:

Bahasa Indonesia

Bahasa Sunda digunakan sebagai cultural accent.

Contoh penggunaan:

- Wilujeng Sumping
- Carita ti Tembong
- Urang Tembong

Bahasa Sunda tidak digunakan untuk seluruh interface.

Jangan membuat navigation utama menggunakan istilah Sunda yang dapat mengurangi usability.

4. Technology Stack

Use:

- Next.js
- TypeScript
- Tailwind CSS
- Headless WordPress
- WordPress REST API
- Leaflet
- OpenStreetMap

Deployment:

- GitHub

- Vercel

CMS WordPress dapat menggunakan hosting terpisah.

5. General Development Rules

Always:

- use TypeScript;
- use reusable components;
- separate data from presentation;
- separate content from components;
- use semantic HTML;
- prioritize accessibility;
- build mobile-first;
- optimize images;
- minimize unnecessary JavaScript;
- keep code simple and readable;
- avoid premature abstraction.

Do not:

- hardcode duplicated data;
 - create giant page components;
 - mix API logic directly inside UI components;
 - create unnecessary dependencies;
 - introduce complex architecture without justification;
 - change the design system arbitrarily;
 - create new color values when existing design tokens are sufficient.
-

6. Architecture Principle

Follow separation of concerns:

```
CONTENT
  ↓
CMS / DATA
  ↓
SERVICE / API LAYER
  ↓
COMPONENTS
```

↓
PAGES

Pages should compose components.

Components should not own raw content data when that content belongs in CMS or structured data.

7. Recommended Folder Structure

```
carita-tembong/  
|  
├─ CLAUDE.md  
├─ README.md  
├─ package.json  
├─ next.config.ts  
├─ tsconfig.json  
├─ eslint.config.mjs  
├─ .env.local  
|  
├─ docs/  
|   ├── project-overview.md  
|   ├── information-architecture.md  
|   ├── design-system.md  
|   ├── content-model.md  
|   ├── map-architecture.md  
|   └─ editorial-guideline.md  
|  
├─ public/  
|   ├── images/  
|   |   ├── village/  
|   |   ├── hero/  
|   |   ├── wisata/  
|   |   ├── budaya/  
|   |   ├── umkm/  
|   |   |   ├── emping/  
|   |   |   └─ opak/  
|   |   ├── kesehatan/  
|   |   ├── kegiatan/  
|   |   ├── pemerintahan/  
|   |   └─ stories/  
|   |  
|   └─ icons/  
|       └─ map/
```

```
| | | categories/
| | | └─ social/
| | |
| | | ornaments/
| | | └─ sunda/
| | | └─ textures/
| | |
| | └─ logos/
|
└─ src/
    └─ app/
    └─ components/
    └─ lib/
    └─ types/
    └─ config/
    └─ styles/
    └─ data/
└─ scripts/
```

8. App Routes

Expected route structure:

```
/

/kenali-tembong

/jelajahi-tembong
/jelajahi-tembong/[slug]

/cerita-budaya
/cerita-budaya/[slug]

/potensi-desa

/potensi-desa/umkm
/potensi-desa/umkm/[slug]

/potensi-desa/produk
/potensi-desa/produk/[slug]

/tembong-sehat
```

```
/tembong-sehat/kajedak
```

```
/kegiatan
```

```
/kegiatan/[slug]
```

```
/kabar-tembong
```

```
/kabar-tembong/[slug]
```

```
/peta
```

Do not introduce route structures outside this model unless there is a clear requirement.

9. Main Navigation

Main navigation:

```
Beranda  
Kenali Tembong  
Jelajahi Tembong  
Cerita & Budaya  
Potensi Desa  
Tembong Sehat  
Kabar Tembong
```

"Peta" may be presented as a prominent CTA button.

Navigation configuration should live in:

```
src/config/navigation.ts
```

Do not duplicate navigation arrays in multiple components.

10. Page Composition Rule

Avoid large `page.tsx` files.

Example homepage:

```
export default function HomePage() {
  return (
    <>
      <HeroSection />
      <VillageIntroduction />
      <VillageStats />
      <FeaturedStories />
      <FeaturedTourism />
      <FeaturedProducts />
      <VillageActivities />
      <HealthHighlight />
      <MapPreview />
      <LatestNews />
    </>
  );
}
```

Each major section should live in its own component.

11. Component Structure

Use domain-based component organization.

```
components/
|
├─ layout/
├─ ui/
├─ sunda/
├─ home/
├─ story/
├─ umkm/
├─ tourism/
├─ activities/
├─ health/
├─ news/
└─ map/
```

12. Core UI Components

Reusable components should include:

```
Button  
Card  
Badge  
SectionTitle  
Breadcrumb  
ImageCard  
Quote  
Container  
PageHero  
SectionWrapper
```

Avoid recreating buttons, badges, headings, or cards independently on every page.

13. Sundanese Design Components

Cultural decoration components belong in:

```
src/components/sunda/
```

Possible components:

```
SundaDivider.tsx  
SundaFrame.tsx  
AksaraAccent.tsx  
BambooPattern.tsx  
TraditionalQuote.tsx  
SundaSectionLabel.tsx
```

Rules:

- ornaments must remain subtle;
 - never sacrifice readability;
 - do not place ornament on every card;
 - avoid visual clutter;
 - cultural elements should support content, not dominate it.
-

14. Visual Direction

Core visual style:

Traditional Sundanese-Banten × Modern Editorial Design

Website should feel:

- warm;
- natural;
- grounded;
- authentic;
- editorial;
- elegant;
- human;
- calm;
- culturally rooted.

Avoid:

- generic government portal style;
- corporate blue design;
- SaaS dashboard appearance;
- excessive gradients;
- neon colors;
- excessive glassmorphism;
- over-decorative cultural visuals;
- generic marketplace layouts.

15. Design Palette

Use these primary tokens.

```
export const colors = {  
  forest: "#4F6F52",  
  river: "#2D7D74",  
  terracotta: "#B86A4B",  
  bamboo: "#C8A86B",  
  cream: "#F4EBDD",  
  wood: "#7A5C45",  
  mist: "#E7E1D4",  
  charcoal: "#2D2A26",  
};
```

Meaning:

Forest Green — #4F6F52

Use for:

- primary identity;
- major headings;
- navbar;
- footer;
- important sections.

River Teal — #2D7D74

Use for:

- CTA;
- links;
- interactive elements;
- maps;
- buttons.

Village Terracotta — #B86A4B

Use for:

- cultural accents;
- badges;
- important highlights;
- storytelling details.

Bamboo Gold — #C8A86B

Use for:

- decorative lines;
- traditional accents;
- small icons;
- divider ornaments.

Woven Cream — #F4EBDD

Use as primary background.

Wood Brown — #7A5C45

Use for:

- natural accents;
- editorial sections;

- supporting cards.

Morning Mist — #E7E1D4

Use for secondary background.

Traditional Charcoal — #2D2A26

Use for body text.

Do not create random colors without design justification.

16. Typography

Use two typography personalities.

Display / Editorial

For:

- hero heading;
- storytelling titles;
- cultural headings;
- featured quote.

Prefer serif or culturally expressive editorial typography.

UI / Body

Use readable sans-serif typography.

For:

- navigation;
- body text;
- forms;
- labels;
- buttons;
- metadata.

Do not use decorative fonts for body text.

17. Spacing Philosophy

Use generous whitespace.

Website should feel editorial and calm.

Do not pack information tightly like a dashboard.

Default section pattern:

Section Label

Headline

Supporting Text

Content

CTA

Vertical rhythm must remain consistent across pages.

18. Photography Rules

Photography is a major identity element.

Prioritize original documentation from Desa Tembong.

Subjects:

- landscape;
- curug;
- mata air;
- kebun;
- melinjo;
- pengrajin;
- proses emping;
- proses opak;
- pencak silat;
- pengajian;
- Jumat Bersih;
- Posyandu;
- KAJEDAK;

- masyarakat;
- tokoh;
- pemerintahan desa.

Do not rely heavily on generic stock images.

Images should feel documentary rather than commercial.

19. Image Handling

Use Next.js Image where appropriate.

Always:

- define alt text;
- optimize size;
- use responsive images;
- avoid massive original uploads directly in frontend;
- maintain consistent aspect ratios for cards.

Suggested aspect ratios:

```
Hero: 16:7 or 16:8
Story Feature: 4:3
Cards: 4:3
Product: 1:1
Portrait: 3:4
News: 16:10
```

20. Content Architecture

Core content entities:

```
Village
Story
UMKM
Artisan
Product
Collector
Destination
Activity
```

News
Facility
HealthProgram
MapPoint

Do not store all content as generic articles.

21. UMKM Data Model

Important distinction:

```
ARTISAN / PENGRAJIN
  ↓
PRODUCT
  ↓
COLLECTOR / MITRA PEMASARAN
  ↓
CUSTOMER
```

Do not assume every artisan sells directly.

22. Artisan Entity

Suggested fields:

```
type Artisan = {
  id: string;
  slug: string;
  name: string;
  businessName?: string;
  villageArea?: string;
  products: string[];
  story?: string;
  storySlug?: string;
  image?: string;
  coordinates?: {
    lat: number;
    lng: number;
  }
}
```

```
};  
};
```

Do not expose private contact information unless explicitly approved.

23. Product Entity

Suggested fields:

```
type Product = {  
  id: string;  
  slug: string;  
  name: string;  
  category: "emping" | "opak" | string;  
  description: string;  
  processingStage:  
    | "raw"  
    | "semi_processed"  
    | "finished";  
  
  producerIds: string[];  
  collectorId?: string;  
  
  variants?: ProductVariant[];  
  
  featuredImage: string;  
  gallery?: string[];  
  
  available?: boolean;  
};
```

24. Collector Entity

Suggested fields:

```
type Collector = {  
  id: string;  
  name: string;  
  whatsapp: string;  
  products: string[];
```

```
location?: string;  
acceptsRetail?: boolean;  
acceptsWholesale?: boolean;  
};
```

Display label to the public should generally use:

Kontak Pemesanan

or:

Mitra Pemasaran

rather than forcing the term "pengepul" everywhere.

25. Product Page Philosophy

Do not build product pages like marketplace pages.

Preferred structure:

Hero Product Image

Product Story

Origin

Production Process

Artisans

Gallery

Product Variants

Ordering Information

Contact Marketing Partner

CARITA TEMBONG should be:

Story first, commerce second.

26. Story Content Type

Storytelling is a first-class feature.

Possible story categories:

Artisan
Culture
Community
Nature
Health
Village Life
People
History

Suggested story structure:

Hero Image
Title
Subtitle
Category
Person
Location
Opening Narrative
Main Story
Quote
Gallery
Related Product
Related Destination
Related Story

27. Story Design Rules

Stories should look like editorial articles.

Prefer:

- large photography;
- strong headline;
- comfortable reading width;
- pull quote;

- visual breaks;
- captions;
- related content.

Do not render storytelling pages like ordinary WordPress blog posts.

28. Editorial Voice

Writing should be:

- human-centered;
- factual;
- respectful;
- observational;
- warm;
- locally grounded.

Avoid:

- exaggerated tourism claims;
- generic marketing language;
- fabricated historical narratives;
- invented quotes;
- invented statistics.

Never fabricate village facts.

If real data is unavailable, use clearly marked placeholder content.

Example:

[Data jumlah penduduk belum tersedia]

Do not invent believable numbers.

29. News Architecture

News is managed through CMS.

News fields:

```
title
slug
excerpt
content
date
category
location
featuredImage
gallery
author
relatedActivity
```

Categories:

```
Gotong Royong
Budaya & Keagamaan
UMKM & Ekonomi
Kesehatan
Wisata & Lingkungan
Pendidikan
Pemerintahan Desa
```

30. News Maintenance

News should not live inside source code.

Source of truth:

```
WordPress CMS
```

Frontend fetches the latest news through API.

Homepage automatically displays latest content.

Do not require developer intervention to publish new news.

31. Activity Architecture

Activity and News are different entities.

Activity:

planned or recurring village activity.

News:

documentation or reporting after an activity.

Flow:

AGENDA
↓
ACTIVITY
↓
DOCUMENTATION
↓
NEWS

Examples:

- Jumat Bersih;
- Pengajian Jumat;
- Posyandu;
- gotong royong;
- musyawarah desa;
- pencak silat activities.

32. Health Content

Tembong Sehat includes:

- Posyandu;
- kader;
- village health activities;
- TBC programs;
- KAJEDAK.

Health claims must be verified.

Do not automatically publish claims such as:

- national recognition;
- best village;

- national pilot program;
- statistical health impact;

unless supported by verified information.

33. Tourism Architecture

Destination fields:

```
name
slug
category
description
story
featuredImage
gallery
coordinates
access
visitStatus
safetyNote
location
relatedStories
```

Visit status:

```
open
limited_access
potential
under_development
```

Do not label undeveloped places as fully operational tourist attractions.

34. Interactive Map

Use:

- Leaflet
- OpenStreetMap

Map categories:

```
Government
Education
Health
Religion
Tourism
Culture
Economy
Public Facility
```

Map markers should be filterable.

Popup should support:

```
name
category
thumbnail
short description
detail link
directions link
```

35. Map Data Rule

Map point data must remain structured.

Example:

```
type MapPoint = {
  id: string;
  name: string;
  category: MapCategory;
  coordinates: {
    lat: number;
    lng: number;
  };
  description?: string;
  image?: string;
  href?: string;
};
```

Do not hardcode markers directly inside map JSX.

36. CMS Architecture

Use Headless WordPress as content backend.

CMS handles:

```
News
Activities
Stories
UMKM
Products
Collectors
Tourism
Gallery
```

Next.js handles presentation.

Architecture:

```
WORDPRESS
  ↓
REST API
  ↓
SERVICE LAYER
  ↓
NEXT.JS
  ↓
PUBLIC WEBSITE
```

37. CMS Service Layer

CMS-related code belongs in:

```
src/lib/cms/
```

Suggested:

```
wordpress.ts
news.ts
```

```
stories.ts
activities.ts
products.ts
umkm.ts
tourism.ts
```

Components should not call WordPress directly.

Bad:

```
fetch("https://cms....")
```

inside random UI component.

Preferred:

```
const stories = await getStories();
```

38. CMS Error Handling

If CMS fails:

- pages should fail gracefully;
- avoid rendering broken layouts;
- provide sensible empty states;
- log errors appropriately.

Do not expose CMS internals or API credentials to users.

39. Environment Variables

Possible variables:

```
NEXT_PUBLIC_SITE_URL=
WORDPRESS_API_URL=
WORDPRESS_API_TOKEN=
NEXT_PUBLIC_MAP_TILE_URL=
NEXT_PUBLIC_ANALYTICS_ID=
```


Never hardcode API credentials.

Never commit secrets.

40. User Roles

CMS roles:

Administrator

System administration.

Editor Desa

Can:

- write;
- edit;
- upload;
- publish.

Contributor

Can create drafts but cannot publish.

41. Publishing Workflow

Follow:

```
graph TD; DATA --> INPUT; INPUT --> DRAFT; DRAFT --> REVIEW; REVIEW --> VERIFY; VERIFY --> PUBLISH;
```

DATA
↓
INPUT
↓
DRAFT
↓
REVIEW
↓
VERIFY
↓
PUBLISH

Important content requiring verification:

- demography;
- health statistics;
- government personnel;
- village achievements;
- historical facts;
- legal status;
- public program recognition.

42. Homepage Priorities

Homepage should emphasize:

Hero
Village Introduction
Village Statistics
Featured Stories
Featured Tourism
Local Products
Village Culture
Health Highlight
Activities
Interactive Map
Latest News

Do not overload homepage with full content.

Homepage should act as discovery/navigation layer.

43. Homepage Story Hierarchy

The most visually prominent content should generally be:

1. identity of Tembung;
2. human story;
3. landscape;
4. local product;
5. village activity.

Avoid placing government administration content above storytelling unless specifically required.

44. Homepage Hero

Preferred direction:

Eyebrow:

Wilujeng Sumping di Tembong

Headline:

Setiap Sudut Punya Cerita

Supporting message should reference:

- nature;
- community;
- culture;
- local products.

CTA:

Jelajahi Tembong
Kenali Desa

45. Accessibility

Always provide:

- semantic heading order;
- alt text;
- focus states;
- keyboard navigation;
- accessible color contrast;
- properly labelled forms;
- meaningful button text.

Avoid buttons labeled only:

Read More

Prefer:

Baca Cerita Pengrajin
Lihat Curug
Jelajahi Produk

46. Responsive Design

Primary breakpoints should support:

- mobile;
- tablet;
- laptop;
- desktop.

Mobile is a priority.

Navigation must work cleanly on small screens.

Do not simply shrink desktop layout.

Cards should stack intentionally.

47. Performance

Prefer:

- Server Components;
- image optimization;
- lazy loading;
- dynamic import for heavy map functionality;
- efficient API calls;
- caching where appropriate.

Interactive map may be client-side.

Most editorial pages should remain server-rendered.

48. SEO

Each public page should have:

```
title
description
canonical
Open Graph
```

Structured data may be used where appropriate.

Potential schema:

- Article
- NewsArticle
- LocalBusiness
- TouristAttraction
- Organization
- BreadcrumbList

Do not generate misleading schema.

49. URL Rules

Use lowercase kebab-case.

Good:

```
/cerita-budaya/pengrajin-emping-ibu-aminah
```

Bad:

```
/CeritaBudaya/PengrajinEmping01
```

Keep slugs readable and meaningful.

50. Code Naming Convention

Components:

```
PascalCase.tsx
```

Example:

```
StoryCard.tsx  
FeaturedProducts.tsx  
VillageMap.tsx
```

Utility:

```
camelCase.ts
```

Types:

```
story.ts  
product.ts  
map.ts
```

51. Component Rule

If the same visual pattern appears 3 or more times, consider extracting a reusable component.

Do not over-componentize trivial markup.

Prefer clarity over abstraction.

52. Server vs Client Components

Default:

```
Server Component
```

Only add:

```
"use client";
```

when required for:

- state;
- browser APIs;
- event handlers;
- interactive filters;
- maps;
- carousels requiring client state.

Do not make whole pages client components unnecessarily.

53. State Management

Avoid global state libraries unless clearly required.

Use:

- URL state;
- server data;
- local React state;

first.

Do not introduce Redux/Zustand without a strong use case.

54. Animation Rules

Animations should feel calm and natural.

Allowed:

- fade;
- slight translate;
- subtle image zoom;
- gentle hover;
- staggered cards.

Avoid:

- excessive bouncing;
- flashy parallax;
- aggressive scroll animation;
- distracting effects.

55. Traditional Ornament Rules

Anyaman, bamboo, aksara, or Sundanese-inspired motifs may be used as:

- section divider;
- subtle background texture;
- border accent;
- hero detail;
- footer detail.

Opacity should generally remain low.

Suggested:

3%–10%

Do not use patterned backgrounds behind long text.

56. Data Integrity Rule

Never invent:

- names;
- demographic values;
- addresses;
- contact information;
- coordinates;
- government roles;
- product prices;
- health outcomes;
- historical claims.

If missing:

TODO

or explicit placeholder.

57. Privacy Rule

Never expose private data.

Sensitive data should not be added to frontend source.

Business contacts may be public only with consent.

Private home coordinates should not be published unless the location is explicitly intended as a public business location.

58. Product Ordering

Website does not process payments.

Primary flow:

```
View Product
  ↓
Read Story
  ↓
View Artisan
  ↓
Contact Marketing Partner
  ↓
WhatsApp
```

CTA example:

```
Pesan via WhatsApp
Hubungi Mitra Pemasaran
```

59. WhatsApp Utility

WhatsApp URL generation belongs in:

```
src/lib/whatsapp.ts
```

Do not generate WhatsApp links differently on every page.

Message may include:

Halo, saya melihat produk [PRODUCT NAME]
melalui website CARITA TEMBONG.

Saya ingin menanyakan informasi pemesanan.

60. Empty States

If no content exists:

Do not show broken sections.

Example:

Cerita terbaru sedang dipersiapkan.

or simply hide optional homepage sections.

61. Error States

Use human-readable errors.

Do not expose:

- stack trace;
 - WordPress errors;
 - database errors;
 - raw API messages.
-

62. Loading States

For dynamic UI use:

- skeletons;
- subtle loader;
- progressive loading.

Avoid oversized spinners.

63. Documentation Rule

When introducing significant architecture changes, update relevant file in:

```
docs/
```

Examples:

- content model;
- API architecture;
- design system;
- map architecture.

Do not allow code architecture and documentation to diverge substantially.

64. Initial Build Priority

Build in this order.

Phase 1 — Foundation

1. Next.js project
2. Tailwind
3. design tokens
4. typography
5. layout
6. navbar
7. footer

Phase 2 — Homepage

1. Hero
2. Introduction
3. Statistics
4. Featured Story
5. Tourism
6. Products
7. Activities

8. Map Preview
 9. News
-

Phase 3 — Core Internal Pages

1. Kenali Tembong
 2. Cerita & Budaya
 3. Potensi Desa
 4. UMKM
 5. Product catalogue
 6. Tourism
 7. Tembong Sehat
 8. Kabar Tembong
-

Phase 4 — CMS

1. WordPress setup
 2. custom post types
 3. custom fields
 4. REST integration
 5. media integration
-

Phase 5 — Map

1. map layout
 2. marker data
 3. categories
 4. filters
 5. popup
 6. navigation
-

Phase 6 — QA

1. responsive
 2. accessibility
 3. SEO
 4. performance
 5. CMS publishing
 6. broken links
 7. image optimization
-

65. Development Constraint

Do not build all features simultaneously.

Complete each domain before proceeding.

A feature is not complete until:

- UI works;
 - mobile works;
 - data model is clear;
 - loading/empty state exists where needed;
 - accessibility is reasonable;
 - TypeScript has no errors.
-

66. Before Writing Code

Before implementing a major feature:

1. inspect existing project structure;
2. inspect existing design system;
3. reuse existing components;
4. check relevant type definitions;
5. avoid creating duplicate abstractions.

If architecture needs modification, explain the intended change before introducing broad restructuring.

67. Before Finishing a Task

Always check:

- TypeScript;
- lint;
- build;
- obvious responsive issues;
- duplicated code;
- unused imports;
- accessibility;
- broken URLs.

Do not report a feature as completed if the build fails.

68. Forbidden Behaviors

Do not:

- fabricate real village data;
 - randomly change brand colors;
 - redesign the entire site when asked to modify one section;
 - convert everything to client components;
 - duplicate components unnecessarily;
 - place CMS credentials in frontend code;
 - add heavy dependency for trivial functionality;
 - replace local cultural identity with generic templates;
 - create fake testimonials;
 - invent quotes from residents.
-

69. Decision Priority

When there is ambiguity, make decisions in this order:

1. factual accuracy;
 2. usability;
 3. content clarity;
 4. cultural authenticity;
 5. accessibility;
 6. performance;
 7. visual aesthetics;
 8. developer convenience.
-

70. Core Experience Test

Every page should support at least one of these user intentions:

Kenali

Understand Tembung.

Jelajahi

Discover locations and experiences.

Dengarkan

Read stories of people and culture.

Temukan

Discover local products and potentials.

Ikuti

See what is currently happening in the village.

If a feature does not support any of these goals, reconsider whether it belongs in the website.

71. Final Product Standard

CARITA TEMBONG should not feel like:

a government template populated with village data.

It should feel like:

a living digital portrait of Desa Tembong.

Every design and engineering decision should support that objective.