```
No.      Time            Source              Destination          Protocol Length Info
      44 5.253278231     192.168.0.1         192.168.0.175        ICMP     590    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 44: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
     Interface id: 0 (wlp3s0)
     Encapsulation type: Ethernet (1)
     Arrival Time: Mar 28, 2020 09:48:03.748454500 EET
     [Time shift for this packet: 0.000000000 seconds]
     Epoch Time: 1585381683.748454500 seconds
     [Time delta from previous captured frame: 0.003780384 seconds]
     [Time delta from previous displayed frame: 0.000000000 seconds]
     [Time since reference or first frame: 5.253278231 seconds]
     Frame Number: 44
     Frame Length: 590 bytes (4720 bits)
     Capture Length: 590 bytes (4720 bits)
     [Frame is marked: False]
     [Frame is ignored: False]
     [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
     [Coloring Rule Name: ICMP errors]
     [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
     Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175
     0100 .... = Version: 4
     .... 0101 = Header Length: 20 bytes (5)
     Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
     Total Length: 576
     Identification: 0xdaa3 (55971)
     Flags: 0x0000
     Time to live: 64
     Protocol: ICMP (1)
     Header checksum: 0x1b59 [validation disabled]
     [Header checksum status: Unverified]
     Source: 192.168.0.1
     Destination: 192.168.0.175
Internet Control Message Protocol
     Type: 11 (Time-to-live exceeded)
     Code: 0 (Time to live exceeded in transit)
     Checksum: 0x82cb [correct]
     [Checksum Status: Good]
     Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
         0100 .... = Version: 4
         .... 0101 = Header Length: 20 bytes (5)
         Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
         Total Length: 2000
         Identification: 0xa2a4 (41636)
         Flags: 0x0000
         Time to live: 1
         Protocol: UDP (17)
         Header checksum: 0xd89d [validation disabled]
         [Header checksum status: Unverified]
         Source: 192.168.0.175
         Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 48030, Dst Port: 33434
         Source Port: 48030
         Destination Port: 33434
         Length: 1980
         Checksum: 0xbece [unverified]
         [Checksum Status: Unverified]
         [Stream index: 2]
     Data (520 bytes)
0000   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0070   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0080   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0090   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00a0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00b0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
```

```
00c0   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
00d0   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00e0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00f0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0100   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0110   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0120   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0130   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0140   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0150   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0160   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0170   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0180   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0190   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01a0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01b0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
01c0   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
01d0   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01e0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01f0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0200   40 41 42 43 44 45 46 47                           @ABCDEFG
```

No.	Time	Source	Destination	Protocol	Length	Info
47	5.273242329	80.239.128.61	192.168.0.175	ICMP	110	Time-to-live exceeded

(Time to live exceeded in transit)
Frame 47: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.768418598 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.768418598 seconds
    [Time delta from previous captured frame: 0.000031679 seconds]
    [Time delta from previous displayed frame: 0.019964098 seconds]
    [Time since reference or first frame: 5.273242329 seconds]
    Frame Number: 47
    Frame Length: 110 bytes (880 bits)
    Capture Length: 110 bytes (880 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 96
    Identification: 0x5248 (21064)
    Flags: 0x0000
    Time to live: 252
    Protocol: ICMP (1)
    Header checksum: 0xd9cc [validation disabled]
    [Header checksum status: Unverified]
    Source: 80.239.128.61
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x6d94 [correct]
    [Checksum Status: Good]
    Length: 17
    [Length of original datagram: 68]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2ad (41645)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba88 [validation disabled]

```
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 56457, Dst Port: 33443
        Source Port: 56457
        Destination Port: 33443
        Length: 1980
        Checksum: 0x9dda [unverified]
        [Checksum Status: Unverified]
        [Stream index: 11]
    Data (40 bytes)
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67                            `abcdefg
No.      Time           Source                Destination           Protocol Length Info
    48 5.273254588     80.239.128.61          192.168.0.175          ICMP     110    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 48: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.768430857 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.768430857 seconds
    [Time delta from previous captured frame: 0.000012259 seconds]
    [Time delta from previous displayed frame: 0.000012259 seconds]
    [Time since reference or first frame: 5.273254588 seconds]
    Frame Number: 48
    Frame Length: 110 bytes (880 bits)
    Capture Length: 110 bytes (880 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 96
    Identification: 0x5249 (21065)
    Flags: 0x0000
    Time to live: 252
    Protocol: ICMP (1)
    Header checksum: 0xd9cb [validation disabled]
    [Header checksum status: Unverified]
    Source: 80.239.128.61
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x6d94 [correct]
    [Checksum Status: Good]
    Length: 17
    [Length of original datagram: 68]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2ae (41646)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba87 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 59371, Dst Port: 33444
        Source Port: 59371
        Destination Port: 33444
        Length: 1980
```

```
        Checksum: 0x9277 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 12]
    Data (40 bytes)
 0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
 0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
 0020  60 61 62 63 64 65 66 67                           `abcdefg
No.     Time            Source              Destination          Protocol Length Info
    51 5.273823552      80.239.128.61       192.168.0.175        ICMP     110    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 51: 110 bytes on wire (880 bits), 110 bytes captured (880 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.768999821 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.768999821 seconds
    [Time delta from previous captured frame: 0.000035774 seconds]
    [Time delta from previous displayed frame: 0.000568964 seconds]
    [Time since reference or first frame: 5.273823552 seconds]
    Frame Number: 51
    Frame Length: 110 bytes (880 bits)
    Capture Length: 110 bytes (880 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 80.239.128.61, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 96
    Identification: 0x524a (21066)
    Flags: 0x0000
    Time to live: 252
    Protocol: ICMP (1)
    Header checksum: 0xd9ca [validation disabled]
    [Header checksum status: Unverified]
    Source: 80.239.128.61
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x6d94 [correct]
    [Checksum Status: Good]
    Length: 17
    [Length of original datagram: 68]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2af (41647)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba86 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 37220, Dst Port: 33445
        Source Port: 37220
        Destination Port: 33445
        Length: 1980
        Checksum: 0xe8fd [unverified]
        [Checksum Status: Unverified]
        [Stream index: 13]
    Data (40 bytes)
 0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
 0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
 0020  60 61 62 63 64 65 66 67                           `abcdefg
```

```
No.      Time            Source               Destination          Protocol Length Info
      62 5.283009907     62.115.136.124       192.168.0.175        ICMP     182    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 62: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.778186176 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.778186176 seconds
    [Time delta from previous captured frame: 0.008980549 seconds]
    [Time delta from previous displayed frame: 0.009186355 seconds]
    [Time since reference or first frame: 5.283009907 seconds]
    Frame Number: 62
    Frame Length: 182 bytes (1456 bits)
    Capture Length: 182 bytes (1456 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 168
    Identification: 0xcf50 (53072)
    Flags: 0x4000, Don't fragment
    Time to live: 249
    Protocol: ICMP (1)
    Header checksum: 0x29b9 [validation disabled]
    [Header checksum status: Unverified]
    Source: 62.115.136.124
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x4c66 [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2b3 (41651)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba82 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 49983, Dst Port: 33449
        Source Port: 49983
        Destination Port: 33449
        Length: 1980
        Checksum: 0xb71e [unverified]
        [Checksum Status: Unverified]
        [Stream index: 17]
    Data (112 bytes)
0000   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060   60 61 62 63 20 00 55 f0 00 08 01 01 28 05 61 01   `abc .U.....(.a.
No.      Time            Source               Destination          Protocol Length Info
      65 5.300870344     62.115.136.124       192.168.0.175        ICMP     182    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 65: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
    Interface id: 0 (wlp3s0)
```

```
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:03.796046613 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381683.796046613 seconds
        [Time delta from previous captured frame: 0.017687393 seconds]
        [Time delta from previous displayed frame: 0.017860437 seconds]
        [Time since reference or first frame: 5.300870344 seconds]
        Frame Number: 65
        Frame Length: 182 bytes (1456 bits)
        Capture Length: 182 bytes (1456 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 168
        Identification: 0xcfbb (53179)
        Flags: 0x4000, Don't fragment
        Time to live: 249
        Protocol: ICMP (1)
        Header checksum: 0x294e [validation disabled]
        [Header checksum status: Unverified]
        Source: 62.115.136.124
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0x4c66 [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2b9 (41657)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba7c [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 56926, Dst Port: 33450
            Source Port: 56926
            Destination Port: 33450
            Length: 1980
            Checksum: 0x9bfe [unverified]
            [Checksum Status: Unverified]
            [Stream index: 19]
        Data (112 bytes)
    0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
    0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
    0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
    0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
    0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
    0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
    0060  60 61 62 63 20 00 55 f0 00 08 01 01 28 05 61 01   `abc .U.....(.a.
No.       Time           Source                Destination           Protocol Length Info
      68 5.304940155    62.115.136.124        192.168.0.175         ICMP     182     Time-to-live exceeded
    (Time to live exceeded in transit)
    Frame 68: 182 bytes on wire (1456 bits), 182 bytes captured (1456 bits) on interface 0
        Interface id: 0 (wlp3s0)
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:03.800116424 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381683.800116424 seconds
        [Time delta from previous captured frame: 0.003882191 seconds]
```

```
    [Time delta from previous displayed frame: 0.004069811 seconds]
    [Time since reference or first frame: 5.304940155 seconds]
    Frame Number: 68
    Frame Length: 182 bytes (1456 bits)
    Capture Length: 182 bytes (1456 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.136.124, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 168
    Identification: 0xcfcf (53199)
    Flags: 0x4000, Don't fragment
    Time to live: 249
    Protocol: ICMP (1)
    Header checksum: 0x293a [validation disabled]
    [Header checksum status: Unverified]
    Source: 62.115.136.124
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x4c66 [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2ba (41658)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba7b [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 47278, Dst Port: 33451
        Source Port: 47278
        Destination Port: 33451
        Length: 1980
        Checksum: 0xc1ad [unverified]
        [Checksum Status: Unverified]
        [Stream index: 20]
    Data (112 bytes)
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060  60 61 62 63 20 00 55 f0 00 08 01 01 28 05 61 01   `abc .U.....(.a.
No.     Time              Source                Destination           Protocol Length Info
     71 5.310843742       62.115.184.35         192.168.0.175         ICMP     70      Time-to-live exceeded
  (Time to live exceeded in transit)
  Frame 71: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.806020011 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.806020011 seconds
    [Time delta from previous captured frame: 0.005715720 seconds]
    [Time delta from previous displayed frame: 0.005903587 seconds]
    [Time since reference or first frame: 5.310843742 seconds]
    Frame Number: 71
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
```

```
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 62.115.184.35, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 247
        Protocol: ICMP (1)
        Header checksum: 0x0bd3 [validation disabled]
        [Header checksum status: Unverified]
        Source: 62.115.184.35
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2be (41662)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba77 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 41215, Dst Port: 33455
            Source Port: 41215
            Destination Port: 33455
            Length: 1980
            Checksum: 0xd958 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 24]
No.     Time           Source                Destination           Protocol Length Info
     72 5.310872724    62.115.137.41         192.168.0.175         ICMP     70     Time-to-live exceeded
  (Time to live exceeded in transit)
  Frame 72: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
        Interface id: 0 (wlp3s0)
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:03.806048993 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381683.806048993 seconds
        [Time delta from previous captured frame: 0.000028982 seconds]
        [Time delta from previous displayed frame: 0.000028982 seconds]
        [Time since reference or first frame: 5.310872724 seconds]
        Frame Number: 72
        Frame Length: 70 bytes (560 bits)
        Capture Length: 70 bytes (560 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
```

```
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 248
    Protocol: ICMP (1)
    Header checksum: 0x39cd [validation disabled]
    [Header checksum status: Unverified]
    Source: 62.115.137.41
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2bb (41659)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba7a [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 44514, Dst Port: 33452
        Source Port: 44514
        Destination Port: 33452
        Length: 1980
        Checksum: 0xcc78 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 21]
No.      Time            Source                  Destination            Protocol Length Info
     77 5.311254882     62.115.137.41           192.168.0.175          ICMP     70     Time-to-live exceeded
(Time to live exceeded in transit)
Frame 77: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.806431151 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.806431151 seconds
    [Time delta from previous captured frame: 0.000193890 seconds]
    [Time delta from previous displayed frame: 0.000382158 seconds]
    [Time since reference or first frame: 5.311254882 seconds]
    Frame Number: 77
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 248
    Protocol: ICMP (1)
    Header checksum: 0x39cd [validation disabled]
    [Header checksum status: Unverified]
    Source: 62.115.137.41
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
```

```
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2bc (41660)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba79 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 51994, Dst Port: 33453
            Source Port: 51994
            Destination Port: 33453
            Length: 1980
            Checksum: 0xaf3f [unverified]
            [Checksum Status: Unverified]
            [Stream index: 22]
```

No.	Time	Source	Destination	Protocol	Length	Info
80	5.311909489	62.115.137.41	192.168.0.175	ICMP	70	Time-to-live exceeded

```
(Time to live exceeded in transit)
Frame 80: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.807085758 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.807085758 seconds
    [Time delta from previous captured frame: 0.000546592 seconds]
    [Time delta from previous displayed frame: 0.000654607 seconds]
    [Time since reference or first frame: 5.311909489 seconds]
    Frame Number: 80
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.137.41, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 248
    Protocol: ICMP (1)
    Header checksum: 0x39cd [validation disabled]
    [Header checksum status: Unverified]
    Source: 62.115.137.41
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2bd (41661)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba78 [validation disabled]
        [Header checksum status: Unverified]
```

```
            Source: 192.168.0.175
            Destination: 128.119.245.12
      User Datagram Protocol, Src Port: 51701, Dst Port: 33454
            Source Port: 51701
            Destination Port: 33454
            Length: 1980
            Checksum: 0xb063 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 23]
No.      Time           Source                  Destination           Protocol Length Info
      83 5.313944744    62.115.184.35           192.168.0.175         ICMP      70    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 83: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
      Interface id: 0 (wlp3s0)
      Encapsulation type: Ethernet (1)
      Arrival Time: Mar 28, 2020 09:48:03.809121013 EET
      [Time shift for this packet: 0.000000000 seconds]
      Epoch Time: 1585381683.809121013 seconds
      [Time delta from previous captured frame: 0.001918025 seconds]
      [Time delta from previous displayed frame: 0.002035255 seconds]
      [Time since reference or first frame: 5.313944744 seconds]
      Frame Number: 83
      Frame Length: 70 bytes (560 bits)
      Capture Length: 70 bytes (560 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
      [Coloring Rule Name: ICMP errors]
      [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
      Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 62.115.184.35, Dst: 192.168.0.175
      0100 .... = Version: 4
      .... 0101 = Header Length: 20 bytes (5)
      Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
      Total Length: 56
      Identification: 0x0000 (0)
      Flags: 0x0000
      Time to live: 247
      Protocol: ICMP (1)
      Header checksum: 0x0bd3 [validation disabled]
      [Header checksum status: Unverified]
      Source: 62.115.184.35
      Destination: 192.168.0.175
Internet Control Message Protocol
      Type: 11 (Time-to-live exceeded)
      Code: 0 (Time to live exceeded in transit)
      Checksum: 0xf03b [correct]
      [Checksum Status: Good]
      Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2bf (41663)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba76 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
      User Datagram Protocol, Src Port: 48559, Dst Port: 33456
            Source Port: 48559
            Destination Port: 33456
            Length: 1980
            Checksum: 0xbca7 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 25]
No.      Time           Source                  Destination           Protocol Length Info
      86 5.335778355    62.115.184.35           192.168.0.175         ICMP      70    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 86: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
```

```
      Interface id: 0 (wlp3s0)
      Encapsulation type: Ethernet (1)
      Arrival Time: Mar 28, 2020 09:48:03.830954624 EET
      [Time shift for this packet: 0.000000000 seconds]
      Epoch Time: 1585381683.830954624 seconds
      [Time delta from previous captured frame: 0.021660099 seconds]
      [Time delta from previous displayed frame: 0.021833611 seconds]
      [Time since reference or first frame: 5.335778355 seconds]
      Frame Number: 86
      Frame Length: 70 bytes (560 bits)
      Capture Length: 70 bytes (560 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
      [Coloring Rule Name: ICMP errors]
      [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
  Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
      Type: IPv4 (0x0800)
  Internet Protocol Version 4, Src: 62.115.184.35, Dst: 192.168.0.175
      0100 .... = Version: 4
      .... 0101 = Header Length: 20 bytes (5)
      Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
      Total Length: 56
      Identification: 0x0000 (0)
      Flags: 0x0000
      Time to live: 247
      Protocol: ICMP (1)
      Header checksum: 0x0bd3 [validation disabled]
      [Header checksum status: Unverified]
      Source: 62.115.184.35
      Destination: 192.168.0.175
  Internet Control Message Protocol
      Type: 11 (Time-to-live exceeded)
      Code: 0 (Time to live exceeded in transit)
      Checksum: 0xf03b [correct]
      [Checksum Status: Good]
      Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
          0100 .... = Version: 4
          .... 0101 = Header Length: 20 bytes (5)
          Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
          Total Length: 1500
          Identification: 0xa2c0 (41664)
          Flags: 0x2000, More fragments
          Time to live: 1
          Protocol: UDP (17)
          Header checksum: 0xba75 [validation disabled]
          [Header checksum status: Unverified]
          Source: 192.168.0.175
          Destination: 128.119.245.12
      User Datagram Protocol, Src Port: 45613, Dst Port: 33457
          Source Port: 45613
          Destination Port: 33457
          Length: 1980
          Checksum: 0xc828 [unverified]
          [Checksum Status: Unverified]
          [Stream index: 26]
```

No.	Time	Source	Destination	Protocol	Length	Info
89	5.361617880	192.168.0.1	192.168.0.175	ICMP	590	Time-to-live exceeded

```
  (Time to live exceeded in transit)
  Frame 89: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
      Interface id: 0 (wlp3s0)
      Encapsulation type: Ethernet (1)
      Arrival Time: Mar 28, 2020 09:48:03.856794149 EET
      [Time shift for this packet: 0.000000000 seconds]
      Epoch Time: 1585381683.856794149 seconds
      [Time delta from previous captured frame: 0.025666004 seconds]
      [Time delta from previous displayed frame: 0.025839525 seconds]
      [Time since reference or first frame: 5.361617880 seconds]
      Frame Number: 89
      Frame Length: 590 bytes (4720 bits)
      Capture Length: 590 bytes (4720 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
```

```
     [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
     [Coloring Rule Name: ICMP errors]
     [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
  Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
     Type: IPv4 (0x0800)
  Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175
     0100 .... = Version: 4
     .... 0101 = Header Length: 20 bytes (5)
     Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
     Total Length: 576
     Identification: 0xdaa4 (55972)
     Flags: 0x0000
     Time to live: 64
     Protocol: ICMP (1)
     Header checksum: 0x1b58 [validation disabled]
     [Header checksum status: Unverified]
     Source: 192.168.0.1
     Destination: 192.168.0.175
  Internet Control Message Protocol
     Type: 11 (Time-to-live exceeded)
     Code: 0 (Time to live exceeded in transit)
     Checksum: 0x82cb [correct]
     [Checksum Status: Good]
     Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa2a5 (41637)
        Flags: 0x0000
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xd89c [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 43288, Dst Port: 33435
        Source Port: 43288
        Destination Port: 33435
        Length: 1980
        Checksum: 0xd153 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 3]
     Data (520 bytes)
  0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  0080  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0090  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  00a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  00b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  00c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  00d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  00e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  00f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  0100  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0110  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  0120  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  0130  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  0140  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0150  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  0160  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  0170  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  0180  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
  0190  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
  01a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
  01b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
  01c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
```

```
01d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
01e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
01f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0200  40 41 42 43 44 45 46 47                            @ABCDEFG
```

No.	Time	Source	Destination	Protocol	Length	Info
90	5.361636247	192.168.0.1	192.168.0.175	ICMP	590	Time-to-live exceeded

(Time to live exceeded in transit)
Frame 90: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.856812516 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.856812516 seconds
    [Time delta from previous captured frame: 0.000018367 seconds]
    [Time delta from previous displayed frame: 0.000018367 seconds]
    [Time since reference or first frame: 5.361636247 seconds]
    Frame Number: 90
    Frame Length: 590 bytes (4720 bits)
    Capture Length: 590 bytes (4720 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
    Total Length: 576
    Identification: 0xdaa5 (55973)
    Flags: 0x0000
    Time to live: 64
    Protocol: ICMP (1)
    Header checksum: 0x1b57 [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.168.0.1
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0x82cb [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa2a6 (41638)
        Flags: 0x0000
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xd89b [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 53964, Dst Port: 33436
        Source Port: 53964
        Destination Port: 33436
        Length: 1980
        Checksum: 0xa79e [unverified]
        [Checksum Status: Unverified]
        [Stream index: 4]
    Data (520 bytes)
```

```
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
```

```
0080   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0090   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
00a0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
00b0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
00c0   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
00d0   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
00e0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
00f0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0100   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0110   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
0120   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
0130   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0140   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0150   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
0160   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
0170   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0180   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
0190   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
01a0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
01b0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
01c0   40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f    @ABCDEFGHIJKLMNO
01d0   50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f    PQRSTUVWXYZ[\]^_
01e0   60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f    `abcdefghijklmno
01f0   70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f    pqrstuvwxyz{|}~.
0200   40 41 42 43 44 45 46 47                            @ABCDEFG
```

No.	Time	Source	Destination	Protocol	Length	Info
91	5.361638899	81.23.23.77	192.168.0.175	ICMP	70	Time-to-live exceeded

(Time to live exceeded in transit)
Frame 91: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.856815168 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.856815168 seconds
    [Time delta from previous captured frame: 0.000002652 seconds]
    [Time delta from previous displayed frame: 0.000002652 seconds]
    [Time since reference or first frame: 5.361638899 seconds]
    Frame Number: 91
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0043 (67)
    Flags: 0x0000
    Time to live: 251
    Protocol: ICMP (1)
    Header checksum: 0x9506 [validation disabled]
    [Header checksum status: Unverified]
    Source: 81.23.23.77
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2aa (41642)
        Flags: 0x2000, More fragments
        Time to live: 1

```
            Protocol: UDP (17)
            Header checksum: 0xba8b [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 36753, Dst Port: 33440
            Source Port: 36753
            Destination Port: 33440
            Length: 1980
            Checksum: 0xead5 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 8]
No.      Time            Source                Destination           Protocol Length Info
      92 5.361648740     81.23.23.77           192.168.0.175         ICMP     70     Time-to-live exceeded
  (Time to live exceeded in transit)
Frame 92: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.856825009 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.856825009 seconds
    [Time delta from previous captured frame: 0.000009841 seconds]
    [Time delta from previous displayed frame: 0.000009841 seconds]
    [Time since reference or first frame: 5.361648740 seconds]
    Frame Number: 92
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0044 (68)
    Flags: 0x0000
    Time to live: 251
    Protocol: ICMP (1)
    Header checksum: 0x9505 [validation disabled]
    [Header checksum status: Unverified]
    Source: 81.23.23.77
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2ab (41643)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba8a [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 55136, Dst Port: 33441
        Source Port: 55136
        Destination Port: 33441
        Length: 1980
        Checksum: 0xa305 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 9]
No.      Time            Source                Destination           Protocol Length Info
```

```
      93 5.361652733      81.23.23.77                192.168.0.175             ICMP      70      Time-to-live exceeded
  (Time to live exceeded in transit)
  Frame 93: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
      Interface id: 0 (wlp3s0)
      Encapsulation type: Ethernet (1)
      Arrival Time: Mar 28, 2020 09:48:03.856829002 EET
      [Time shift for this packet: 0.000000000 seconds]
      Epoch Time: 1585381683.856829002 seconds
      [Time delta from previous captured frame: 0.000003993 seconds]
      [Time delta from previous displayed frame: 0.000003993 seconds]
      [Time since reference or first frame: 5.361652733 seconds]
      Frame Number: 93
      Frame Length: 70 bytes (560 bits)
      Capture Length: 70 bytes (560 bits)
      [Frame is marked: False]
      [Frame is ignored: False]
      [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
      [Coloring Rule Name: ICMP errors]
      [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
  Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
      Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
      Type: IPv4 (0x0800)
  Internet Protocol Version 4, Src: 81.23.23.77, Dst: 192.168.0.175
      0100 .... = Version: 4
      .... 0101 = Header Length: 20 bytes (5)
      Differentiated Services Field: 0xc0 (DSCP: CS6, ECN: Not-ECT)
      Total Length: 56
      Identification: 0x0045 (69)
      Flags: 0x0000
      Time to live: 251
      Protocol: ICMP (1)
      Header checksum: 0x9504 [validation disabled]
      [Header checksum status: Unverified]
      Source: 81.23.23.77
      Destination: 192.168.0.175
  Internet Control Message Protocol
      Type: 11 (Time-to-live exceeded)
      Code: 0 (Time to live exceeded in transit)
      Checksum: 0xf03b [correct]
      [Checksum Status: Good]
      Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
          0100 .... = Version: 4
          .... 0101 = Header Length: 20 bytes (5)
          Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
          Total Length: 1500
          Identification: 0xa2ac (41644)
          Flags: 0x2000, More fragments
          Time to live: 1
          Protocol: UDP (17)
          Header checksum: 0xba89 [validation disabled]
          [Header checksum status: Unverified]
          Source: 192.168.0.175
          Destination: 128.119.245.12
      User Datagram Protocol, Src Port: 36531, Dst Port: 33442
          Source Port: 36531
          Destination Port: 33442
          Length: 1980
          Checksum: 0xebb1 [unverified]
          [Checksum Status: Unverified]
          [Stream index: 10]
No.       Time            Source                   Destination             Protocol Length Info
     100 5.450895627      4.71.230.234               192.168.0.175             ICMP      70      Time-to-live exceeded
  (Time to live exceeded in transit)
  Frame 100: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
      Interface id: 0 (wlp3s0)
      Encapsulation type: Ethernet (1)
      Arrival Time: Mar 28, 2020 09:48:03.946071896 EET
      [Time shift for this packet: 0.000000000 seconds]
      Epoch Time: 1585381683.946071896 seconds
      [Time delta from previous captured frame: 0.089034591 seconds]
      [Time delta from previous displayed frame: 0.089242894 seconds]
      [Time since reference or first frame: 5.450895627 seconds]
      Frame Number: 100
      Frame Length: 70 bytes (560 bits)
```

```
        Capture Length: 70 bytes (560 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 4.71.230.234, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 239
        Protocol: ICMP (1)
        Header checksum: 0x1f38 [validation disabled]
        [Header checksum status: Unverified]
        Source: 4.71.230.234
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2c4 (41668)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba71 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 42479, Dst Port: 33461
            Source Port: 42479
            Destination Port: 33461
            Length: 1980
            Checksum: 0xd462 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 30]
No.     Time            Source                  Destination             Protocol Length Info
    101 5.450943754     4.71.230.234            192.168.0.175           ICMP     70      Time-to-live exceeded
    (Time to live exceeded in transit)
    Frame 101: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
        Interface id: 0 (wlp3s0)
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:03.946120023 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381683.946120023 seconds
        [Time delta from previous captured frame: 0.000048127 seconds]
        [Time delta from previous displayed frame: 0.000048127 seconds]
        [Time since reference or first frame: 5.450943754 seconds]
        Frame Number: 101
        Frame Length: 70 bytes (560 bits)
        Capture Length: 70 bytes (560 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 4.71.230.234, Dst: 192.168.0.175
        0100 .... = Version: 4
```

```
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 239
        Protocol: ICMP (1)
        Header checksum: 0x1f38 [validation disabled]
        [Header checksum status: Unverified]
        Source: 4.71.230.234
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2c5 (41669)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba70 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 60538, Dst Port: 33462
            Source Port: 60538
            Destination Port: 33462
            Length: 1980
            Checksum: 0x8dd6 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 31]
No.     Time           Source                Destination           Protocol Length Info
    106 5.453347399    4.71.230.234          192.168.0.175         ICMP     70    Time-to-live exceeded
(Time to live exceeded in transit)
Frame 106: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.948523668 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.948523668 seconds
    [Time delta from previous captured frame: 0.002188335 seconds]
    [Time delta from previous displayed frame: 0.002403645 seconds]
    [Time since reference or first frame: 5.453347399 seconds]
    Frame Number: 106
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 4.71.230.234, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 239
    Protocol: ICMP (1)
    Header checksum: 0x1f38 [validation disabled]
    [Header checksum status: Unverified]
    Source: 4.71.230.234
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
```

```
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2c6 (41670)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba6f [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 34540, Dst Port: 33463
            Source Port: 34540
            Destination Port: 33463
            Length: 1980
            Checksum: 0xf363 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 32]
No.     Time           Source                Destination           Protocol Length Info
    109 5.495686293    192.80.83.113         192.168.0.175         ICMP     70     Time-to-live exceeded
  (Time to live exceeded in transit)
Frame 109: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.990862562 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.990862562 seconds
    [Time delta from previous captured frame: 0.042194009 seconds]
    [Time delta from previous displayed frame: 0.042338894 seconds]
    [Time since reference or first frame: 5.495686293 seconds]
    Frame Number: 109
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.80.83.113, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 238
    Protocol: ICMP (1)
    Header checksum: 0xf7a7 [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.80.83.113
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2c9 (41673)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba6c [validation disabled]
```

```
         [Header checksum status: Unverified]
         Source: 192.168.0.175
         Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 58869, Dst Port: 33464
         Source Port: 58869
         Destination Port: 33464
         Length: 1980
         Checksum: 0x9459 [unverified]
         [Checksum Status: Unverified]
         [Stream index: 33]
No.      Time            Source                 Destination            Protocol Length Info
     112 5.500826294     192.80.83.113          192.168.0.175          ICMP     70     Time-to-live exceeded
 (Time to live exceeded in transit)
 Frame 112: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
     Interface id: 0 (wlp3s0)
     Encapsulation type: Ethernet (1)
     Arrival Time: Mar 28, 2020 09:48:03.996002563 EET
     [Time shift for this packet: 0.000000000 seconds]
     Epoch Time: 1585381683.996002563 seconds
     [Time delta from previous captured frame: 0.004966587 seconds]
     [Time delta from previous displayed frame: 0.005140001 seconds]
     [Time since reference or first frame: 5.500826294 seconds]
     Frame Number: 112
     Frame Length: 70 bytes (560 bits)
     Capture Length: 70 bytes (560 bits)
     [Frame is marked: False]
     [Frame is ignored: False]
     [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
     [Coloring Rule Name: ICMP errors]
     [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
 icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
 Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
     Type: IPv4 (0x0800)
 Internet Protocol Version 4, Src: 192.80.83.113, Dst: 192.168.0.175
     0100 .... = Version: 4
     .... 0101 = Header Length: 20 bytes (5)
     Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
     Total Length: 56
     Identification: 0x0000 (0)
     Flags: 0x0000
     Time to live: 238
     Protocol: ICMP (1)
     Header checksum: 0xf7a7 [validation disabled]
     [Header checksum status: Unverified]
     Source: 192.80.83.113
     Destination: 192.168.0.175
 Internet Control Message Protocol
     Type: 11 (Time-to-live exceeded)
     Code: 0 (Time to live exceeded in transit)
     Checksum: 0xf03b [correct]
     [Checksum Status: Good]
     Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
         0100 .... = Version: 4
         .... 0101 = Header Length: 20 bytes (5)
         Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
         Total Length: 1500
         Identification: 0xa2ce (41678)
         Flags: 0x2000, More fragments
         Time to live: 1
         Protocol: UDP (17)
         Header checksum: 0xba67 [validation disabled]
         [Header checksum status: Unverified]
         Source: 192.168.0.175
         Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 44017, Dst Port: 33465
         Source Port: 44017
         Destination Port: 33465
         Length: 1980
         Checksum: 0xce5c [unverified]
         [Checksum Status: Unverified]
         [Stream index: 34]
No.      Time            Source                 Destination            Protocol Length Info
     113 5.500847623     192.80.83.113          192.168.0.175          ICMP     70     Time-to-live exceeded
 (Time to live exceeded in transit)
```

```
Frame 113: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.996023892 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.996023892 seconds
    [Time delta from previous captured frame: 0.000021329 seconds]
    [Time delta from previous displayed frame: 0.000021329 seconds]
    [Time since reference or first frame: 5.500847623 seconds]
    Frame Number: 113
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.80.83.113, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 238
    Protocol: ICMP (1)
    Header checksum: 0xf7a7 [validation disabled]
    [Header checksum status: Unverified]
    Source: 192.80.83.113
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2cf (41679)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba66 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 57320, Dst Port: 33466
        Source Port: 57320
        Destination Port: 33466
        Length: 1980
        Checksum: 0x9a64 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 35]
No.     Time           Source                Destination           Protocol Length Info
    118 5.503544711    128.119.0.10          192.168.0.175         ICMP     70     Time-to-live exceeded
(Time to live exceeded in transit)
Frame 118: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:03.998720980 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381683.998720980 seconds
    [Time delta from previous captured frame: 0.002545633 seconds]
    [Time delta from previous displayed frame: 0.002697088 seconds]
    [Time since reference or first frame: 5.503544711 seconds]
    Frame Number: 118
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
```

```
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 128.119.0.10, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 237
        Protocol: ICMP (1)
        Header checksum: 0x8be8 [validation disabled]
        [Header checksum status: Unverified]
        Source: 128.119.0.10
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2d0 (41680)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba65 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 45436, Dst Port: 33467
            Source Port: 45436
            Destination Port: 33467
            Length: 1980
            Checksum: 0xc8cf [unverified]
            [Checksum Status: Unverified]
            [Stream index: 36]
No.     Time            Source              Destination         Protocol Length Info
    121 5.581000768     128.119.0.10        192.168.0.175       ICMP     70     Time-to-live exceeded
    (Time to live exceeded in transit)
    Frame 121: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
        Interface id: 0 (wlp3s0)
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:04.076177037 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381684.076177037 seconds
        [Time delta from previous captured frame: 0.077328185 seconds]
        [Time delta from previous displayed frame: 0.077456057 seconds]
        [Time since reference or first frame: 5.581000768 seconds]
        Frame Number: 121
        Frame Length: 70 bytes (560 bits)
        Capture Length: 70 bytes (560 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 128.119.0.10, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
```

```
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 237
        Protocol: ICMP (1)
        Header checksum: 0x8be8 [validation disabled]
        [Header checksum status: Unverified]
        Source: 128.119.0.10
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2e1 (41697)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba54 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 41945, Dst Port: 33468
            Source Port: 41945
            Destination Port: 33468
            Length: 1980
            Checksum: 0xd671 [unverified]
            [Checksum Status: Unverified]
            [Stream index: 37]
No.     Time            Source                 Destination            Protocol Length Info
    122 5.581032732     128.119.0.10           192.168.0.175          ICMP     70     Time-to-live exceeded
(Time to live exceeded in transit)
Frame 122: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:04.076209001 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381684.076209001 seconds
    [Time delta from previous captured frame: 0.000031964 seconds]
    [Time delta from previous displayed frame: 0.000031964 seconds]
    [Time since reference or first frame: 5.581032732 seconds]
    Frame Number: 122
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 128.119.0.10, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 237
        Protocol: ICMP (1)
        Header checksum: 0x8be8 [validation disabled]
        [Header checksum status: Unverified]
        Source: 128.119.0.10
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
```

```
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2e2 (41698)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba53 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 40986, Dst Port: 33469
            Source Port: 40986
            Destination Port: 33469
            Length: 1980
            Checksum: 0xda2f [unverified]
            [Checksum Status: Unverified]
            [Stream index: 38]
No.      Time            Source              Destination         Protocol Length Info
    127 5.593033297     128.119.3.32        192.168.0.175       ICMP     70      Time-to-live exceeded
  (Time to live exceeded in transit)
Frame 127: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:04.088209566 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381684.088209566 seconds
    [Time delta from previous captured frame: 0.011810735 seconds]
    [Time delta from previous displayed frame: 0.012000565 seconds]
    [Time since reference or first frame: 5.593033297 seconds]
    Frame Number: 127
    Frame Length: 70 bytes (560 bits)
    Capture Length: 70 bytes (560 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
  icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.3.32, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 56
    Identification: 0x0000 (0)
    Flags: 0x0000
    Time to live: 234
    Protocol: ICMP (1)
    Header checksum: 0x8bd2 [validation disabled]
    [Header checksum status: Unverified]
    Source: 128.119.3.32
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 11 (Time-to-live exceeded)
    Code: 0 (Time to live exceeded in transit)
    Checksum: 0xf03b [correct]
    [Checksum Status: Good]
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 1500
        Identification: 0xa2e3 (41699)
        Flags: 0x2000, More fragments
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xba52 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
```

```
           Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 54389, Dst Port: 33470
           Source Port: 54389
           Destination Port: 33470
           Length: 1980
           Checksum: 0xa5d3 [unverified]
           [Checksum Status: Unverified]
           [Stream index: 39]
No.      Time           Source                Destination          Protocol Length Info
    130 5.635877084    128.119.3.32          192.168.0.175        ICMP     70     Time-to-live exceeded
(Time to live exceeded in transit)
Frame 130: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
     Interface id: 0 (wlp3s0)
     Encapsulation type: Ethernet (1)
     Arrival Time: Mar 28, 2020 09:48:04.131053353 EET
     [Time shift for this packet: 0.000000000 seconds]
     Epoch Time: 1585381684.131053353 seconds
     [Time delta from previous captured frame: 0.042659832 seconds]
     [Time delta from previous displayed frame: 0.042843787 seconds]
     [Time since reference or first frame: 5.635877084 seconds]
     Frame Number: 130
     Frame Length: 70 bytes (560 bits)
     Capture Length: 70 bytes (560 bits)
     [Frame is marked: False]
     [Frame is ignored: False]
     [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
     [Coloring Rule Name: ICMP errors]
     [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
     Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.3.32, Dst: 192.168.0.175
     0100 .... = Version: 4
     .... 0101 = Header Length: 20 bytes (5)
     Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
     Total Length: 56
     Identification: 0x0000 (0)
     Flags: 0x0000
     Time to live: 234
     Protocol: ICMP (1)
     Header checksum: 0x8bd2 [validation disabled]
     [Header checksum status: Unverified]
     Source: 128.119.3.32
     Destination: 192.168.0.175
Internet Control Message Protocol
     Type: 11 (Time-to-live exceeded)
     Code: 0 (Time to live exceeded in transit)
     Checksum: 0xf03b [correct]
     [Checksum Status: Good]
     Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
           0100 .... = Version: 4
           .... 0101 = Header Length: 20 bytes (5)
           Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
           Total Length: 1500
           Identification: 0xa2ec (41708)
           Flags: 0x2000, More fragments
           Time to live: 1
           Protocol: UDP (17)
           Header checksum: 0xba49 [validation disabled]
           [Header checksum status: Unverified]
           Source: 192.168.0.175
           Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 42243, Dst Port: 33471
           Source Port: 42243
           Destination Port: 33471
           Length: 1980
           Checksum: 0xd544 [unverified]
           [Checksum Status: Unverified]
           [Stream index: 40]
No.      Time           Source                Destination          Protocol Length Info
    133 5.640656113    128.119.3.32          192.168.0.175        ICMP     70     Time-to-live exceeded
(Time to live exceeded in transit)
Frame 133: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface 0
     Interface id: 0 (wlp3s0)
```

```
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:04.135832382 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381684.135832382 seconds
        [Time delta from previous captured frame: 0.004587968 seconds]
        [Time delta from previous displayed frame: 0.004779029 seconds]
        [Time since reference or first frame: 5.640656113 seconds]
        Frame Number: 133
        Frame Length: 70 bytes (560 bits)
        Capture Length: 70 bytes (560 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp]
        [Coloring Rule Name: ICMP errors]
        [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
    icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
    Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
        Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
        Type: IPv4 (0x0800)
    Internet Protocol Version 4, Src: 128.119.3.32, Dst: 192.168.0.175
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
        Total Length: 56
        Identification: 0x0000 (0)
        Flags: 0x0000
        Time to live: 234
        Protocol: ICMP (1)
        Header checksum: 0x8bd2 [validation disabled]
        [Header checksum status: Unverified]
        Source: 128.119.3.32
        Destination: 192.168.0.175
    Internet Control Message Protocol
        Type: 11 (Time-to-live exceeded)
        Code: 0 (Time to live exceeded in transit)
        Checksum: 0xf03b [correct]
        [Checksum Status: Good]
        Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
            0100 .... = Version: 4
            .... 0101 = Header Length: 20 bytes (5)
            Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
            Total Length: 1500
            Identification: 0xa2ed (41709)
            Flags: 0x2000, More fragments
            Time to live: 1
            Protocol: UDP (17)
            Header checksum: 0xba48 [validation disabled]
            [Header checksum status: Unverified]
            Source: 192.168.0.175
            Destination: 128.119.245.12
        User Datagram Protocol, Src Port: 47015, Dst Port: 33472
            Source Port: 47015
            Destination Port: 33472
            Length: 1980
            Checksum: 0xc29f [unverified]
            [Checksum Status: Unverified]
            [Stream index: 41]
No.     Time            Source              Destination         Protocol Length Info
    136 5.722119608     128.119.245.12      192.168.0.175       ICMP     590     Destination unreachable
    (Host administratively prohibited)
    Frame 136: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
        Interface id: 0 (wlp3s0)
        Encapsulation type: Ethernet (1)
        Arrival Time: Mar 28, 2020 09:48:04.217295877 EET
        [Time shift for this packet: 0.000000000 seconds]
        Epoch Time: 1585381684.217295877 seconds
        [Time delta from previous captured frame: 0.081283210 seconds]
        [Time delta from previous displayed frame: 0.081463495 seconds]
        [Time since reference or first frame: 5.722119608 seconds]
        Frame Number: 136
        Frame Length: 590 bytes (4720 bits)
        Capture Length: 590 bytes (4720 bits)
        [Frame is marked: False]
        [Frame is ignored: False]
        [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
```

```
     [Coloring Rule Name: ICMP errors]
     [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
   icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
   Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
     Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
     Type: IPv4 (0x0800)
   Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.175
     0100 .... = Version: 4
     .... 0101 = Header Length: 20 bytes (5)
     Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
     Total Length: 576
     Identification: 0xefd9 (61401)
     Flags: 0x0000
     Time to live: 41
     Protocol: ICMP (1)
     Header checksum: 0x6904 [validation disabled]
     [Header checksum status: Unverified]
     Source: 128.119.245.12
     Destination: 192.168.0.175
   Internet Control Message Protocol
     Type: 3 (Destination unreachable)
     Code: 10 (Host administratively prohibited)
     Checksum: 0x8ac1 [correct]
     [Checksum Status: Good]
     Unused: 00000000
     Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa300 (41728)
        Flags: 0x0000
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xd841 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
     User Datagram Protocol, Src Port: 36726, Dst Port: 33476
        Source Port: 36726
        Destination Port: 33476
        Length: 1980
        Checksum: 0xeacc [unverified]
        [Checksum Status: Unverified]
        [Stream index: 45]
     Data (520 bytes)
   0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   0080  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0090  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   00a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   00b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   00c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   00d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   00e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   00f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   0100  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0110  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   0120  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   0130  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   0140  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0150  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   0160  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   0170  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   0180  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
   0190  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
   01a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
   01b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
   01c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
```

```
01d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0200  40 41 42 43 44 45 46 47                           @ABCDEFG
```

No.	Time	Source	Destination	Protocol	Length	Info
139	5.734377916	128.119.245.12	192.168.0.175	ICMP	590	Destination unreachable

(Host administratively prohibited)
Frame 139: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:04.229554185 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381684.229554185 seconds
    [Time delta from previous captured frame: 0.005605525 seconds]
    [Time delta from previous displayed frame: 0.012258308 seconds]
    [Time since reference or first frame: 5.734377916 seconds]
    Frame Number: 139
    Frame Length: 590 bytes (4720 bits)
    Capture Length: 590 bytes (4720 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 576
    Identification: 0xefde (61406)
    Flags: 0x0000
    Time to live: 41
    Protocol: ICMP (1)
    Header checksum: 0x68ff [validation disabled]
    [Header checksum status: Unverified]
    Source: 128.119.245.12
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 3 (Destination unreachable)
    Code: 10 (Host administratively prohibited)
    Checksum: 0x8ac1 [correct]
    [Checksum Status: Good]
    Unused: 00000000
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa303 (41731)
        Flags: 0x0000
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xd83e [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 40153, Dst Port: 33477
        Source Port: 40153
        Destination Port: 33477
        Length: 1980
        Checksum: 0xdd68 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 46]
    Data (520 bytes)
```

```
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
```

```
0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0080  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0090  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
00c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
00d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0100  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0110  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0120  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0130  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0140  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0150  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0160  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0170  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0180  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0190  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
01c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
01d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0200  40 41 42 43 44 45 46 47                           @ABCDEFG
```

```
No.      Time            Source               Destination          Protocol Length Info
    140 5.776775716     128.119.245.12       192.168.0.175        ICMP     590     Destination unreachable
(Host administratively prohibited)
Frame 140: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:04.271951985 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381684.271951985 seconds
    [Time delta from previous captured frame: 0.042397800 seconds]
    [Time delta from previous displayed frame: 0.042397800 seconds]
    [Time since reference or first frame: 5.776775716 seconds]
    Frame Number: 140
    Frame Length: 590 bytes (4720 bits)
    Capture Length: 590 bytes (4720 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 576
    Identification: 0xeff4 (61428)
    Flags: 0x0000
    Time to live: 41
    Protocol: ICMP (1)
    Header checksum: 0x68e9 [validation disabled]
    [Header checksum status: Unverified]
    Source: 128.119.245.12
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 3 (Destination unreachable)
    Code: 10 (Host administratively prohibited)
    Checksum: 0x8ac1 [correct]
    [Checksum Status: Good]
    Unused: 00000000
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa308 (41736)
```

```
        Flags: 0x0000
        Time to live: 1
        Protocol: UDP (17)
        Header checksum: 0xd839 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 55541, Dst Port: 33478
        Source Port: 55541
        Destination Port: 33478
        Length: 1980
        Checksum: 0xa14b [unverified]
        [Checksum Status: Unverified]
        [Stream index: 47]
    Data (520 bytes)
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0080  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0090  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
00c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
00d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0100  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0110  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0120  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0130  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0140  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0150  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0160  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0170  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0180  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0190  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
01c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
01d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0200  40 41 42 43 44 45 46 47                           @ABCDEFG
```

No.	Time	Source	Destination	Protocol	Length	Info
141	5.781731147	128.119.245.12	192.168.0.175	ICMP	590	Destination unreachable (Host administratively prohibited)

```
Frame 141: 590 bytes on wire (4720 bits), 590 bytes captured (4720 bits) on interface 0
    Interface id: 0 (wlp3s0)
    Encapsulation type: Ethernet (1)
    Arrival Time: Mar 28, 2020 09:48:04.276907416 EET
    [Time shift for this packet: 0.000000000 seconds]
    Epoch Time: 1585381684.276907416 seconds
    [Time delta from previous captured frame: 0.004955431 seconds]
    [Time delta from previous displayed frame: 0.004955431 seconds]
    [Time since reference or first frame: 5.781731147 seconds]
    Frame Number: 141
    Frame Length: 590 bytes (4720 bits)
    Capture Length: 590 bytes (4720 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:icmp:ip:udp:data]
    [Coloring Rule Name: ICMP errors]
    [Coloring Rule String: icmp.type eq 3 || icmp.type eq 4 || icmp.type eq 5 || icmp.type eq 11 ||
icmpv6.type eq 1 || icmpv6.type eq 2 || icmpv6.type eq 3 || icmpv6.type eq 4]
Ethernet II, Src: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0), Dst: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Destination: Azurewav_32:75:4b (dc:85:de:32:75:4b)
    Source: TendaTec_b5:dc:f0 (04:95:e6:b5:dc:f0)
    Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.0.175
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
```

```
    Differentiated Services Field: 0x04 (DSCP: Unknown, ECN: Not-ECT)
    Total Length: 576
    Identification: 0xeff7 (61431)
    Flags: 0x0000
    Time to live: 41
    Protocol: ICMP (1)
    Header checksum: 0x68e6 [validation disabled]
    [Header checksum status: Unverified]
    Source: 128.119.245.12
    Destination: 192.168.0.175
Internet Control Message Protocol
    Type: 3 (Destination unreachable)
    Code: 10 (Host administratively prohibited)
    Checksum: 0x8ac1 [correct]
    [Checksum Status: Good]
    Unused: 00000000
    Internet Protocol Version 4, Src: 192.168.0.175, Dst: 128.119.245.12
        0100 .... = Version: 4
        .... 0101 = Header Length: 20 bytes (5)
        Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        Total Length: 2000
        Identification: 0xa309 (41737)
        Flags: 0x0000
        Time to live: 2
        Protocol: UDP (17)
        Header checksum: 0xd738 [validation disabled]
        [Header checksum status: Unverified]
        Source: 192.168.0.175
        Destination: 128.119.245.12
    User Datagram Protocol, Src Port: 42886, Dst Port: 33479
        Source Port: 42886
        Destination Port: 33479
        Length: 1980
        Checksum: 0xd2b9 [unverified]
        [Checksum Status: Unverified]
        [Stream index: 48]
    Data (520 bytes)
0000  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0010  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0020  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0030  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0040  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0050  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0060  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0070  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0080  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0090  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
00c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
00d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
00e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
00f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0100  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0110  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0120  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0130  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0140  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0150  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
0160  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
0170  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0180  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
0190  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01a0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01b0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
01c0  40 41 42 43 44 45 46 47 48 49 4a 4b 4c 4d 4e 4f   @ABCDEFGHIJKLMNO
01d0  50 51 52 53 54 55 56 57 58 59 5a 5b 5c 5d 5e 5f   PQRSTUVWXYZ[\]^_
01e0  60 61 62 63 64 65 66 67 68 69 6a 6b 6c 6d 6e 6f   `abcdefghijklmno
01f0  70 71 72 73 74 75 76 77 78 79 7a 7b 7c 7d 7e 7f   pqrstuvwxyz{|}~.
0200  40 41 42 43 44 45 46 47                           @ABCDEFG
```