

No.	Time	Source	Destination	Protocol	Length	Info
95	2.105574	192.168.0.221	194.44.29.242	HTTP	518	GET /index.html HTTP/1.1

Frame 95: 518 bytes on wire (4144 bits), 518 bytes captured (4144 bits) on interface \Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B}, id 0

Interface id: 0 (\Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B})

Interface name: \Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B}

Interface description: Ethernet

Encapsulation type: Ethernet (1)

Arrival Time: May 8, 2020 11:21:25.885962000 RTZ 2 (зима)

[Time shift for this packet: 0.00000000 seconds]

Epoch Time: 1588926085.885962000 seconds

[Time delta from previous captured frame: 0.000210000 seconds]

[Time delta from previous displayed frame: 0.000000000 seconds]

[Time since reference or first frame: 2.105574000 seconds]

Frame Number: 95

Frame Length: 518 bytes (4144 bits)

Capture Length: 518 bytes (4144 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:tcp:http]

[Coloring Rule Name: HTTP]

[Coloring Rule String: http || tcp.port == 80 || http2]

Ethernet II, Src: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6), Dst: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32)

Destination: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32)

Address: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32)

.... 0. = LG bit: Globally unique address (factory default)

.... 0. = IG bit: Individual address (unicast)

Source: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6)

Address: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6)

.... 0. = LG bit: Globally unique address (factory default)

.... 0. = IG bit: Individual address (unicast)

Type: IPv4 (0x0800)

Internet Protocol Version 4, Src: 192.168.0.221, Dst: 194.44.29.242

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

0000 00.. = Differentiated Services Codepoint: Default (0)

.... 00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

Total Length: 504

Identification: 0x74f7 (29943)

Flags: 0x4000, Don't fragment

0... = Reserved bit: Not set

.1.. = Don't fragment: Set

..0. = More fragments: Not set

Fragment offset: 0

Time to live: 128

Protocol: TCP (6)

Header checksum: 0x0000 [validation disabled]

[Header checksum status: Unverified]

Source: 192.168.0.221

Destination: 194.44.29.242

Transmission Control Protocol, Src Port: 1455, Dst Port: 80, Seq: 1, Ack: 1, Len: 452

Source Port: 1455

Destination Port: 80

[Stream index: 2]

[TCP Segment Len: 452]

Sequence number: 1 (relative sequence number)

Sequence number (raw): 206271682

[Next sequence number: 453 (relative sequence number)]

Acknowledgment number: 1 (relative ack number)

Acknowledgment number (raw): 455644613

1000 = Header Length: 32 bytes (8)

Flags: 0x018 (PSH, ACK)

000. = Reserved: Not set

...0 = Nonce: Not set

.... 0... = Congestion Window Reduced (CWR): Not set

.... 0... = ECN-Echo: Not set

.... 0... = Urgent: Not set

.... 1... = Acknowledgment: Set

.... 1... = Push: Set

.... 0... = Reset: Not set

.... 0... = Syn: Not set

.... 0... = Fin: Not set

[TCP Flags:AP...]

Window size value: 514

[Calculated window size: 131584]

[Window size scaling factor: 256]

Checksum: 0xa38e [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps

TCP Option - No-Operation (NOP)

Kind: No-Operation (1)

TCP Option - No-Operation (NOP)

Kind: No-Operation (1)

TCP Option - Timestamps: TSval 153686781, TSecr 2499296999

Kind: Time Stamp Option (8)

Length: 10

Timestamp value: 153686781

Timestamp echo reply: 2499296999

[SEQ/ACK analysis]

[iRTT: 0.001896000 seconds]

[Bytes in flight: 452]

```
[Bytes sent since last PSH flag: 452]
[Timestamps]
[Time since first frame in this TCP stream: 0.002106000 seconds]
[Time since previous frame in this TCP stream: 0.000210000 seconds]
TCP payload (452 bytes)
Hypertext Transfer Protocol
GET /index.html HTTP/1.1\r\n
[Expert Info (Chat/Sequence): GET /index.html HTTP/1.1\r\n]
[GET /index.html HTTP/1.1\r\n]
[Severity level: Chat]
[Group: Sequence]
Request Method: GET
Request URI: /index.html
Request Version: HTTP/1.1
Host: 194.44.29.242\r\n
Connection: keep-alive\r\n
Upgrade-Insecure-Requests: 1\r\n
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/81.0.4044.129 Safari/537.36\r\n
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9\r\n
Accept-Encoding: gzip, deflate\r\n
Accept-Language: ru-RU,ru;q=0.9,en-US;q=0.8,en;q=0.7\r\n
\r\n
[Full request URI: http://194.44.29.242/index.html]
[HTTP request 1/1]
[Response in frame: 97]
No.      Time      Source      Destination      Protocol Length Info
  97  2.108210  194.44.29.242  192.168.0.221    HTTP      476    HTTP/1.1 404 Not Found (text/html)
Frame 97: 476 bytes on wire (3808 bits), 476 bytes captured (3808 bits) on interface \Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B}, id 0
Interface id: 0 (\Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B})
Interface name: \Device\NPF_{BFAC3FEF-F62E-41D4-A55F-2C7BBF9AE94B}
Interface description: Ethernet
Encapsulation type: Ethernet (1)
Arrival Time: May 8, 2020 11:21:25.888598000 RTZ 2 (зима)
[Time shift for this packet: 0.000000000 seconds]
Epoch Time: 1588926085.888598000 seconds
[Time delta from previous captured frame: 0.000791000 seconds]
[Time delta from previous displayed frame: 0.002636000 seconds]
[Time since reference or first frame: 2.108210000 seconds]
Frame Number: 97
Frame Length: 476 bytes (3808 bits)
Capture Length: 476 bytes (3808 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
[Coloring Rule Name: HTTP]
[Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32), Dst: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6)
Destination: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6)
Address: CompalIn_34:5c:e6 (98:28:a6:34:5c:e6)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Source: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32)
Address: Tp-LinkT_89:5f:32 (bc:46:99:89:5f:32)
.... 0. .... = LG bit: Globally unique address (factory default)
.... 0. .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 194.44.29.242, Dst: 192.168.0.221
0100 .... = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 462
Identification: 0xab2d (43821)
Flags: 0x4000, Don't fragment
0... .... = Reserved bit: Not set
.1.. .... = Don't fragment: Set
..0. .... = More fragments: Not set
Fragment offset: 0
Time to live: 128
Protocol: TCP (6)
Header checksum: 0xac58 [validation disabled]
[Header checksum status: Unverified]
Source: 194.44.29.242
Destination: 192.168.0.221
Transmission Control Protocol, Src Port: 80, Dst Port: 1455, Seq: 1, Ack: 453, Len: 410
Source Port: 80
Destination Port: 1455
[Stream index: 2]
[TCP Segment Len: 410]
Sequence number: 1 (relative sequence number)
Sequence number (raw): 455644613
[Next sequence number: 411 (relative sequence number)]
Acknowledgment number: 453 (relative ack number)
Acknowledgment number (raw): 206272134
1000 .... = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
000. .... = Reserved: Not set
...0 .... = Nonce: Not set
.... 0... = Congestion Window Reduced (CWR): Not set
.... .0.. = ECN-Echo: Not set
.... ..0. = Urgent: Not set
```

```
.... 1.... = Acknowledgment: Set
.... 1... = Push: Set
.... .0.. = Reset: Not set
.... ..0. = Syn: Not set
.... ...0 = Fin: Not set
[TCP Flags: .....AP...]
Window size value: 243
[Calculated window size: 15552]
[Window size scaling factor: 64]
Checksum: 0x885c [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - No-Operation (NOP)
    Kind: No-Operation (1)
  TCP Option - Timestamps: TSval 2499297002, TSecr 153686781
    Kind: Time Stamp Option (8)
    Length: 10
    Timestamp value: 2499297002
    Timestamp echo reply: 153686781
[SEQ/ACK analysis]
  [iRTT: 0.001896000 seconds]
  [Bytes in flight: 410]
  [Bytes sent since last PSH flag: 410]
[Timestamps]
  [Time since first frame in this TCP stream: 0.004742000 seconds]
  [Time since previous frame in this TCP stream: 0.000791000 seconds]
TCP payload (410 bytes)
Hypertext Transfer Protocol
HTTP/1.1 404 Not Found\r\n
  [Expert Info (Chat/Sequence): HTTP/1.1 404 Not Found\r\n]
  [HTTP/1.1 404 Not Found\r\n]
  [Severity level: Chat]
  [Group: Sequence]
  Response Version: HTTP/1.1
  Status Code: 404
  [Status Code Description: Not Found]
  Response Phrase: Not Found
Date: Fri, 08 May 2020 08:21:26 GMT\r\n
Server: Apache\r\n
Content-Length: 208\r\n
  [Content length: 208]
Keep-Alive: timeout=15, max=100\r\n
Connection: Keep-Alive\r\n
Content-Type: text/html; charset=iso-8859-1\r\n
\r\n
[HTTP response 1/1]
[Time since request: 0.002636000 seconds]
[Request in frame: 95]
[Request URI: http://194.44.29.242/index.html]
File Data: 208 bytes
Line-based text data: text/html (7 lines)
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">\n
<html><head>\n
<title>404 Not Found</title>\n
</head><body>\n
<h1>Not Found</h1>\n
<p>The requested URL /index.html was not found on this server.</p>\n
</body></html>\n
```