



МІНІСТЕРСТВО ОСВІТИ І НАУКИ УКРАЇНИ
ННК «ІІСА» НТУУ «КПІ ІМ. ІГОРЯ СІКОРСЬКОГО»
КАФЕДРА ММСА

Практична робота № 3
З курсу: «Комп'ютерні мережі»

Виконав:
Студент III курсу
Групи КА-73
Гаврюшин
П.А.
Прийняв: Кухарєв С.О.

Київ 2020

3.2.1

No. Time Source Destination Protocol Length Info
60 20.589855 192.168.0.106 192.168.0.1 DNS 72 Standard

query 0x5ee0 A www.ietf.org
Frame 60: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface en0, id 0

Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Internet Protocol Version 4, Src: 192.168.0.106,
Dst: User Datagram Protocol, Src Port: 52943, Dst Port: 53 Domain Name System (query)

Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) 192.168.0.1

No.

Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

www.ietf.org: type A, class IN Name: www.ietf.org
[Name Length: 12]
[Label Count: 3]

Type: A (Host Address) (1)
Class: IN (0x0001)
[Response In: 62]

Time Source
61 21.593510 192.168.0.106

Destination 192.168.0.1

Protocol Length Info
DNS 72 Standard
Transaction ID: 0x5ee0
Flags: 0x0100 Standard query

0... ..000 0... ..0.1

.... .. = Response: Message is a query
.... .. = Opcode: Standard query (0)
.... .. = Truncated: Message is not truncated = Recursion desired: Do query recursively .0..
= Z: reserved (0)
...0 = Non-authenticated data: Unacceptable

query 0x5ee0 A www.ietf.org
Frame 61: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface en0, id 0

Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Internet Protocol Version 4, Src: 192.168.0.106,
Dst: User Datagram Protocol, Src Port: 52943, Dst Port: 53 Domain Name System (query)

Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) 192.168.0.1

No.

Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

www.ietf.org: type A, class IN Name: www.ietf.org
[Name Length: 12]
[Label Count: 3]

Type: A (Host Address) (1)

Class: IN (0x0001)
[Retransmitted request. Original request in: 60] [Retransmission: True]

Time Source Destination 62 21.670330 192.168.0.1 192.168.0.106

Protocol Length Info
Transaction ID: 0x5ee0
Flags: 0x0100 Standard query

0... ..000 0... ..0.1

.... .. = Response: Message is a query
.... .. = Opcode: Standard query (0)
.... .. = Truncated: Message is not truncated = Recursion desired: Do query recursively .0..
= Z: reserved (0)
...0 = Non-authenticated data: Unacceptable

DNS 459 Standard query response 0x5ee0 A www.ietf.org CNAME www.ietf.org.cdn.cloudflare.net A 104.20.0.85 A

104.20.1.85 NS ns1.cloudflare.net NS ns4.cloudflare.net NS ns2.cloudflare.net NS ns3.cloudflare.net
NS ns5.cloudflare.net A 173.245.59.31 AAAA 2400:cb00:2049:1::adf5:3b1f A 198.41.222.131 AAAA
2400:cb00:2049:1::c629:de83 A 198.41.222.31 AAAA 2400:cb00:2049:1::c629:de1f A
198.41.223.131 AAAA 2400:cb00:2049:1::c629:df83 A 198.41.223.31 AAAA
2400:cb00:2049:1::c629:df1f
Frame 62: 459 bytes on wire (3672 bits), 459 bytes captured (3672 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)

/Users/mariia/Desktop/dump1.pcapng 6667 total packets, 7 shown

Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106 User Datagram Protocol, Src Port:
53, Dst Port: 52943
Domain Name System (response)

Transaction ID: 0x5ee0
Flags: 0x8180 Standard query response, No error

1... ..000 0... ..0.0.11... ..0.
..0.

authenticated by the server0

= Response: Message is a response
= Opcode: Standard query (0)
= Authoritative: Server is not an authority for domain

= Truncated: Message is not truncated
= Recursion desired: Do query recursively
= Recursion available: Server can do recursive queries
= Z: reserved (0)
= Answer authenticated: Answer/authority portion was not

= Non-authenticated data: Unacceptable = Reply code: No error (0)

.... 0000 Questions: 1

Answer RRs: 3
Authority RRs: 5
Additional RRs: 10
Queries

www.ietf.org: type A, class IN Name: www.ietf.org
[Name Length: 12]
[Label Count: 3]

 Type: A (Host Address) (1)
 Class: IN (0x0001)
Answers

Authoritative nameservers Additional records [Request In: 60]
[Time: 1.080475000

Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Internet Protocol Version 4, Src: 192.168.0.106,
Dst: User Datagram Protocol, Src Port: 55217, Dst Port: 53 Domain Name System (query)

No.

seconds]
Source
192.168.0.106 192.168.0.1 DNS 78 Standard

 Destination
Frame 346: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface en0, id 0

Time
346 22.780675

Protocol Length Info

query 0xc3f6 A analytics.ietf.org

No.

Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

analytics.ietf.org: type A, class IN Name: analytics.ietf.org
[Name Length: 18]
[Label Count: 3]

Type: A (Host Address) (1)
Class: IN (0x0001)
[Response In: 545]

Time Source
545 23.016499 192.168.0.1

Destination

Protocol Length Info
Transaction ID: 0xc3f6
Flags: 0x0100 Standard query

0... ..000 0... ..0.1

.... = Response: Message is a query
.... = Opcode: Standard query (0)
.... = Truncated: Message is not truncated = Recursion desired: Do query recursively .0..
= Z: reserved (0)
...0= Non-authenticated data: Unacceptable

192.168.0.106
query response 0xc3f6 A analytics.ietf.org CNAME ietf.org A 4.31.198.44 NS ns1.ams1.afiliast-

ns1.info NS ns1.mia1.afiliast-nst.info NS ns0.amsl.com NS ns1.yyz1.afiliast-nst.info NS
ns1.sea1.afiliast-nst.info NS ns1.hkg1.afiliast-nst.info A 4.31.198.40 AAAA 2001:1900:3001:11::28 A
65.22.6.79 AAAA 2001:500:6::79 A 65.22.6.1 AAAA 2a01:8840:6::1 A 65.22.7.1 AAAA
2a01:8840:7::1 A 65.22.8.1 AAAA 2a01:8840:8::1 A 65.22.9.1 AAAA 2a01:8840:9::1

Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) 192.168.0.1

DNS 529 Standard

/Users/mariia/Desktop/dump1.pcapng 6667 total packets, 7 shown

Frame 545: 529 bytes on wire (4232 bits), 529 bytes captured (4232 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 55217

Domain Name System (response)
Transaction ID: 0xc3f6
Flags: 0x8180 Standard query response, No error

1... ..000 0... ..0.0.1 1... ..0.
..0.

authenticated by the server

-0
- 0000 Questions: 1
- Answer RRs: 2
- Authority RRs: 6
- Additional RRs: 12
- Queries

analytics.ietf.org:
Name: analytics.ietf.org [Name Length: 18]
[Label Count: 3]
Type: A (Host Address) (1) Class: IN (0x0001)

Answers
Authoritative nameservers Additional records [Request In: 346]
[Time: 0.235824000]

= Response: Message is a response
= Opcode: Standard query (0)
= Authoritative: Server is not an authority for domain
= Truncated: Message is not truncated
= Recursion desired: Do query recursively
= Recursion available: Server can do recursive queries
= Z: reserved (0)
= Answer authenticated: Answer/authority portion was not

= Non-authenticated data: Unacceptable = Reply code: No error (0)

type A, class IN

seconds]
Source
192.168.0.106 192.168.0.1 DNS 96 Standard

Protocol Length Info
Frame 3167: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface en0, id 0

No. Time 3167 25.322207

Destination

query 0x40ba A ss-prod-ew1-notif-26.aws.adobess.com

Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Internet Protocol Version 4, Src: 192.168.0.106,
Dst: User Datagram Protocol, Src Port: 61123, Dst Port: 53 Domain Name System (query)

Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) 192.168.0.1

No.

Type: A (Host Address) (1)
Class: IN (0x0001)
[Response In: 3169]

Time Source 3169 25.331050 192.168.0.1

Destination

Protocol Length Info
Transaction ID: 0x40ba
Flags: 0x0100 Standard query

0... ..000 0... ..0.1

.... = Response: Message is a query
.... = Opcode: Standard query (0)
.... = Truncated: Message is not truncated = Recursion desired: Do query recursively .0..
= Z: reserved (0)
...0= Non-authenticated data: Unacceptable

Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

ss-prod-ew1-notif-26.aws.adobess.com: type A, class IN Name: ss-prod-ew1-notif-
26.aws.adobess.com
[Name Length: 36]
[Label Count: 4]

192.168.0.106
query response 0x40ba A ss-prod-ew1-notif-26.aws.adobess.com A 52.31 117.171 A 18.202.149.73
A

18.203.76.53 NS ns-1000.awsdns-61.net NS ns-1676.awsdns-17.co.uk NS ns-445.awsdns-55.com
NS ns-1326.awsdns-37.org A 205.251 193.189 A 205.251.195.232

DNS 314 Standard

/Users/mariia/Desktop/dump1.pcapng 6667 total packets, 7 shown

Frame 3169: 314 bytes on wire (2512 bits), 314 bytes captured (2512 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 61123

Domain Name System (response)
Transaction ID: 0x40ba
Flags: 0x8180 Standard query response, No error

1...000 0...0..0.1 1...0..
..0.

authenticated by the server0

.... 0000 Questions: 1

Answer RRs: 3
Authority RRs: 4
Additional RRs: 2
Queries
= Response: Message is a response
= Opcode: Standard query (0)
= Authoritative: Server is not an authority for domain
= Truncated: Message is not truncated
= Recursion desired: Do query recursively
= Recursion available: Server can do recursive queries
= Z: reserved (0)
= Answer authenticated: Answer/authority portion was not

= Non-authenticated data: Unacceptable = Reply code: No error (0)

ss-prod-ew1-notif-26.aws.adobess.com: type A, class IN Name: ss-prod-ew1-notif-26.aws.adobess.com

[Name Length: 36]

[Label Count: 4]

Type: A (Host Address) (1)

Class: IN (0x0001)

Answers

Authoritative nameservers Additional records [Request In: 3167]

[Time: 0.008843000 seconds]

3.2.2

No. Time Source Destination Protocol Length Info

9 0.622283 192.168.0.106 192.168.0.1 DNS 77 Standard

query 0x3691 A polka.typekit.com

Frame 9: 77 bytes on wire (616 bits), 77 bytes captured (616 bits) on interface en0, id 0 Ethernet II,

Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet

Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1

User Datagram Protocol, Src Port: 61610, Dst Port: 53

Domain Name System (query)

No.

Transaction ID: 0x3691

Flags: 0x0100 Standard query

Questions: 1

Answer RRs: 0

Authority RRs: 0

Additional RRs: 0

Queries

[Response In: 11]

Source

Destination

Protocol

Length Info 390 Standard 34.199.93.198 A

No.

Time Source

69 12.965187 192.168.0.106

Destination 192.168.0.1

Protocol Length Info

DNS 71 Standard

No.

Transaction ID: 0x075a
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 70]

Source

Destination

Protocol Length Info

Time
11 0.660230

192.168.0.1
query response 0x3691 A polka.typekit.com A 34.195.21.71 A 34.225.200.117 A

Transaction ID: 0x3691
Flags: 0x8180 Standard query response, No error Questions: 1
Answer RRs: 8
Authority RRs: 4
Additional RRs: 3
Queries
Answers
Authoritative nameservers
Additional records
[Request In: 9]
[Time: 0.037947000 seconds]

192.168.0.106

DNS

34.199.238.234 A 34.195.121.224 A 34.203.172.63 A 34.202.173.107 A 34.206.199.72 NS ns-964.awsdns-56.net NS ns-342.awsdns-42.com NS ns-1561.awsdns-03.co.uk NS ns-1260.awsdns-29.org A 205.251.193.86 A 205.251.195.196 A 205.251.196.236
Frame 11: 390 bytes on wire (3120 bits), 390 bytes captured (3120 bits) on interface en0, id 0 Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31) Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 61610
Domain Name System (response)

query 0x075a A www.mit.edu
Frame 69: 71 bytes on wire (568 bits), 71 bytes captured (568 bits) on interface en0, id 0 Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 65377, Dst Port: 53
Domain Name System (query)

Time
70 13.002524

192.168.0.1
query response 0x075a A www.mit.edu CNAME www.mit.edu.edgekey.net CNAME

e9566.dscb.akamaiedge.net A 92.123.2.59 NS n3dscb.akamaiedge.net NS n5dscb.akamaiedge.net
NS n6dscb.akamaiedge.net NS n7dscb.akamaiedge.net NS n0dscb.akamaiedge.net NS
n4dscb.akamaiedge.net NS n2dscb.akamaiedge.net NS n1dscb.akamaiedge.net A 88.221.81.192
AAAA 2600:1480:e800::c0 A 104.94.100.70 A 104.94.100.94 A 104.94.100.29 A 104.94.100.93 A
104.94.100.132 A 95.101.23.214 A 2.16.10.190
Frame 70: 484 bytes on wire (3872 bits), 484 bytes captured (3872 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 65377

192.168.0.106

DNS 484 Standard

/Users/mariia/Desktop/dump2.pcapng 164 total packets, 8 shown

Domain Name System (response)
Transaction ID: 0x075a
Flags: 0x8180 Standard query response, No error Questions: 1
Answer RRs: 3
Authority RRs: 8
Additional RRs: 9
Queries
Answers
Authoritative nameservers
Additional records
[Request In: 69]
[Time: 0.037337000

No. Time
72 13.364475

query 0x6e6b A mail.ukr.net
Frame 72: 72 bytes on wire (576 bits), 72 bytes captured (576 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 57339, Dst Port: 53
Domain Name System (query)

No.

Transaction ID: 0x6e6b
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 74]

Source

Destination

Protocol Length Info

Time
74 13.591777

seconds]
Source
192.168.0.106 192.168.0.1 DNS 72 Standard

Destination

Protocol Length Info

192.168.0.1
query response 0x6e6b A mail.ukr.net A 212.42.75.249 NS ns2.fwdcdn.net NS ns1.fwdcdn.net A

212.42.82.100 A 212.42.77.100

Frame 74: 163 bytes on wire (1304 bits), 163 bytes captured (1304 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 57339
Domain Name System (response)

No.

seconds]
Source
192.168.0.106 192.168.0.1 DNS 96 Standard

Transaction ID: 0x6e6b
Flags: 0x8180 Standard query response, No error Questions: 1
Answer RRs: 1
Authority RRs: 2
Additional RRs: 2
Queries
Answers
Authoritative nameservers
Additional records
[Request In: 72]
[Time: 0.227302000

Time
125 17.439749

192.168.0.106

DNS 163 Standard

Destination

Protocol Length Info

query 0x090d A ss-prod-ew1-notif-26.aws.adobess.com
Frame 125: 96 bytes on wire (768 bits), 96 bytes captured (768 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 52409, Dst Port: 53
Domain Name System (query)

Transaction ID: 0x090d
Flags: 0x0100 Standard query
Questions: 1

Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 127]

No. Time

Source

Destination

Protocol Length Info

/Users/mariia/Desktop/dump2.pcapng 164 total packets, 8 shown

127 17.450149 192.168.0.1 192.168.0.106 DNS 314 Standard query response 0x090d A ss-prod-ew1-notif-26.aws.adobess.com A 18.202.149.73 A 52.31.117.171 A 18.203.76.53 NS ns-445.awsdns-55.com NS ns-1326.awsdns-37.org NS ns-1000.awsdns-61.net NS ns-1676.awsdns-17.co.uk A 205.251.193.189 A 205.251.195.232

Frame 127: 314 bytes on wire (2512 bits), 314 bytes captured (2512 bits) on interface en0, id 0 Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31) Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106 User Datagram Protocol, Src Port: 53, Dst Port: 52409 Domain Name System (response)

Transaction ID: 0x090d
Flags: 0x8180 Standard query response, No error Questions: 1
Answer RRs: 3
Authority RRs: 4
Additional RRs: 2
Queries
Answers
Authoritative nameservers
Additional records
[Request In: 125]
[Time: 0.010400000 seconds]

3.2.3

No. Time Source Destination Protocol Length Info
35 4.744495 192.168.0.106 192.168.0.1 DNS 67 Standard

query 0x631a A mit.edu
Frame 35: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface en0, id 0 Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1 User Datagram Protocol, Src Port: 51297, Dst Port: 53 Domain Name System (query)

No.

Transaction ID: 0x631a
Flags: 0x0100 Standard query
Questions: 1

Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 36]

Source

Destination

Protocol Length Info

No.

Destination

Protocol Length Info
DNS 70 Standard

Time
36 4.801817

192.168.0.1
query response 0x631a A mit.edu A 23.37.44.254 NS eur5.akam.net NS ns1-173.akam.net NS

ns1-37.akam.net NS use2.akam.net NS use5.akam.net NS asia1.akam.net NS usw2.akam.net NS
asia2.akam.net A 23.74.25.64 A 96.7.49.64 A 184.26.161.64 A 95.100.175.64 A 95.101.36.64
Frame 36: 330 bytes on wire (2640 bits), 330 bytes captured (2640 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 51297
Domain Name System (response)

Transaction ID: 0x631a
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 1
Authority RRs: 8
Additional RRs: 5
Queries
Answers

mit.edu: type A, class IN, addr 23.37.44.254 Authoritative nameservers

mit.edu: type NS, class IN, ns eur5.akam.net mit.edu: type NS, class IN, ns ns1-173.akam.net
mit.edu: type NS, class IN, ns ns1-37.akam.net mit.edu: type NS, class IN, ns use2.akam.net mit.edu:
type NS, class IN, ns use5.akam.net mit.edu: type NS, class IN, ns asia1.akam.net mit.edu: type NS,
class IN, ns usw2.akam.net mit.edu: type NS, class IN, ns asia2.akam.net

Additional records eur5.akam.net: use2.akam.net: usw2.akam.net:

type A, class IN, addr 23.74.25.64 type A, class IN, addr 96.7.49.64 type A, class IN, addr
184.26.161.64

asia1.akam.net: type A,

asia2.akam.net: type A, [Request In: 35]
[Time: 0.057322000 seconds]

Time Source
37 4.804571 192.168.0.106 23.37.44.254

192.168.0.106

DNS 330 Standard

class IN, addr 95.100.175.64 class IN, addr 95.101.36.64

query 0xb0c5 A -type=NS

Frame 37: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 23.37.44.254
User Datagram Protocol, Src Port: 59228, Dst Port: 53
Domain Name System (query)

Transaction ID: 0xb0c5
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

/Users/mariia/Desktop/dump3.pcapng 133 total packets, 5 shown

No. Time Source Destination Protocol Length Info
52 9.809429 192.168.0.106 23.37.44.254 DNS 70 Standard

query 0xb0c5 A -type=NS

Frame 52: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 23.37.44.254
User Datagram Protocol, Src Port: 59228, Dst Port: 53
Domain Name System (query)

No.

Time
85 14.811855

Source

Destination 23.37.44.254

Protocol Length Info
DNS 70 Standard
Transaction ID: 0xb0c5
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

192.168.0.106 query 0xb0c5 A -type=NS

Frame 85: 70 bytes on wire (560 bits), 70 bytes captured (560 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 23.37.44.254
User Datagram Protocol, Src Port: 59228, Dst Port: 53
Domain Name System (query)

Transaction ID: 0xb0c5
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

3.2.4

No. Time Source Destination Protocol Length Info
5 2.042217 192.168.0.106 192.168.0.1 DNS 90 Standard

query 0xc45e A nexusrules.officeapps.live.com
Frame 5: 90 bytes on wire (720 bits), 90 bytes captured (720 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 192.168.0.1
User Datagram Protocol, Src Port: 61102, Dst Port: 53
Domain Name System (query)

No.

Transaction ID: 0xc45e
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 7]

Time
7 2.084037

Transaction ID: 0xc45e
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 2
Authority RRs: 10
Additional RRs: 5
Queries
Answers

nexusrules.officeapps.live.com: type CNAME, class IN, cname prod.nexusrules.live.com.akadns.net

Source

Destination

Protocol Length Info

192.168.0.1

query response 0xc45e A nexusrules.officeapps.live.com CNAME
prod.nexusrules.live.com.akadns.net A 52.109.120.17 NS a5-130.akagtm.org NS a11-129.akadns.net
NS a3-129.akadns.net NS a28-129.akagtm.org NS a1-128.akadns.net NS a7-131.akadns.net NS
a13-130.akagtm.org NS a9-128.akadns.net NS a12-131.akagtm.org NS a18-128.akagtm.org A
193.108.88.128 A 96.7.49.129 A 23.61.199.131 A 184.85.248.128 A 84.53.139.129
Frame 7: 460 bytes on wire (3680 bits), 460 bytes captured (3680 bits) on interface en0, id 0 Ethernet
II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31) Internet
Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 61102
Domain Name System (response)

No.

akadns.net: type NS, class IN, ns a5-130.akagtm.org akadns.net: type NS, class IN, ns a11-
129.akadns.net akadns.net: type NS, class IN, ns a3-129.akadns.net akadns.net: type NS, class IN,
ns a28-129.akagtm.org akadns.net: type NS, class IN, ns a1-128.akadns.net akadns.net: type NS,
class IN, ns a7-131.akadns.net akadns.net: type NS, class IN, ns a13-130.akagtm.org akadns.net:
type NS, class IN, ns a9-128.akadns.net akadns.net: type NS, class IN, ns a12-131.akagtm.org
akadns.net: type NS, class IN, ns a18-128.akagtm.org

Additional records

a1-128.akadns.net: type A, class IN, addr 193.108.88.128 a3-129.akadns.net: type A, class IN, addr
96.7.49.129 a7-131.akadns.net: type A, class IN, addr 23.61.199.131 a9-128.akadns.net: type A,
class IN, addr 184.85.248.128 a11-129.akadns.net: type A, class IN, addr 84.53.139.129

[Request In: 5]

[Time: 0.041820000 seconds]

Time Source Destination 407 6.754482 192.168.0.106 18.0.72.3

Protocol Length Info

DNS 74 Standard

prod.nexusrules.live.com.akadns.net: type A, class IN, addr 52.109.120.17 Authoritative nameservers

192.168.0.106

DNS 460 Standard

query 0x88a8 A www.aiit.or.kr

Frame 407: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 18.0.72.3
User Datagram Protocol, Src Port: 55695, Dst Port: 53
Domain Name System (query)

Transaction ID: 0x88a8

/Users/mariia/Desktop/dump4.pcapng 551 total packets, 7 shown

No.

Additional RRs: 0

Queries

Time
442 11.676320

Source

Destination 192.168.0.1

Protocol Length Info
DNS 84 Standard

No.

Time
444 11.691426

Transaction ID: 0xae8d
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 8
Authority RRs: 4
Additional RRs: 2
Queries
Answers

gateway.fe.apple-dns.net: type A, class IN, gateway.fe.apple-dns.net: type A, class IN,
gateway.fe.apple-dns.net: type A, class IN, gateway.fe.apple-dns.net: type A, class IN,
gateway.fe.apple-dns.net: type A, class IN, gateway.fe.apple-dns.net: type A, class IN,
gateway.fe.apple-dns.net: type A, class IN, gateway.fe.apple-dns.net: type A, class IN,

No.

Authoritative nameservers
fe.apple-dns.net: type NS, class IN, ns ns-287.awsdns-35.com fe.apple-dns.net: type NS, class IN, ns
ns-748.awsdns-29.net fe.apple-dns.net: type NS, class IN, ns ns-1572.awsdns-04.co.uk fe.apple-
dns.net: type NS, class IN, ns ns-1124.awsdns-12.org

Additional records
ns-287.awsdns-35.com: type A, class IN, addr 205.251.193.31 ns-1124.awsdns-12.org: type A, class
IN, addr 205.251.196.100

[Request In: 442]
[Time: 0.015106000 seconds]

Time Source Destination Protocol Length Info 445 11.755899 192.168.0.106 18.0.72.3 DNS 74
Standard

Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0

192.168.0.106 query 0xae8d A gateway.fe.apple-dns.net

Frame 442: 84 bytes on wire (672 bits), 84 bytes captured (672 bits) on interface en0, id 0

Ethernet II, Src: Apple_78:53:31 (f0:18:98:78:53:31), Internet Protocol Version 4, Src: 192.168.0.106,
Dst: User Datagram Protocol, Src Port: 59758, Dst Port: 53 Domain Name System (query)

Transaction ID: 0xae8d
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries
[Response In: 444]

Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) 192.168.0.1

Source

Destination

Protocol Length Info

192.168.0.1

query response 0xae8d A gateway.fe.apple-dns.net A 17.248.147.51 A 17.248.147.53 A
17.248.147.15 A 17.248.147.176 A 17.248.147.168 A 17.248.147.76 A 17.248.147.181 A
17.248.147.147 NS ns-287.awsdns-35.com NS ns-748.awsdns-29.net NS ns-1572.awsdns-04.co.uk
NS ns-1124.awsdns-12.org A 205.251.193.31 A 205.251.196.100
Frame 444: 381 bytes on wire (3048 bits), 381 bytes captured (3048 bits) on interface en0, id 0
Ethernet II, Src: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a), Dst: Apple_78:53:31 (f0:18:98:78:53:31)
Internet Protocol Version 4, Src: 192.168.0.1, Dst: 192.168.0.106
User Datagram Protocol, Src Port: 53, Dst Port: 59758
Domain Name System (response)

192.168.0.106

DNS 381 Standard

query 0x88a8 A www.aiit.or.kr

Frame 445: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 18.0.72.3
User Datagram Protocol, Src Port: 55695, Dst Port: 53
Domain Name System (query)

addr 17.248.147.51 addr 17.248.147.53 addr 17.248.147.15 addr 17.248.147.176 addr
17.248.147.168 addr 17.248.147.76 addr 17.248.147.181 addr 17.248.147.147

/Users/mariia/Desktop/dump4.pcapng 551 total packets, 7 shown

No.

Time
517 16.756563

Source

Destination 18.0.72.3

Protocol Length Info

DNS 74 Standard
Transaction ID: 0x88a8
Flags: 0x0100 Standard query

Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

192.168.0.106 query 0x88a8 A www.aiit.or.kr

Frame 517: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface en0, id 0 Ethernet II,
Src: Apple_78:53:31 (f0:18:98:78:53:31), Dst: Tp-LinkT_66:88:6a (ac:84:c6:66:88:6a) Internet
Protocol Version 4, Src: 192.168.0.106, Dst: 18.0.72.3
User Datagram Protocol, Src Port: 55695, Dst Port: 53
Domain Name System (query)

Transaction ID: 0x88a8
Flags: 0x0100 Standard query
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
Queries

Контрольні запитання

1. Знайдіть запит та відповідь DNS, який протокол вони використовують, UDP або TCP? Який номер цільового порта запиту DNS? Який номер вихідного порта відповіді DNS?

```
> Frame 13: 79 bytes on wire (632 bits), 79 bytes captured (632 bits) on interface \Device\NPF_{98209E65-AD2B-4D55-AE9E-5CA9D244F892}, id 0  
> Ethernet II, Src: LiteonTe_e4:88:db (64:6e:69:e4:88:db), Dst: Tp-LinkT_a4:95:3c (94:0c:6d:a4:95:3c)  
> Internet Protocol Version 4, Src: 192.168.11.102, Dst: 192.168.1.1  
> User Datagram Protocol, Src Port: 57684, Dst Port: 53  
> Domain Name System (query)
```

UDP

Цільовий порт: 53

Вихідний порт: 64038

2. На який адрес IP був відправлений запит DNS? Чи є цей адрес адресом локального сервера DNS?

IP: 192.168.1.1, є адресом локального сервера.

3. Проаналізуйте повідомлення із запитом DNS. Якого «Типу» цей запит? Чи вміщує цей запит деякі можливі компоненти «відповіді»?

Цей запит – є запитом стандартного типу. Вміщує.

```
▼ Domain Name System (query)  
  Transaction ID: 0xb1ea  
  > Flags: 0x0100 Standard query  
    Questions: 1  
    Answer RRs: 0  
    Authority RRs: 0  
    Additional RRs: 0  
  > Queries  
    [Response In: 15]
```

4. Дослідіть повідомлення із відповіддю DNS. Яка кількість відповідей запропонована сервером? Що вміщує кожна з цих відповідей?

```
Transaction ID: 0xb1ea
> Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 4
Authority RRs: 0
Additional RRs: 0
> Queries
v Answers
  > sitecheck.opera.com: type CNAME, class IN, cname sitecheck.geo.opera.com
  > sitecheck.geo.opera.com: type CNAME, class IN, cname nl.sitecheck.opera.com
  > nl.sitecheck.opera.com: type A, class IN, addr 185.26.182.106
  > nl.sitecheck.opera.com: type A, class IN, addr 185.26.182.118
```

[\[Request In: 13\]](#)

5. Проаналізуйте повідомлення TCP SYN, яке відправила ваша робоча станція після отримання відповіді сервера DNS. Чи співпадає цільова IP адреса цього повідомлення з одною із відповідей сервера DNS?

Ні, не співпадає

3	0.025048	192.168.1.1	192.168.11.100	DNS	91 Standard query response (
4	0.025342	192.168.11.100	216.58.215.67	TCP	74 56792 → 443 [SYN] Seq=0

6. Чи виконує ваша робоча станція нові запити DNS для отримання ресурсів, які використовує документ, що отримав браузер?

No.	Time	Source	Destination	Protocol	Length	Info
13	5.852872	192.168.11.102	192.168.1.1	DNS	79	Standard query 0xb1ea A sitecheck.opera.com
14	5.854139	192.168.11.102	192.168.1.1	DNS	74	Standard query 0xae34 A www.google.com
15	5.878266	192.168.1.1	192.168.11.102	DNS	156	Standard query response 0xb1ea A sitecheck.opera.com CNAME si...
16	5.878358	192.168.1.1	192.168.11.102	DNS	90	Standard query response 0xae34 A www.google.com A 216.58.215...
59	6.050702	192.168.11.102	192.168.1.1	DNS	72	Standard query 0x7367 A www.ietf.org
70	6.169162	192.168.1.1	192.168.11.102	DNS	149	Standard query response 0x7367 A www.ietf.org CNAME www.ietf...
120	6.824384	192.168.11.102	192.168.1.1	DNS	80	Standard query 0xf774 A speeddials.opera.com
121	6.855646	192.168.1.1	192.168.11.102	DNS	190	Standard query response 0xf774 A speeddials.opera.com CNAME s...
384	7.320302	192.168.11.102	192.168.1.1	DNS	78	Standard query 0xde54 A analytics.ietf.org
545	7.495855	192.168.11.102	192.168.11.1	DNS	78	Standard query 0xa4fa A analytics.ietf.org
595	7.667537	192.168.1.1	192.168.11.102	DNS	108	Standard query response 0xde54 A analytics.ietf.org CNAME iet...
886	8.049065	192.168.11.1	192.168.11.102	DNS	108	Standard query response 0xa4fa A analytics.ietf.org CNAME iet...

Так, використовує

7. Яким був цільовий порт повідомлення із запитом DNS? Яким був вихідний порт повідомлення із відповіддю DNS?

Цільовий: 192.168.1.1

Вихідний: 192.168.1.1

No.	Time	Source	Destination	Protocol	Length	Info
6	8.904018	192.168.11.100	192.168.1.1	DNS	84	Standard query 0x0001 PTR 1.1.168.192.in-addr.arpa
7	8.926404	192.168.1.1	192.168.11.100	DNS	133	Standard query response 0x0001 No such name PTR 1.1.16
8	8.935947	192.168.11.100	192.168.1.1	DNS	71	Standard query 0x0002 A www.mit.edu
9	9.181771	192.168.1.1	192.168.11.100	DNS	160	Standard query response 0x0002 A www.mit.edu CNAME www
10	9.185616	192.168.11.100	192.168.1.1	DNS	71	Standard query 0x0003 AAAA www.mit.edu
11	9.222529	192.168.1.1	192.168.11.100	DNS	200	Standard query response 0x0003 AAAA www.mit.edu CNAME
15	13.286742	192.168.11.100	192.168.1.1	DNS	79	Standard query 0xf344 A clients6.google.com
16	13.309083	192.168.1.1	192.168.11.100	DNS	119	Standard query response 0xf344 A clients6.google.com

8. На яку IP-адресу був направлений запит DNS? Чи є ця адреса адресою вашого локального сервера DNS за замовчанням?

192.168.1.1, є адресою локального сервера

9. Дослідіть повідомлення із запитом DNS. Якого «типу» був цей запит? Чи вміщує цей запит деякі можливі компоненти «відповіді»?

Цей запит – є запитом стандартного типу. Вміщує.

```

▼ Domain Name System (query)
  Transaction ID: 0x0001
  > Flags: 0x0100 Standard query
  Questions: 1
  Answer RRs: 0
  Authority RRs: 0
  Additional RRs: 0
  > Queries
    [Response In: 7]

```

10. Дослідіть повідомлення із відповіддю DNS. Скільки записів із відповідями було запропоновано сервером? З чого складається кожна із цих відповідей?

```

▼ Answers
  ▼ www.mit.edu: type CNAME, class IN, cname www.mit.edu.edgekey.net
    Name: www.mit.edu
    Type: CNAME (Canonical NAME for an alias) (5)
    Class: IN (0x0001)
    Time to live: 1800 (30 minutes)
    Data length: 25
    CNAME: www.mit.edu.edgekey.net
  ▼ www.mit.edu.edgekey.net: type CNAME, class IN, cname e9566.dscb.akamaiedge.net
    Name: www.mit.edu.edgekey.net
    Type: CNAME (Canonical NAME for an alias) (5)
    Class: IN (0x0001)
    Time to live: 60 (1 minute)
    Data length: 24
    CNAME: e9566.dscb.akamaiedge.net
  ▼ e9566.dscb.akamaiedge.net: type A, class IN, addr 23.14.241.4
    Name: e9566.dscb.akamaiedge.net
    Type: A (Host Address) (1)
    Class: IN (0x0001)
    Time to live: 20 (20 seconds)

```


11. На яку IP-адресу був направлений запит DNS? Чи є ця адреса адресою вашого локального сервера DNS за замовчанням?

IP: 192.168.1.1. Так, є.

12. Дослідіть повідомлення із запитом DNS. Якого «типу» був цей запит? Чи вміщує цей запит деякі можливі компоненти «відповіді»?

Стандартний тип запиту. Так вміщує.

```
▼ Domain Name System (query)
  Transaction ID: 0x93dd
  > Flags: 0x0100 Standard query
  Questions: 1
  Answer RRs: 0
  Authority RRs: 0
  Additional RRs: 0
  > Queries
    [Response In: 2]
```

13. Дослідіть повідомлення із відповіддю DNS. Скільки записів із відповідями було запропоновано сервером? Які сервери DNS були запропоновані у відповіді? Сервери були запропоновані за допомогою доменного імені, адреси IP або й того й іншого?

```
Answer RRs: 1
Authority RRs: 0
Additional RRs: 0
> Queries
▼ Answers
  ▼ mit.edu: type A, class IN, addr 88.221.9.235
    Name: mit.edu
    Type: A (Host Address) (1)
    Class: IN (0x0001)
    Time to live: 20 (20 seconds)
    Data length: 4
    Address: 88.221.9.235
  [Request In: 1]
```

14. На яку IP-адресу був направлений запит DNS? Чи є ця адреса адресою вашого локального сервера DNS за замовчанням? Якщо ні, то якому доменному імені відповідає ця IP-адреса?

IP: 18.0.72.3. Не є адресою локального сервера.

▼ Domain Name System (query)

Transaction ID: 0x88a8

► Flags: 0x0100 Standard query

Questions: 1

Answer RRs: 0

Authority RRs: 0

Additional RRs: 0

► Queries

15. Дослідіть повідомлення із запитом DNS. Якого «типу» був цей запит? Чи вміщує цей запит деякі можливі компоненти «відповіді»?

Стандартний тип запиту. Ні не вміщує.

```
▼ Domain Name System (query)
  Transaction ID: 0x0001
  > Flags: 0x0100 Standard query
  Questions: 1
  Answer RRs: 0
  Authority RRs: 0
  Additional RRs: 0
  ▼ Queries
    > 3.72.0.18.in-addr.arpa: type PTR, class IN
```

16. Дослідіть повідомлення із відповіддю DNS. Скільки записів із відповідями було запропоновано сервером? З чого складається кожна з цих відповідей?

Відповідь не була отримана.

Висновок: В ході виконання даної лабораторної роботи, були покращено навички використання програми Wireshark для захоплення пакетів. Було проаналізовано протоколи DNS та було проведено аналіз деталей роботи даних протоколів.