
01 / THE PROJECT

Mohammed Abba Isa
The Work in Numbers

An independent appreciation project about disability inclusion, told through documented contributions and the reports behind them.



Actual desktop viewport: Isa's portrait is surrounded by green and white rings, orbiting destinations and advocacy concepts. This is a still from the animated home page.

Open the website

Open the source repository

A tribute you can investigate

Start with Figures, Themes, Connections or the Chat assistant. Follow a number, phrase or relationship back to its source instead of treating the interface as proof of impact.


Who it is for

Members of the public, journalists and researchers who want a readable starting point for exploring reported disability-inclusion work.

English is the original language. Hausa, Yoruba and Igbo translations remain draft. The site is a publicly accessible preview with search indexing discouraged. It does not imply official endorsement.

02 / FIGURES

Read a number. Keep its context.



Reported achievements appear above planned support. Cards preserve bounds such as greater-than, approximations, and separate units for people and households.

What to do

Choose a contribution category, read the programme label and unit, then open **Source +** for the supporting report and qualifications.

Why the layout matters

A target is an intention, not delivery. A report of training, a placement and a household-support plan describe different things. Showing stage and unit alongside each number helps prevent misleading comparisons.

How to interpret it


Do not add overlapping cohorts or follow-up reports into a unique-person total. Reported delivery is attributed to its source; it is not independently audited programme impact or a complete career record.

Open the figures section

Read metric definitions

03 / THEMES

See the language. Find the reports.



A documentary speaking photograph sits beside phrases of different sizes. Superscripts express relative frequency; each concept can reveal matching source records.

What the cloud shows

Larger phrases occur in more of the selected canonical reports. Activity mode uses matching recorded activities instead. A list alternative gives another way to inspect the terms.

Why we use phrase counts

A defined phrase list and one count per report make the displayed size explainable. Repeating a phrase many times inside one article does not give that article extra votes.

What the superscripts mean


A value such as 0.43 means a rounded share of the selected reports or activities, depending on the mode. Themes overlap, so their shares do not have to sum to one.

The displayed cloud is not an NMF topic-weight visualisation, a public-opinion measure or an impact ranking. TF-IDF and NMF support a separate descriptive exploration of the text.

Open themes and matching records

04 / CONNECTIONS

Follow a partner. Inspect an initiative.




Desktop uses three columns: Isa and his office, people/organisations, and initiatives. A selected DataLead Africa path is highlighted; this viewport shows part of the larger network.

A simpler path on phones

Choose a partner first, then follow the highlighted path to its initiative tiles. Show all connections and List remain available. The image at right is an actual portrait-mobile viewport.


We map source-bound roles so visitors can explore who appears in a record and what connects them. A meeting, intention, agreement and programme are different claims. Co-occurrence in an article alone does not prove partnership.



Open the connections section

05 / GUIDED QUESTIONS

Choose a question. Follow the evidence.



The prepared question tree offers programme choices with planned/reported labels, Back, Start again, further options and source-detail access.

Why a deterministic question tree

Prepared answers and follow-up options are predictable and reviewable. They support guided exploration without requiring a paid inference API. The assistant does not impersonate Isa and does not promise unrestricted free-text understanding.

One language control

Page and chat share the selected language and supported conversation/record context. English, Hausa, Yoruba and Igbo remain visibly ordered rather than hidden in a menu. All translated locales are draft.

English guided chat

Hausa guided chat - draft

Yoruba guided chat - draft

Igbo guided chat - draft

Keyboard/focus support, list alternatives, motion preferences and image fallbacks are implemented. Automated checks do not establish full accessibility certification or human translation approval.

06 / RESEARCH METHODS

What we used. Why we used it.

COLLECT
Public reports + source URLs

→

CHECK
Text, repeats + claim context

→

PRESENT
Figures, themes + source actions

Python + WordPress API	Collect public office reports repeatedly while preserving URLs and publication metadata. **Why:** traceability and reproducible collection.
Beautiful Soup	Extract readable article text from HTML. **Why:** webpage markup should not become analysis content.
Deduplication + aliases	Identify exact text copies and preserve references to canonical records. **Why:** exact repeats should not inflate text counts.
Source-context review	Check units, bounds, stages, attribution and overlap against reports. **Why:** avoid combining plans, delivery and repeated cohorts.
TF-IDF	Weight distinctive words/phrases in selected English reports. **Why:** reduce common-term dominance and build inspectable text features.
NMF	Group weighted terms into eight recurring topics in the selected v1 fit. **Why:** inspect additive textual patterns alongside source reports.
Manual categories	Read and label activities, allowing multiple categories. **Why:** meaningful filters need activity context, separate from model topics.
Phrase counts	Count each defined phrase once per canonical report. **Why:** make cloud size and relative frequency explainable and reproducible.

Selected v1 fit: 30 distinct texts and eight topics, separate from the wider archive exploratory model. Source-context checks are not independent verification. Topics describe text; they are not sentiment, certified categories or causal effects.

Read the plain-language methodology

07 / ENGINEERING AND VERIFICATION

How the pieces become a website.

Source-bound relationships	Map actors to initiatives and documented roles. **Why:** discover connections while distinguishing meetings, intentions and reported programmes.
Guided question tree	Use prepared source-linked answers. **Why:** predictable reviewable navigation without paid runtime inference.
Static export	Next.js, React and TypeScript produce prebuilt pages; free Cloudflare Pages serves them. **Why:** simple free hosting without a model server.
AI coding agents	Support collection/analysis scripts, interface work, draft translations and checks under owner feedback. **Why:** help build and iterate across the workflow.

Repository map

apps/web: public app and guided flows. **content**: evidence bundles, presentation additions, translations and provenance. **research / scripts**: review and automation. **studio**: optional standalone Sanity editor; no live dataset is connected for this release.

Run and validate

Node 22.12+ and npm 11. On Windows: **npm.cmd ci**, **npm.cmd run preflight**, then **npm.cmd run dev**. Required checks: **npm.cmd run lint**, **npm.cmd run typecheck**, **npm.cmd test**, **npm.cmd run build**.

Recorded evidence, 6 November

Preflight, lint, typecheck, 76 tests, language coverage and web/Studio builds passed. Live landing/mobile-network checks recorded zero axe violations across 13 tested states. These results have a defined test scope and do not certify universal accessibility.

GitHub pushes do not deploy the website automatically. Credentials stay outside the repository. Static output does not establish full offline reload support. Agent work does not establish evidence validity, language approval or reuse rights.

Validation evidence and limitations

Operations and publication procedure

08 / LINKS, VIDEOS AND CREATOR

Explore. Watch. Keep the limits visible.

Website: Home

Explore: figures, themes and connections

About and creator contact

Methodology and technical disclosure

Public video release and downloads

Desktop video - 1920 x 1080 MP4

Mobile video - 1080 x 1920 MP4

Both walkthroughs run 3:16, with 40 English caption cues, music and no narration. Tribute opening: 0:00-0:06. Methods: 2:18-2:58. Author ending: 3:06-3:16. Owner permission to publish the supplied music was recorded on 7 November 2026.

Creator

Jerry Zachary Bannister is a statistician, data scientist and researcher in Statistics at Abubakar Tafawa Balewa University, Bauchi, and the creator of JJMB Datascience Hub. His work applies statistics, ML and AI to local problems. His vision is accessible, affordable tools shaped by disabled people's needs and choices.

Current release boundary

The site is an owner-authorised hosted draft. Translations remain draft; stricter indexed-public-release gates remain. Photo/logo publication permission is owner-attested, not independently licensed here. Human language review, remaining human accessibility checks and fresh performance evidence must be recorded honestly.

No official endorsement, causal impact finding, unique-beneficiary total or blanket code/media licence is claimed. The earlier adapted baobab artwork has a separate CC BY-SA 4.0 notice. Video publication permission is not a licence for others to reuse the music.

Source repository and README

Publication record and scope

Screenshots: actual hosted-site captures from the 6 November demo, application checkpoint 0b55bdd. Visual descriptions accompany the images; screenshot provenance is in docs/images/README.md. This guide is descriptive documentation, not a tagged-PDF accessibility certification.