## A Book of Abstract Algebra (2nd Edition)

| Chapter 31, Problem 2EI  | Bookmark | Show all steps: ON |  |  |  |
|--|----------|--------------------|--|--|--|
| Problem  |          |                    |  |  |  |
| Let $h: F_1 \to F_2$ be an isomorphism. If $a(x) \in F_1[x]$ , let $K_1$ be the root field of $a(x)$ over $F_1$ , and $K_2$ the root field of $ha(x)$ over $F_2$ . $F_1(u) = K_1 \text{ iff } F_2(u) = K_2.$ |          |                    |  |  |  |
| Step-by-step solution  |          |                    |  |  |  |
| There is no solution to this problem yet.  Get help from a Chegg subject expert.  Ask an expert  |          |                    |  |  |  |
| ASK &  | Пехреге  |                    |  |  |  |

## **SERVICE** EasyBib **About Chegg** Advertising Cheap Textbooks Mobile Apps Choices **Customer Service** Chegg For Good Chegg Coupon Sell Textbooks Internships.com Give Us Feedback Cookie Notice College Marketing Chegg Play Solutions Manual Thinkful **General Policies** Help with Corporate Chegg Study Help Study 101 eTextbooks Intellectual Property Rights Development College Textbooks Textbook Rental Help to use **Investor Relations** eTextbooks **Used Textbooks** EasyBib Plus Terms of Use **Jobs** Flashcards Digital Access Manage Chegg Study Subscription Global Privacy Join Our Affiliate Codes Learn Policy Program Chegg Money **Return Your Books** Chegg Math Media Center Honor Code Solver Textbook Return

**CHEGG PRODUCTS AND SERVICES** 

**CHEGG NETWORK** 

**CUSTOMER** 

Policy

**COMPANY** 

Site Map

**LEGAL & POLICIES** 

Honor Shield