A Book of Abstract Algebra | (2nd Edition)

Chapter 30, Problem 1EG	Bookmark	Show all steps: ON
	Problem	
Prove each of the following: If the number <i>a</i> is a root of an irre 2, then <i>a</i> is not a constructible nu	educible polynomial $p(x) \in \mathbb{Q}[x]$ wumber.	vhose degree is not a power of
	Step-by-step solution	
	Step 1 of 3	
Here, objective is to prove that a	is not a constructible number.	
Comment		
	Step 2 of 3	

Comment

Step 3 of 3

Complex number is constructible if and only if there exist a tower of complex field extensions.

$$Q(x) = F_0 \le F_1 \le \le F_n$$

Where,

$$a \in F_n$$

$$[F_{i+1}:F_i] \leq 2 \quad ; \, \forall 0 \leq i < n$$

a is constructible if the degree of Q(x) is power of two.

Therefore, a is not a constructible number, if a is a root of a irreducible polynomial $p(x) \in Q(x)$ whose degree is not a power of two.

Hence, proved

Comment

COMPANY

About Chegg
Chegg For Good
College Marketing
Corporate Development
Investor Relations
Jobs
Join Our Affiliate Program
Media Center
Site Map

LEGAL & POLICIES

Honor Shield

Advertising Choices
Cookie Notice
General Policies
Intellectual Property Rights
Terms of Use
Global Privacy Policy
Honor Code

CHEGG PRODUCTS AND SERVICES

Cheap Textbooks Mobile Apps Chegg Coupon Sell Textbooks Chegg Play Solutions Manual Chegg Study Help Study 101 College Textbooks Textbook Rental eTextbooks **Used Textbooks** Flashcards Digital Access Codes Learn Chegg Money Chegg Math Solver

CHEGG NETWORK

EasyBib Internships.com Thinkful

CUSTOMER SERVICE

Customer Service
Give Us Feedback
Help with eTextbooks
Help to use EasyBib Plus
Manage Chegg Study
Subscription
Return Your Books
Textbook Return Policy