A Book of Abstract Algebra (2nd Edition)

Chapter 23, Problem 6EA

Bookmark

Show all steps: (

ON

Problem

Solve the following Diophantine equations. (If there is no solution, write "none.")

(a)
$$14x + 15y = 11$$

$$(b) 4x + 5y = 1$$

(c)
$$21x + 10y = 9$$

(*d*)
$$30x^2 + 24y = 18$$

Step-by-step solution

Step 1 of 6

Here, objective is to solve the given Diophantine equations.

Comment

Step 2 of 6

Diophantine equation is in one or more unknowns, with the integer coefficients.

The Diophantine equation is of the form ax + by = c; a, b, c are integers.

Now Euclidian algorithm is used to solve the Diophantine equation.

Comment

(a)

Consider the congruence 14x + 15y = 11

$$gcd(14,15) = 1$$

gcd(14,15) = 1 is divisible by 11.So there is an integer pair solutions.

Apply Euclidian algorithm:

$$14x + 15y = 11....(1)$$

$$15 = 1 \times 14 + 1$$

$$14 = 14 \times 1 + 0$$

By applying extended Euclidian algorithm,

$$1 = (1 \times 15) + (-1 \times 14)$$

$$11 = (11 \times 15) + (-11 \times 14).$$

$$(14 \times -11) + (15 \times 11) = 11....(2)$$

By comparing equations (1) and (2)

$$x = -11, y = 11$$

Hence, the solution of 14x + 15y = 11 Diophantine equations is x = -11, y = 11

Comment

Step 4 of 6

(b)

Consider the congruence 4x + 5y = 1

$$gcd(4,5) = 1$$

gcd(4,5) = 1 is divisible by 1.So there is an integer pair solutions.

Apply Euclidian algorithm:

$$4x + 5y = 1$$
....(1)

$$5 = 1 \times 4 + 1$$

$$4 = 4 \times 1 + 0$$

By applying extended Euclidian algorithm,

$$1 = (1 \times 5) + (-1 \times 4)$$

$$1 = (1 \times 5) + (-1 \times 14).$$

$$(4 \times -1) + (5 \times 1) = 1$$
....(2)

By comparing equations (1) and (2)

$$x = -1, y = 1$$

Hence, the solution of 4x + 5y = 1 Diophantine equations is x = -1, y = 1

Comment

Step 5 of 6

(c)

Consider the congruence 21x + 10y = 9

$$gcd(21,10) = 1$$

gcd(21,10) = 1 is divisible by 9.So there is an integer pair solutions.

Apply Euclidian algorithm:

$$21x + 10y = 9$$
....(1)

$$10 = 0 \times 21 + 10$$

$$21 = 2 \times 10 + 1$$

$$10 = 10 \times 1 + 0$$

By applying extended Euclidian algorithm,

$$1 = (1 \times 21) + (-2 \times 0)$$

$$1 = (-2 \times 10) + (1 \times 21).$$

$$9 = (-18 \times 10) + (9 \times 21).$$

$$(21 \times 9) + (10 \times -18) = 9....(2)$$

By comparing equations (1) and (2)

$$x = 9, y = -18$$

Hence, the solution of 21x+10y=9 Diophantine equations is x=9, y=-18

.....

Comment

Step 6 of 6

(d)

Consider the congruence $30x^2 + 24y = 18$

$$30z + 24y = 18$$
; where $z = x^2$

$$gcd(30, 24) = 6$$

gcd(30, 24) = 6 is divisible by 18.

Apply Euclidian algorithm:

$$30z + 24y = 18....(1)$$

$$24 = 0 \times 30 + 24$$

$$30 = 1 \times 24 + 6$$

$$24 = 4 \times 6 + 0$$

By applying extended Euclidian algorithm,

$$6 = (1 \times 30) + (-1 \times 24)$$

$$6 = (-1 \times 24) + (1 \times 30).$$

$$18 = (-3 \times 24) + (3 \times 30).$$

$$(30 \times 3) + (24 \times -3) = 18....(2)$$

By comparing equations (1) and (2)

$$z = 3, y = -3, x^2 \neq 3$$
. x must be an integer.

Hence, the Diophantine equations have no solution.

Comment