A Book of Abstract Algebra (2nd Edition)

Chapter 23, Problem 4EG

Bookmark

Show all steps: (

ON

Problem

In any integral domain, if $x^2 = 1$, then $x^2 - 1 = (x + 1)(x - 1) = 0$; hence $x = \pm 1$. Thus, an element $x \neq \pm 1$ cannot be its own multiplicative inverse. As a consequence, p in p the integers p in p, the integers p in p, the integers p in p, the integers p in p the integers inverse.

Prove the following:

For any composite number $n \neq 4$, $(n-1)! \equiv 0 \pmod{n}$. [HINT: If p is any prime factor of n, then p is a

factor of (n-1)! Why?]

Before going on to the remaining exercises, we make the following observations: Let p > 2 be a prime. Then

$$(p-1)! = 1 \cdot 2 \cdots \frac{p-1}{2} \cdot \frac{p+1}{2} \cdots (p-2) \cdot (p-1)$$

Consequently,

$$(p-1)! \equiv (-1)^{(p-1)/2} \left(1 \cdot 2 \cdots \frac{p-1}{2}\right)^2 \pmod{p}$$

REASON: $p-1 \equiv -1 \pmod{p}$, $p-2 \equiv -2 \pmod{p}$, \cdots , $(p+1)/2 \equiv -(p-1)/2 \pmod{p}$. With this result, prove the following:

Step-by-step solution

Step 1 of 3

Consider any composite number $n \neq 4$. Objective is to prove that

$$(n-1)! \equiv 0 \pmod{n}$$

Since n is composite, so there exist some integer a, b such that

n = ab

where 0 < a, b < n. There may arise following two cases:

Case 1: if a = b, then $n = a^2$. Since a is the factor of n, therefore a will appear in (n-1). So,

$$(n-1)! = 1 \times 2 \times \dots \times a \times \dots \times (n-a) \times \dots \times (n-1)$$

$$\equiv 1 \times 2 \times \dots \times a \times \dots \times (-a) \times \dots \times (-1) \pmod{n}$$

$$\equiv 1 \times 2 \times \dots \times a^2 \times \dots \times (-1) \pmod{n}$$

$$\equiv 0 \pmod{n}.$$

By using the equation $n = a^2$.

Comment

Step 2 of 3

Case 2: if $a \neq b$, then both a and b will appear as a separate terms in (n-1)!. Then their product will be equal to n and under modulo n, (n-1)! will get reduced into $0 \pmod{n}$. That is,

$$(n-1)! = 1 \times 2 \times \cdots \times a \times \cdots \times b \times \cdots \times (n-1)$$

$$= 1 \times 2 \times \cdots \times ab \times \cdots \times \cdots \times (n-1)$$

$$= 1 \times 2 \times \cdots \times n \times \cdots \times (n-1)$$

$$= 0 \pmod{n}.$$

Comment

Step 3 of 3

Hence, for any composite number $n \neq 4$, $(n-1)! \equiv 0 \pmod{n}$.

Comment