

A Book of Abstract Algebra | (2nd Edition)

Chapter AC, Problem 6E

Bookmark

Show all steps: ☒ ON

Problem

Use mathematical induction to prove the following:

$$1^2 + 2^2 + \dots + (n-1)^2 < \frac{n^3}{3} < 1^2 + 2^2 + \dots + n^2$$

Step-by-step solution

Step 1 of 2

Objective:-

The objective is to prove $1^2 + 2^2 + \dots + (n-1)^2 < \frac{n^3}{3} < 1^2 + 2^2 + \dots + n^2$ using mathematical induction.

[Comment](#)

Step 2 of 2

Proof:-

$$p(n): 1^2 + 2^2 + \dots + (n-1)^2 < \frac{n^3}{3} < 1^2 + 2^2 + \dots + n^2$$

Let consider statement for $n = 1$.

$$p(1): (1-1)^2 < \frac{1^3}{3} < 1^2$$

$$p(1): (1-1)^2 < \frac{1^3}{3} < 1^2$$

$$0 < \frac{1}{3} < 1$$

This rule is true for $n = 1$.

Let this rule is true for $n = k$.

$$p(k): 1^2 + 2^2 + \dots + (k-1)^2 < \frac{k^3}{3} < 1^2 + 2^2 + \dots + k^2 \quad \dots\dots(1)$$

Let us first take left hand side inequality (1).

$$1^2 + 2^2 + \dots + (k-1)^2 < \frac{k^3}{3}$$

Let us add k^2 both sides.

$$1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{k^3}{3} + k^2$$

$$1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{k^3 + 3k^2}{3}$$

If one adds some quantity in the numerator on right side, then the inequality remains same.

So,

$$1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{k^3 + 3k^2 + 3k + 1}{3}$$

$$1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{k^3 + 3 \cdot k \cdot 1(k+1) + 1}{3}$$

$$1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{(k+1)^3}{3} \quad \dots\dots(2)$$

Let us take right hand side inequality (1).

$$\frac{k^3}{3} < 1^2 + 2^2 + \dots + k^2$$

Let us add $(k+1)^2$ both sides.

$$\frac{k^3}{3} + (k+1)^2 < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{k^3}{3} + k^2 + 1^2 + 2k < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{k^3}{3} + k^2 + 1^2 + k + k < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{k^3 + 3k^2 + 3 + 3k + 3k}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{k^3 + 3k^2 + 3k + 1 + 2 + 3k}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{k^3 + 3 \cdot k \cdot 1(k+1) + 1^3 + 2 + 3k}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

$$\frac{(k+1)^3 + 2 + 3k}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

If one removes some quantity in the numerator on left side, then the inequality remains same.

$$\frac{(k+1)^3}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2 \quad \dots\dots(3)$$

Let us combine the inequality (2) and (3).

$$p(k+1): 1^2 + 2^2 + \dots + (k-1)^2 + k^2 < \frac{(k+1)^3}{3} < 1^2 + 2^2 + \dots + k^2 + (k+1)^2$$

This result also true for $n = k + 1$. Hence, by mathematical induction this rule is true for all positive integer n .

Proved

[Comment](#)

COMPANY

About Chegg
Chegg For Good
College Marketing
Corporate Development
Investor Relations
Jobs
Join Our Affiliate Program
Media Center
Site Map

LEGAL & POLICIES

Advertising Choices
Cookie Notice
General Policies
Intellectual Property Rights
Terms of Use
Global Privacy Policy
Honor Code
Honor Shield

CHEGG PRODUCTS AND SERVICES

Cheap Textbooks
Chegg Coupon
Chegg Play
Chegg Study Help
College Textbooks
eTextbooks
Flashcards
Learn
Chegg Math Solver

Mobile Apps
Sell Textbooks
Solutions Manual
Study 101
Textbook Rental
Used Textbooks
Digital Access Codes
Chegg Money

CHEGG NETWORK

EasyBib
Internships.com
Thinkful

CUSTOMER SERVICE

Customer Service
Give Us Feedback
Help with eTextbooks
Help to use EasyBib Plus
Manage Chegg Study Subscription
Return Your Books
Textbook Return Policy