

Fire safety logbook and maintenance tracker

Lion Risk Management Solutions — general template, version 1.0

Important Notice

This logbook is intended solely as a record of fire safety activity at the premises. It is not a fire risk assessment, does not certify compliance, and must not be relied upon to determine whether the fire safety measures at the premises are adequate. A complete logbook records what was done; it cannot confirm that the right things were done, that they were done competently, or that the premises satisfies legal or technical requirements. Where defects are identified or compliance is uncertain, advice should be obtained from a suitably competent person.

A complete logbook is not a compliant building

It is a record of what was done. If the wrong things were done, or the right things were done badly, the logbook will look immaculate.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Contents

Sixteen sections. Each begins on a new page. Sections that do not apply to your premises should be marked “not applicable to these premises” with a reason, rather than left blank.

Section 0 Front matter — premises details and how to use this logbook

Section 1 Premises and responsibilities

Section 2 Fire risk assessment record

Section 3 Fire detection and alarm

Section 4 Emergency lighting

Section 5 Firefighting equipment

Section 6 Fire doors

Section 7 Other fire safety systems — sprinklers and suppression; smoke control and AOVs; dry and wet risers; firefighting lifts; fire shutters; hold-open devices; access control and door release on alarm

Section 8 Escape routes and signage

Section 9 Training

Section 10 Drills

Section 11 People needing assistance

Section 12 False alarms and actuations

Section 13 Contractor and visitor log (fire-safety-related work)

Section 14 Open defects register

Section 15 Logbook review

Section 14, the open defects register, is the spine of this logbook. Every other section can raise a defect into it. It is the one table an inspector or an incoming agent will read first.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 0 — Front matter

Fire safety logbook and maintenance tracker

Lion Risk Management Solutions — general template, version 1.0

Premises:

Address:

Logbook started: **Logbook number** **of**

How to use this logbook

Keep it on site, accessible to whoever needs it, and write in it as things happen rather than reconstructing it later.

This logbook records what has been done. It does not decide what needs doing. Your fire risk assessment does that, together with the design of whatever systems you have. A logbook can be complete and immaculate for a building that is not safe, if the wrong things were recorded diligently. Use it as evidence of activity, not as evidence of compliance.

Sections you do not need — because you have no sprinklers, or no smoke control — should be marked “not applicable to these premises” rather than left blank. A blank section reads as a gap; a marked one reads as a decision.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 1 — Premises and responsibilities

Building description, use, approximate occupancy, number of storeys, height category if known

Role	Name	Organisation	Contact	Date appointed
Responsible person				
Person(s) with day-to-day fire safety duties				
Nominated persons for evacuation				
Fire wardens / marshals				

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

Section 2 — Fire risk assessment record

Date of assessment	Assessor name	Company	Competence / credentials noted	Type or scope	Next review due	Where the assessment is held

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Significant findings and actions

[illegible]

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 3 — Fire detection and alarm

Weekly user test summary (or cross-reference to the separate weekly record), and:

Weekly user test record — summary, or where the separate record is held						
Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next visit due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

Section 4 — Emergency lighting

Monthly and annual test summary (or cross-reference to the separate record), and:

Monthly and annual test record — summary, or where the separate record is held						
Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next visit due

Plus one line per annual full-duration test, recording the duration actually achieved rather than a pass mark:

Date	Rated duration	Duration achieved	All luminaires illuminated at end? Y/N	Defects raised

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

Section 5 — Firefighting equipment

Date	Extinguisher / equipment ref	Location	Type	Service type	Company	Next due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 6 — Fire doors

Routine visual check summary (or cross-reference to the separate checklist), plus:

Routine visual check record — summary, or where the separate checklist is held					
Date	Inspection type (routine visual / competent-person inspection / survey)	Carried out by	Scope	Defects raised	Report reference

The “inspection type” column exists so that a routine visual check and a competent-person inspection are never recorded as the same thing.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 7 — Other fire safety systems

One table in the shape below for each of: sprinklers and suppression; smoke control and AOVs; dry and wet risers; firefighting lifts; fire shutters; hold-open devices; access control and door release on alarm. Each carries a “not applicable to these premises” tick at its head.

Section 7 tables each carry a “not applicable” tick at the head, so absence is recorded as a decision rather than read as an omission.

7.1 Sprinklers and suppression

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

7.2 Smoke control and AOVs

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

7.3 Dry and wet risers

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

7.4 Firefighting lifts

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

7.5 Fire shutters

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

7.6 Hold-open devices

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

7.7 Access control and door release on alarm

☐ Not applicable to these premises — reason:

Date	Company	Engineer	Visit type	Certificate ref	Defects raised	Next due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

Section 8 — Escape routes and signage

Date checked	Areas covered	Obstructions found	Signage defects	Action taken	Checked by

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 9 — Training

Date	Topic	Delivered by	Attendees (or reference to list)	Duration	Refresher due

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 10 — Drills

Date	Scenario	Evacuation time	Number evacuated	Actions arising	Record held at

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 11 — People needing assistance

[illegible]

Handle this section under your data protection obligations. Use references rather than names in a logbook held openly on site if that is more appropriate.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 12 — False alarms and actuations

Date	Time	Zone / device	Cause if known	Fire and rescue service attended? Y/N	Action taken to prevent recurrence

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

Section 13 — Contractor and visitor log (fire-safety-related work)

[illegible]

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 14 — Open defects register

[illegible]

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Open defects register (continued)

[illegible]

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Section 15 — Logbook review

Date reviewed	Reviewed by	Sections found incomplete	Action taken

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker

Disclaimer

This resource is a general template published for general information. It must be adapted to the premises it is used in.

It is not legal advice and it is not premises-specific professional advice. It does not replace a competent fire risk assessment, professional fire-engineering advice, a fire door survey, or the statutory inspection, testing and maintenance your premises require.

Completing this document does not by itself discharge any legal duty. The responsible person remains responsible for deciding whether this template is appropriate to their premises, for adapting it, and for acting on what it records.

A complete logbook is a record of activity, not evidence of compliance. It does not determine what the premises requires; that comes from the fire risk assessment and the design of the systems installed.

Licensing

© Lion Risk Management Solutions.

You may download, print, complete and adapt this resource for use in your own premises or organisation, including by your staff and contractors working on those premises. No registration, payment or attribution is required for that use.

You may not resell it, license it, distribute it for a fee, republish it on another website or in another collection, present an adapted version as our work, or remove this attribution.

A record of activity only — not a fire risk assessment and not evidence of compliance. Where defects are identified or compliance is uncertain, obtain advice from a suitably competent person.

© Lion Risk Management Solutions. General template — adapt to your premises. Version 1.0.
Free to use and adapt for your own premises. Not for resale or republication.
lionrms.uk/downloads/fire-safety-logbook-maintenance-tracker