


```
int int1 = 130 ,int2=40,int3;  
if ((int1 > 100) && (int2 = 60))  
int3 = int1 + int2;  
else  
int3 = int1 - int2;  
cout << int1 << ' ' << int2 << ' ' << int3;
```

Select one:

- ☐ a. 130 40 90
- ☐ b. 130 60 70
- ☐ c. 130 40 170
- ☒ d. 130 60 190

islam.ayb



What is the output of the following code?

```
int num=5, i;  
bool b;  
for(i=0, b=false; i<num && !b; b=true, ++i)  
cout<< "***";  
cout<< "###";  
cout<< i << b;
```

islam.ayb

Select one:

- ☐ a. ***###11
- ☐ b. ***###21
- ☐ c. ***###20
- ☐ d. ***###10

a

What is the output of the following code?

```
int x=3;  
if(x || x++)  
if(3-x)  
if(x)  
cout<<"#";  
else  
cout<<"x";  
else  
cout<<"+";  
else  
cout<<"&"
```

Select one:

- ☐ a. #
- ☐ b. +
- ☐ c. &
- ☐ d. *

islam.ayb

b

a

What is the output of the following code?

```
const int x=5;
if(x>0 && x<5)
cout<< "The new value of x is: " << x++ <<endl;
else if(x>5 && x<10)
cout<< "The value of x is: " << x <<endl;
else
cout<< "The new value of x is: " << --x <<endl;
```

Select one:

- ☐ a. error
- ☐ b. The new value of x is: 6
- ☐ c. The value of x is: 5
- ☐ d. The new value of x is: 4


The output of the following code is:

```
char a = 'e';  
int b;  
if (b=a)  
cout<< a << b << char(b-2);  
else  
cout<< "Nothing\n";
```

islam.ayb

Select one:

- ☒ a. e10199
- ☐ b. Nothing
- ☐ c. e101c
- ☐ d. ea99




What is the output of the following code?

```
int num = 7, eight = 6;  
if(num-- > eight)  
    cout<<"++num"<<++num;  
cout<<num++<<endl;
```

Select one:

islam.ayb

- ☒ a. ++num76
- ☐ b. Y
- ☐ c. ++num77
- ☐ d. 6
- ☐ e. ++num67



How many times will the following loop display "x"

```
for (int i=2,j=14;(j-i)!=0;i++,j--)  
    cout<<'x';
```

Select one:

- ☐ a. 0 times
- ☐ b. 6 times
- ☐ c. 14 times
- ☐ d. Infinite

islam.ayb

b

```
int m=18,n=3 ;
```

```
cout << (m % n == 0 || n % m == 0 ? m * n : m + n);
```

Select one:

☐ a. 96

☐ b. 51

☐ c. 72

☒ d. 54

islam.ayb

```
int x=4,y=5;  
if(x=1 && y++)  
cout<<x<<y;  
else  
if (y==5)  
{cout<<x+1<<y++;  
cout<<x+y;}  
else  
cout<<x+y;  
cout<<x/y;
```

islam.ayb

Select one:

- ☒ a. 1 6 0
- ☐ b. 6 0.8
- ☐ c. 9 0
- ☐ d. 1 5 6

What would be the output of the following code?

```
int a = 8;  
if ( a == 8 ){  
    int b = 6;  
    b++;  
}  
cout<<b;
```

islam.ayb



Select one:

- ☒ a. 6
- ☐ b. 7
- ☐ c. 8
- ☐ d. Compile time error

What is the output of the following code?

```
char x;  
x = (3 >= 3) ? 65 : 66;  
switch(x)  
{  
    case 'B':  
        cout << 1 << endl; break;  
    case 3:  
        cout << 2 << endl; break;  
    case 2:  
    case 'A':  
        cout << 3 << endl; break;  
    default:  
        cout << 0 << endl;  
}
```

Select one:

- ☐ a 0
- ☐ b 2
- ☐ c 3
- ☐ d 1

C

What would be the output of the following code?

```
int x = 5, y = 4, z = 3;
```

```
( x > y > z ) ? cout<< (x += 2), cout<< x : cout<<x;
```

Select one:

☐ a. 55

☒ b. 75

☐ c. 5

☐ d. 77

islam.ayb

What is the output of the following Code

```
int x=0;  
int y=0;  
if (y || -x>10)  
cout<<x+5;  
else if(x==1)  
cout<<x;  
else  
cout<<!x;
```

islam.ayb

Select one:

- ☐ a. 5
- ☐ b. 2
- ☒ c. 1
- ☐ d. 0

What is the output of the following code?

```
int x=195.7;  
switch(x++/2)  
{  
case 98: cout<<"now"<<x;  
case 'a': cout<<"tow"<<x;  
default : x++;  
}
```

islam.ayb

Select one:

- ☐ a. ow196ow196
- ☐ b. ow195ow195
- ☐ c. ow196
- ☐ d. owa

COMPUTER SKILLS II-3

What is the output of the following Code

```
int n=3;  
switch(n)  
{  
case 1:cout <<(n = 4)<<(n == 4);break;  
case 3:cout<<(n && 4)<<(n || 4);  
default: cout << (ln) << " ";  
}
```

islam.ayb

Select one:

- ☐ a. 40
- ☒ b. 110
- ☐ c. 11
- ☐ d. 0

b

```
const int a = 5;  
int b = ++a * a++;  
cout<<b;
```

Select one:

- ☒ a. error
- ☐ b. 36
- ☐ c. 25
- ☐ d. 30

islam.ayb

What would be the output of the following code?

```
int x = 7, y = 10;  
if ( y / x == y / 7.0 )  
    y --;  
-- y;  
cout<< y;
```

islam.ayb

Select one:

- ☐ a. 6
- ☒ b. 9
- ☐ c. 8
- ☐ d. 7

? What is the output

```
;int i
```

```
;for(i=3;i<=12;i*=2)
```

```
;cout<<i-1
```

```
if(i=5)
```

```
;cout<<i
```

islam.ayb

اختر أحد الخيارات

a. 2511 ☐

b. 25115 ☐

c. 235 ☐

d. 23 ☐

What is the output for this code segment?

```
int x=3.8;
```

```
int y=1.9;
```

```
cout<<x%y<<x/y;
```

Select one:

- ☐ a. 00
- ☐ b. 03
- ☐ c. 33
- ☐ d. 02

islam.ayb

b

What is the output ?

```
int x=7,y=6;
```

```
cout<<x<<"\t,"<<y;
```

Select one:

- ☐ a. 6 ,6
- ☐ b. 7 ,6
- ☐ c. Error
- ☐ d. x ,6

islam.ayb

b

What is the value of M after executing the following C segment?

```
int M = 15;  
for( ; M<20 ; )  
if ( M % 2 )  
M++;  
else  
M = M+5;  
cout<<M;
```

islam.ayb

Select one:

- ☐ a. 21
- ☐ b. None of them
- ☒ c. 16
- ☐ d. 20

What is the output?

```
int i;
```

```
for(i=2;i<=8;i*=2);
```

```
cout<<i+1;
```

```
if(i=4)
```

```
cout<<i;
```

islam.ayb

Select one:

- ☐ a. 174
- ☐ b. 17
- ☐ c. 5104
- ☐ d. 510

What is the output ?

```
char x='C';
```

```
cout<<x<<x-1;
```

Select one:

- ☐ a. CB
- ☐ b. C66
- ☐ c. C98
- ☐ d. 6766

islam.ayb

b

? What is the output

```
;int x=5.8,y=2.9,z
```

```
;z=x+2*4%x/y*3+x%y
```

```
;cout <<z
```

islam.ayb

اختر أحد الخيارات

a. 0 ☐

b. 9 ☐

c. 6 ☐

d. 4 ☐

What is the output ?

```
int i;
```

```
for(i=3;i<=12;i*=2);
```

```
cout<<i+1;
```

```
if(i=6)
```

```
cout<<i;
```

Select one:

- ☐ a. 25
- ☐ b. 49
- ☐ c. 256
- ☐ d. 496

islam.ayb

What is the output ?

```
int x,y=7,z;  
for(x=2;x<=2;x+=y)  
{ z=y%3;  
  switch (z) {  
    case 0: y=x+1; break;  
    case 1: y = x+4; break;  
    default: y=x;  
  }  
}  
cout<<y;
```

islam.ayb

Select one:

- ☐ a. 5
- ☐ b. 3
- ☐ c. 4
- ☐ d. 6



? What is the output

```
;int i=2,x=2
```

```
}for(;i<4;i++)
```

```
if(i<1)
```

```
;x = i
```

```
else
```

```
;x = i+2
```

```
{;cout<<x
```

اختر أحد الخيارات

a. 24 ☐

b. 25 ☐

c. 45 ☐

d. 26 ☐

islam.ayb

Trace the following code segment and find
: the output

```
;int x=2  
;int y=8.2,z=2  
if(!(x==(y-z)))  
;cout<<y/x
```

islam.ayb

اختر أحد الخيارات

a. Empty Screen ☐

b. 4.1 ☐

c. 0 ☐

d. 4 ☐

What is the output for this code segment?

```
float a,b=2,c=1;
```

```
    a= b++/c+1 -c;
```

```
    c+= b-2;
```

```
cout<<a<<"\t"<<b<<"\t"<<c;
```

islam.ayb

Select one:

☐ a. 2 3 2

☐ b. 2 2 3

☐ c. 2 3 4

☐ d. 2 2 2

a

What is the output ?

```
int f=0;int x,y;
```

```
for(x=3,y=3;x<=4 && y<=5;x++,y++)
```

```
f=f+y-1;
```

```
cout <<f;
```

islam.ayb

Select one:

- ☐ a. 3
- ☐ b. 34
- ☐ c. 5
- ☐ d. 345

What is the output ?

```
char x='B';
```

```
cout<<x<<x+1;
```

Select one:

- ☐ a. BC
- ☐ b. B99
- ☐ c. B67
- ☐ d. 6667

islam.ayb



```
;int a = 2, b = 7, c = 3
```

```
;b = b != !a
```

```
;c = !!a
```

```
;cout<<b<<c
```

islam.ayb

إختار أحد الخيارات:

11 ☐

10 ☐

01 ☐

73 ☐

الولاية كنال

SPU

? What is the output

```
;int x=4
```

```
;bool y= false
```

```
if(!y)
```

```
;y=true
```

```
;cout<<y<<"\t"<<!x+3
```

islam.ayb

اختر أحد الخيارات

a. 0 3 ☐

b. 1 4 ☐

c. 1 3 ☐

d. 0 4 ☐

? What is the output

```
;int i=3,x=2
```

```
}for(;i<5;i++)
```

```
if(i<3)
```

```
;x = i
```

```
else
```

```
;x = i-1
```

```
{;cout<<x
```

islam.ayb

اختراع الخيارات

a. 23 ☐

b. 34 ☐

c. 22 ☐

d. 33 ☐

What is the output of the following code?

```
int r;  
int y = 9;  
r=6;  
switch (r)  
{ case 3:  
  y++; break;  
  case 4:  
  case 6:  
    y = y + 1;  
  case 8:  
    y = y + 4; break;  
  default:  
    y = y + 3;  
}  
cout<<y;
```

islam.ayb

Select one:

- ☐ a. 22
- ☐ b. 13
- ☐ c. 17
- ☐ d. 14