

2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 2

Not yet answered

Marked out of 1.00

🚩 Flag question

What is the output of the following Code

```
int n=2;
switch(n)
{
case 1:cout <<(n = 3)<<(n == 4);break;
case 2:cout<<(n && 0)<<(n || 4);
default: cout << (!n) << " ";
}
```

Select one:

- ☒ a. 010
- ☐ b. 30
- ☐ c. 01
- ☐ d. 0

Next page



العربية

الإنجليزية





FET



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 3

Not yet answered

Marked out of 1.00

Flag question


What would be the output of the following code?

```
float x=100;  
cout<< log10(sqrt(x));
```

Select one:

- ☒ a. 1
- ☐ b. 10
- ☐ c. 0
- ☐ d. 2

Next page



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 4

Not yet answered

Marked out of 1.00

Flag question

What is the output of the following code?

```
int x = 1;
while ( x ) {
    for(int i = x-- ; i >= 1; i--)
        cout << i ;
    cout << "*";
}
```

Select one:

- ☒ 1*
- ☐ 321*
- ☐ infinite loop
- ☐ 3*2*1*2*1*1*

Next page

QUIZ NAVIGATION

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 5

Not yet answered

Marked out of 1.00

Flag question

What would be the output of the following code?


```
int x = 7, y = 6, z = 5;
```

```
( x > y > z ) ? cout<< (x += 2), cout<< x :  
cout<<x;
```

Select one:

- ☐ a. 7
- ☐ b. 97
- ☒ c. 99
- ☐ d. 77

Next page





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 7

Not yet answered

Marked out of 1.00

Flag question

What is the code that must be written in the blank to print five stars?

```
for (int i=1 ; i<=6 ; i++){
```

```
_____
```

```
cout<<'*';
```

```
}
```

Select one:

- ☐ a. if (i != 3) break;
- ☐ b. if (i == 3) break;
- ☐ c. if (i != 3) continue;
- ☒ d. if (i == 3) continue;

Next page

QUIZ NAVIGATION

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---



العربية

الإنجليزية





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 8

Not yet answered

Marked out of 1.00


Flag question

What would be the output of the following code?

```
char s1[10] = "SKILLS";  
char s2[10] = "12";  
strcpy(s1, s2);  
cout<<strlen(s1);  
cout<<s1;
```

Select one:

- ☐ 212
- ☒ 6SKILLSL
- ☐ 312L
- ☐ 10SKILLSL





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 9

Not yet answered

Marked out of 1.00


Flag question

Trace the following code and print the output :

```
#include <iostream>
using namespace std;
void jor(int &a,int b){
    a=5.5;
    b=2.7;}
int main(){
    int m=4.1;
    jor (--m,m);
    cout<<m++<<endl;
    return 0;}
```

Select one:

- ☐ a. 6
- ☒ b. 5
- ☐ c. 2
- ☐ d. 4





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 10

Not yet answered

Marked out of 1.00


Flag question

THE OUTPUT IS :

```
#include <iostream>
using namespace std;
void fet();
int main()
{
    fet();
    fet();}
void fet(){
    int y[4]={ 2,3,5,7};
    static int x=4;
    cout<<x++;
    cout<<++y[2];}
```

Select one:

- ☐ a. 4456
- ☒ b. 4546
- ☐ c. 4656
- ☐ d. 4646





FET



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 11

Not yet answered

Marked out of 1.00

Flag question


```
const int a = 7;  
int b = ++a * a++;  
cout<<a<<b;
```

Select one:

- ☐ a. 964
- ☐ b. 949
- ☒ c. error
- ☐ d. 956

Next page

QUIZ NAVIGATION



COMPUTER SKILLS II-11

Question 12

Not yet answered

Marked out of 1.00

🚩 Flag question

```
int f1(int m, int n);
int f2(int x, int y, int z);
void main()
{cout<<f2(8,1,3); }
```

```
int f2(int x, int y, int z)
{ if ( f1(x,y) <z)
    return z-1 ;
else
return z+1; }
```

```
int f1(int m, int n)
{ return m+n; }
```

Select one:

- ☒ 4
- ☐ 9
- ☐ 3
- ☐ 2

Next page



العربية

الإنجليزية



```
float fun(int x, char y )  
{  
    cout<<y;  
    return x;  
}
```

```
void main()
```

```
{ int m=97;  
  float n=9.7;  
  cout<<fun(n,m)/2;  
  
}
```

Select one:

- ☒ 97 4.85
- ☐ a 4.85
- ☐ a 4.5
- ☐ 97 4.5

Next page

QUIZ NAVIGATION



العربية

الإنجليزية



FET



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 14

Not yet answered

Marked out of 1.00

Flag question

```
cout<<pow(floor(fabs(-3.7)),ceil(3.3));
```

Select one:

- ☒ 81
- ☐ 64
- ☐ 27
- ☐ 256

Next page

QUIZ NAVIGATION



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 15

Not yet answered

Marked out of 1.00

🚩 Flag question

What would be the output of the following code?

```
char s[10] = {'x', 'y', 'z', 'w', 'v', '\0'};
s[3] = '\0';
cout<<s;
```

Select one:

- ☒ xyz
- ☐ xyzwv
- ☐ xyz v
- ☐ xy

Next page

QUIZ NAVIGATION

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18



العربية

الإنجليزية





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 16

Not yet answered

Marked out of 1.00


Flag question

WHAT IS THE OUTPUT

```
int x=50, n=0;  
do {  
    cout<<"*"<<++n<<"*\n";  
    ++x; }  
while (x<50||x>52);
```

Select one:

- ☒ *1*
- ☐ *2*
- ☐ *4*
- ☐ *3*





2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 17

Not yet answered

Marked out of 1.00


Flag question

HOW MANY TIMES THE # WILL PRITNT

```
for (int i=0;i<1;i++)  
    for(int j=0;j<3;j++)  
    {  
        if ( j==1)  
            break;  
        cout<<'#';  
    }
```

Select one:

- ☐ ONE TIME
- ☐ TWO TIMES
- ☐ FOUR TIMES
- ☒ THREE TIMES



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 18

Not yet answered

Marked out of 1.00

🚩 Flag question

WHAT IS THE OUTPUT

```
int i=1, s=0;
while(++i<6){
s +=i-2;
cout<<s<< ' ';}
```

Select one:

- ☐ 0 1 5 6
- ☐ 1 3 5 6
- ☐ 0 1 3 6
- ☒ Endless Loop

Next page

QUIZ NAVIGATION

1 2 3 4 5 6 7 8 9



العربية

الإنجليزية





Question 19

Not yet answered

Marked out of 1.00

Flag question

THE OUTPUT IS :


```
#include <iostream>
using namespace std;
int b=6;
int sub1(int);
int main(){
    int b=4;
    sub1(b);}
```

```
int sub1(int c) {
    if (b==6)
        cout<<--c;
        cout<<b++;}
```

Select one:

- ☒ 3
- ☐ 36
- ☐ 35
- ☐ 6

Next page





FET



2021/2020-1-30801101- COMPUTER SKILLS II-11

Question 20

Not yet answered

Marked out of 1.00


Flag question

What would be the output of the following code?

```
int x[2][2]={ {1}, {2,3} };  
int s=0;  
for(int i=0; i<2; i++)  
    s += x[i][i];  
cout<<s;
```

Select one:

- ☐ a. 1
- ☐ b. 5
- ☒ c. 4
- ☐ d. 3





Question 21

Not yet answered

Marked out of 1.00

Flag question


What is the output of the following Code

```
int x=0;
int y=0;
if (y || ++x>10)
cout<<x+4;
else if(x==2)
cout<<x;
else
{
x--;
cout<<!x;
}
```

Select one:

- ☐ a. 4
- ☐ b. 2
- ☒ c. 1
- ☐ d. 0

Next page





COMPUTER SKILLS II-11

Question 22

Not yet answered

Marked out of 1.00


Flag question

What is the output of the following code?

```
int x[2][2]={3,2,6,4};  
for(int i=0;i<2;i++)  
{  
    for(int j=0;j<2;j++)  
        cout<<--x[i][j] + 3 <<" ";  
}
```

Select one:

- ☐ None
- ☐ 6 5 9 7
- ☒ 5 4 8 6
- ☐ 4 3 7 5



Question 23

Not yet answered

Marked out of 1.00

Flag question

what are the contentes of array a after
executing the following code?

```
int count;  
int a[3];  
a[0] = 5;  
for ( count = 0; count < 3; count++)  
{  
    a[count] = 5 * count + 10;  
  
}  
a[count - 1] = a[count-1] - 4;
```

Select one:

- ☒ None
- ☐ 10 15 20
- ☐ 15 16 20
- ☐ 10 15 16



Question 24

Not yet answered

Marked out of 1.00

Flag question


The output is :

```
#include <iostream>
using namespace std;
void sum(int a1[], int a2[]){
    int temp[2];
    temp[0]=a1[0]+a2[0];

    temp[1]=a1[1]+a2[1];
    cout<<temp[0]<<' '<<temp[1]<<' ';
    a1[0]=60;
}
int main(){
    int x[2] = {15,25};
    int y[2] = {1,2};
    sum(x,y);
    cout<<x[0];
    return 0; }
```

Select one:

- ☒ a. 16 27 60
- ☐ b. 16 25 60
- ☐ c. 15 25 60
- ☐ d. 15 27 60



Find the output

```
int a=7, b=8;
void main()
{
    int a,c=9;
    a=b++;
    {
        int a=10,z;
        z=a + ++b + c--;
        cout<<z<<endl;
    }
    cout<<a<<b<<c;}
```

Select one:

- ☐ 28
1098
- ☒ 28
789
- ☐ 29
8108
- ☐ 29
9109



العربية

الإنجليزية



-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 1

غير مجاب عليه بعد

الدرجة من 1.50

٣ علم هذا السؤال

?What is the output of the following code

```
;int a = 0, b = 6, c = 11
```

```
;b= b != !a
```

```
;c = !!a
```

```
;cout<<b<<c
```

إختر أحد الخيارات:

611 ☐

11 ☒

10 ☐

01 ☐

الصفحة التالية

تنقل الاختبار



-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 2

غير مجاب عليه بعد

الدرجة من 1.50

۱۷ عَمَّ هَذَا السُّؤَالُ

what is the output

```
;int x=8,y=5
```

```
if (x==y)
```

```
;cout<<x+y
```

```
else if(x=11)
```

}

```
;x%=y
```

$$;y/=x$$

{

```
;cout<<x+y
```

إختار أحد الخيارات:

6 ○

7 ●

4 ○

5 ○



FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 3

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

;"cout<<"engineer\too\\\"exam\red

إختر أحد الخيارات:

engineer oo\"exared ☐

edgineer oo\"exam ☒

engineer oo\"examred ☐

edgineertoo\"exa ☐

الصفحة التالية

تنقل الاختبار

9	8	7	6	5	4	3	2	1
18	17	16	15	14	13	12	11	10

+



↩

⤴

|||

○

>

-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 4

غير مجاب عليه بعد

الدرجة من 1.50

﴿ عِلْمٌ هَذَا السُّؤَالِ ﴾

which of the following is a valid C++ identifier

const

two-way

number_

2ndclass

اختر أحد الخيارات:

two-way ☒

2ndclass ○

const ○

number_

الصفحة التالية



FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 5

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

write the following expression using c++ code

$(x > y > z)$

إختر أحد الخيارات:

$(x > y > z)$ ☐

$(x < y \ \&\& \ y < z)$ ☐

$(x > y \ || \ y > z)$ ☒

$(y > z \ \&\& \ x > y)$ ☐

الصفحة التالية

تنقل الاختبار

9	8	7	6	5	4	3	2	1
18	17	16	15	14	13	12	11	10

+



↩

⤴

|||

○

>



FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 6

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

?What is the output of the following code

```
;bool val=4
;int d=val++ - 8
;cout<<(!val)?val:d)
```

إختر أحد الخيارات:

0 ☐

8- ☒

7- ☐

1 ☐

الصفحة التالية

تنقلا الاختبار





سؤال 7

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

```
;char x = 'a'
} if ( x++ == 'a' )
; "$" >> cout
if ( x <= 'B' )
; "$" >> cout
{
else
; "#" >> cout
if ( x == 'b' )
; "?" >> cout
```

إختر أحد الخيارات:

☒ \$\$\$?☐ # \$☐ ? #☐ ? \$

الصفحة التالية





FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 8

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

```
;int x=4,y=7,z=2
; z*= x++ + --y + 3 + y
;cout<<z
```

إختر أحد الخيارات:

42 ☐


40 ☒

38 ☐

19 ☐

الصفحة التالية

تنقل الاختبار



+



+

^

|||

O

>



FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 9

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

; bool b = 7

; cout << 7 + 1.0 / 2

; cout << b * 2

إختر أحد الخيارات:

7.514 ☐

41 ☐

414 ☐

7.52 ☒

الصفحة التالية

تنقل الاختبار

9 8 7 6 5 4 3 2 1

+



⌂

⌆

|||

○

>

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 10

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

?Where are the errors in the following program

```

                                ()void main
                                }

int sum,sub=3,mult,div=2,module; // Line 1
                                // Line 2          cin<<b;
                                // Line 3          sum=a+b;
// Line 4          cout<<div+sub;
// Line 5  cout<<"Enter value of a ="
// Line 6          module=sum%sub;
                                {

```

إختر أحد الخيارات:

Lines 3 and 5 ☐

Lines 1 and 4 and 6 ☐

Lines 2 and 4 and 5 ☐

Lines 2 and 3 and 5 ☒

الصفحة التالية



-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 11

غير مجاب عليه بعد

الدرجة من 1.50

۱۷ عَمَّ هَذَا السُّؤَالُ

what is the output

```
;int k=7
```

```
if(k>9)
```

```
if(k==7)
```

```
;cout<<k+5
```

else

```
;cout<<k
```

else

```
;cout<<k/5
```

إختتر أحد الخيارات:

1

0 ○

7 ○

1.5 ○

?following code

```
switch(W)
{
;case 5: cout<<"Hello";break
:case 4
case 3: cout<<"Welcome in";cout<<"\t
;C++";break
;"default: cout<< "Bye
{
```

إختر أحد الخيارات:

None ☐

if (W == 5) ☐

;"cout<<"Hello

else if(W==4)

;"++cout<<"Welcome in"<<"\t C

else

;"cout<<"Bye

if (W == 5) ☒

;"cout<<"Hello

else if(W==4 || W==3)

;"++cout<<"Welcome in"<<"\t C

else

;"cout<<"Bye

if (W == 5) ☐

;"cout<<"Hello

else if(W==4 && W==3)

;"++cout<<"Welcome in"<<"\t C

else

;"cout<<"Bye





FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 13

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

```
;float y=9
```

```
;int z=2
```

```
;++y/=z
```

```
;cout<<y<<z
```

إختر أحد الخيارات:

53.1 ☐

53.2 ☒

53.3 ☐

53.4 ☐

الصفحة التالية

تنقلا الاختبار





FET

-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 14

غير مجاب عليه بعد

الدرجة من 1.50

﴿ عِلْمٌ هَذَا السُّؤَالِ ﴾

what is the output

```
;int x=12,y=3
```

```
if (x / y != 0 && ++y)
```

```
;"cout << x / y << "k
```

else

```
;"cout << x * y << "z"
```

إختار أحد الخيارات:

4k 

36z ○

3k ○

48z ○

الصفحة التالية



-2021/2020-1-30801101

COMPUTER SKILLS II-11

سؤال 15

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

```
;bool x=1
```

```
;int w=2,y=0,m=2
```

```
switch((w+= y != x > m++))
```

```
}
```

```
;case 0: w=6;break
```

```
;case 1: w=-7;break
```

```
;default:w=-3;break
```

```
{
```

```
;cout<<w
```

إختر أحد الخيارات:

0 ☐

1 ☒

3- ☐

7- ☐

الصفحة التالية

تنقل الاختبار

9

8

7

6

5

4

3

2

1

III

O

>

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 16

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

```
;int x='C'
```

```
;char y=65
```

```
;bool z
```

```
;z= (x==y ?x: y)
```

```
if(z)
```

```
;" cout<<" gg
```

```
;" \\\\" ">>cout
```

إختر أحد الخيارات:

☐ \\\\"

☐ \\\\"

☐ gg

☒ \\\\" gg

الصفحة التالية

تنقلا الاختبار





-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 17

غیر مجاب علیہ بعد

الدرجة من 1.50

﴿عَلَّمَ هَذَا السُّؤَالَ﴾

?What is the value of y

```
;int a=4, b=3.8,y
```

```
;y= (a*5%(a+b*2)-(a/b))
```

إختتر أحد الخيارات:

2 ○

10 ○

1- ○

8 

الصفحة التالية

تنقلا الاختيار





FET

-2021/2020-1-30801101 COMPUTER SKILLS II-11

سؤال 18

غير مجاب عليه بعد

الدرجة من 1.50

علم هذا السؤال

what is the output

```
;int x=5.9
```

```
;char y=99
```

```
;float z=6
```

```
; cout<<(x%3 > z/2 +5 || y=='c')
```

إختر أحد الخيارات:

0 ☐

1 ☒

error ☐

الصفحة التالية

تنقل الاختبار

9 8 7 6 5 4 3 2 1

+



↩

⤴

|||

○

>



-2021/2020-1-30801101
COMPUTER SKILLS II-11

سؤال 19

غیر مجاب علیہ بعد

الدرجة من 1.50

۱۷ عَمَّ هَذَا السُّؤَالُ

?What is the output of the following code

```
;int x=10,y=5.5  
;cout<<x/y<<y/x
```

إختتر أحد الخيارات:

20 ●

02 ○

33 ○

00 ○

الصفحة التالية

تنقل الاختبار



COMPUTER SKILLS II-11

سؤال 20

غير مجاب عليه بعد

الدرجة من 1.50

١٧ عِلْمُ هَذَا السُّؤَالِ

what is the output

```
;int x=1
```

```
if (x-- && (x+=9))
```

```
;cout<< float(x)/2
```

```
;cout<<x-2
```

إختار أحد الخيارات:

5.25.4 ○

75.4 ○

74 ○

2-

إنهاء المحاولة ...

تنقل الاختبار

A number line showing the sequence of numbers from 9 to 20. The numbers are arranged in two rows: the first row contains 9, 8, 7, 6, 5, 4, 3, 2, 1; the second row contains 18, 17, 16, 15, 14, 13, 12, 11, 10. Below the second row, the number 19 is shown, followed by 20. Each number is enclosed in a rectangular box with a shaded bottom half.

